AD-A128 473 BENCHMARK FOR THE ASALT PROGRAM; ASSESSMENT OF SURVIVABILITY AGAINST LASER THREATS(U) ARMAMENT SYSTEMS INC ANAHEIM CA F J STEENROD ET AL. SEP 81 1/3

UNCLASSIFIED JTCG/AS-81-S-005 N00123-80-D-0033 F/G 20/5 NL





(2)

REPORT JTCG/AS-81-S-005

JTCG/AS

BENCHMARK FOR THE ASALT PROGRAM; ASSESSMENT OF SURVIVABILITY AGAINST LASER THREATS

Frederick J. Steenrod
John E. Musch

September 1981

Prepared for

JOINT TECHNICAL COORDINATING GROUP
ON
AIRCRAFT SURVIVABILITY

FOREWORD

This report presents the results of research performed under Naval Weapons Center, China Lake, California Contract N00123-80-D-0033.

The work was sponsored by the JTCG/AS and conducted under the direction of the survivability Assessment Subgroup as Project SA-001.

The contractor was Armament Systems, Inc.

The authors would like to acknowledge the assistance of Carol A. Gillespie, Code 3381, of the Naval Weapons Center, in the understanding and documentation of the ASALT programs.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER JTCG/AS-81-S-005	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Benchmark for the ASALT Program; Assessment of Survivability Against Laser Threats		5. TYPE OF REPORT & PERIOD COVERED Final 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Frederick J. Steenrod and John E. Musch		8. CONTRACT OR GRANT NUMBER(s) N00123-80-D-0033
9. PERFORMING ORGANIZATION NAME AND ADDRESS Armament Systems, Inc. 712-F North Valley Street Anaheim, CA 92801		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS SA-001
11. CONTROLLING OFFICE NAME AND ADDRESS JTCG/AS Central Office, AIR-5164J Naval Air Systems Command Washington, D.C. 20361		12. REPORT DATE September 1981 13. NUMBER OF PAGES 181
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) Naval Weapons Center Code 3381 China Lake, CA 93555		15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

This document has not been approved by the Joint Logistics Command and does not represent DARCOM, NMC, AFLC and AFSC Commands

This document has been approved for public release and sale; its distribution is unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

ASALT
Laser
Computer program
Survivability
Survivability methodology

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

See reverse.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Benchmark for the ASALT Program; Assessment of Survivability Against Laser Threats (U), by Frederick J. Steenrod and John E. Musch. Armament Systems Inc. China Lake, Calif. Naval Weapons Center for Joint Technical Coordinating Group/Aircraft Survivability. September 1981. 181 pp. (JTCG/AS-81-S-005, publication UNCLASSIFIED.)

The benchmark run of the ASALT Computer Program using data for an F-18 aircraft target is documented in this report. Also described in this report, are several other computer programs that are useful in assembling data for input to the ASALT Program. Copies of the input and output files from the benchmark process are included, so that the report serves as an example of the execution of the ASALT Program and the programs which precede it.

TABLE OF CONTENTS

TABLE OF CONTENTS (Concluded)

LIST OF FIGURES

LIST OF TABLES

SECTION I

INTRODUCTION

Due to improvements in laser and tracking technology, high-energy lasers have become a potential threat to the survivability of combat aircraft. A method for evaluating the effectiveness of a ground-based laser weapon system against an aircraft is provided by the computer program, ASALT, Assessment of Survivability Against Laser Threats (Reference 1). This report is the documentation for a benchmark run of the ASALT Program which has been completed using data for a typical fighter aircraft. In order to assemble realistic data, the benchmark process utilized a sequence of several other computer programs also described in this report.

ASALT DESCRIPTION

The ASALT Program is used to evaluate the effectiveness of a high-energy laser against an aircraft. The laser weapon system is located in a fixed position and is described by a flux emission function, aiming errors caused by jitter, and slewing limits for the tracking mechanism. The target aircraft is comprised of components which are linked using fault tree structures. Each component is characterized by a set of presented areas which vary with different aspect angles, and a Pk function which increases with rising levels of accumulated irradiation. The aircraft flies a path with designated

"can engage" and "cannot engage" intervals determined by using the Engagement Model (Reference 2). The ASALT Program also has an atmospheric model used to determine the power degradation of the laser beam due to interaction with molecules in the air, or with an optional smoke corridor.

Damage to each component is dependent on the total amount of energy that can be expected to accumulate on the component. The probability of hitting a component is computed by determining the rectangular presented area of the component, computing the total standard deviations caused by aiming errors and jitter, and integrating a Gaussian probability density function, centered at the user-defined aim point, over the component presented area. The probability of hit multiplied by the time interval between program iterations results in the expected time duration that the laser beam center is focused on the component. The expected time multiplied by the attenuated beam power results in the amount of energy expected to reach the component during the time interval. The total energy reaching each component is summed over all time intervals to obtain the total expected energy on each component. The component Pk is then computed using the user-defined Pk functions with the total expected energy as the argument. Subgroup and total target Pk's are computed using the target fault tree description to determine the component interrelationships.

The ASALT Program line printer output includes a description of the input parameters, an optional time trace showing the total target Pk's at regular time intervals, and an end-of-run damage summary which contains the final Pk's for the components, subgroups, and the total target. The ASALT Program requires approximately $140{,}000_8$ (49152_{10}) words of addressable memory (HP 3000 Computer), and makes use of two input files and two output files.

ASALT INPUT REQUIREMENTS

The ASALT Program requires two input files as shown in Figure 1-1, a Flight Path File and an ASALT Data Deck. A detailed description of both input files is given in Section III of the ASALT documentation (Reference 1). Sections II and III of this report are used to describe a sequence of several other computer programs which can be used to assist in assembling these data.

The tape symbol on the left side of Figure 1-1 represents the Flight Path File, which is a binary sequential file that contains data describing the aircraft position and attitude as it moves through the scenario. Each record in this file contains a flag used to indicate whether or not the aircraft may be engaged during that time step. The ASALT Program will not simulate laser firing unless the flag permits engagement. In this way such factors as clear line-of-sight or acquisition envelopes can directly affect the results



FIGURE 1-1. ASALT Input Requirements.

from the ASALT Program. Section II of this report is used to describe the techniques employed to generate the Flight Path File.

The card shaped box in Figure 1-1 represents the ASALT. Data Deck which contains the values necessary to describe the laser weapon system, the target aircraft, and the atmosphere around the laser. Since some parameters in the ASALT Data Deck can be assembled only by users, this file is in an easily modified card image format. Section III of this report is used to describe the method for assembling these data.

REPORT ORGANIZATION

This report is used to document the procedure utilized for the ASALT benchmark run and serves as an example of an ASALT execution. Copies of several input and output files from the benchmark run described in this report are included

in Appendix A. Section II, Flight Path File Assembly, contains a description of the method for creating the Flight Path File and is used to describe Figure A-1, a copy of the output from the Engagement Model run used in the benchmark procedure. The sequence used to assemble the ASALT Data Deck is described in Section III, ASALT Data Deck Assembly. Listings in the Appendix referenced in Section III include a copy of the final ASALT Data Deck used for the benchmark run as well as listings of other programs employed in the data deck assembly procedure. Section IV is used to describe a copy of the line printer output from the ASALT benchmark run and a discussion of that run. Appendix A also contains a copy of the source code for the VAMERGE Program which is the only undocumented program in the sequence utilized in this benchmark procedure. Following the appendix, is a page of references for the other programs used in the benchmark procedure.

Input files are described as being either binary tape files which consist of records, or card decks which consist of formatted cards. All of these input files are read sequentially. The distinction between tape files and card decks is used to emphasize whether files are read by executing unformatted or formatted READ statements, respectively. The words "card" and "tape" do not imply any specific device type restrictions.

STRENGTHS AND WEAKNESSES

The benchmark exercise revealed a few weak areas that were corrected with minor programming changes. These problems and their corrections follow:

1. The QKLOOK programs as documented in Reference 4 are limited to a maximum of 498 components in the aircraft model. This limit had to be increased to 1398 components for the fighter aircraft model used in this report. The procedure for increasing this limit is clearly outlined in Appendix B of the QKLOOK documentation (Reference 4).
2. The QKLOOK program, QKPK, could abort on some computers with a small word size, especially with a large target such as the F-18. By making the variables, TNOW and TUSED, double precision the problem can be prevented.

One of the strongest points of the ASALT benchmark procedure is that a fairly complex network of programs fit together very well. Only one final step requires manual modification of a file produced by one program before being used by the next. Other strong points are the readable line printer output from the programs, and the thorough set of documentation that exists for the programs used here.

SECTION II

FLIGHT PATH FILE ASSEMBLY

The Flight Path File contains data used to describe the position and attitude of the aircraft as it moves through the scenario. Each record on this file contains a flag which indicates whether or not the aircraft can be engaged. One way of generating this input file is to use the FLYGEN Program (Reference 3) to build a flight path and then use the ENGAGEMENT Model (Reference 2) to determine the engagement intervals. Figure 2-1 is used to depict the addition of these programs to the diagram depicted in Figure 1-1.

The Engagement Model is used to evaluate any combination of eight different engagement conditions which influence a ground weapon attempting to engage an aircraft. The eight engagement conditions are presented in Table 2-1. The engagement conditions selected by the user are specified in the formatted input for the Engagement Model, represented in Figure 2-1 by the card shaped box labeled "ENGAGEMENT CONDITIONS". The two tape symbols in Figure 2-1 represent the binary Flight Path File before and after the Engagement Model has been used to determine the intervals for engagement. The exact format and contents of both input files for the Engagement Model are presented in Section V of Reference 2.



FIGURE 2-1. Flight Path File Assembly.

The Engagement Model can use any flight path file in the proper format. Program FLYGEN produces a file in the correct format but almost any flight path generating program could be modified to perform this task. If a flight path

TABLE 2-1. Engagement Conditions for the Engagement Model.

1. FIELD OF FIRE
This test compares the weapon-to-target azimuth angle with user specified limits. A 360-degree field of fire is allowed.

2. MINIMUM RANGE
The range from the weapon to the aircraft is compared with the minimum range specified by the user.

3. MAXIMUM RANGE
The range from the weapon to the aircraft is compared with the maximum range defined by the user.

4. ACQUISITION ENVELOPE
An acquisition envelope may be defined for the weapon in a tabular form. The table contains maximum acquisition ranges as a function of azimuth and elevation from the weapon location. The model is used to perform a double interpolation of values from the table and compare the interpolated maximum range with the weapon-to-aircraft range.

5. STATISTICAL TERRAIN PROBABILITY OF CLEAR LINE-OF-SIGHT
A probability of clear line-of-sight may be computed in one of two ways:

a. A probability of clear line-of-sight can be interpolated from values in a table containing probabilities as a function of range and altitude from the weapon location.

b. A table listing boundary ranges and altitudes as a function of azimuth may be used. In this method the weapon-to-target azimuth is used to interpolate the boundary range and altitude values from the table. The probability of clear line-of-sight is 1.0 if the actual range is less than the boundary range, or if the actual elevation is greater than the minimum elevation computed from the boundary range and altitude.

The probability of clear line-of-sight is compared with a user-specified minimum to determine when this engagement condition is satisfied.

6. DIGITAL TERRAIN CLEAR LINE-OF-SIGHT
A direct access input file containing terrain altitudes at a user-specified grid interval may be used to test for terrain masking. The weapon-to-target line-of-sight altitude is compared with the terrain altitude at every horizontal and vertical grid line intersection. A clear line-of-sight exists if the terrain altitude is less than the line-of-sight altitude at every intersection.

7. RADAR ACQUISITION AND COUNTERMEASURES
An acquisition radar for the ground weapon may be defined with radar parameters and a target radar cross section array which varies with azimuth and elevation look-angles. Additionally, jamming and/or chaff countermeasures may be employed to nullify the radar acquisiton capability.

8. IR LOCK-ON
An IR lock-on range equation may be used to test the lock-on capabilities of such a device. This test allows the user to make use of a large set of atmospheric transmission factors derived by previous study, or to define a unique set of transmission factors.

file which bypasses the Engagement Model is used as input for the ASALT Program the results will be based upon the assumption that the laser beam is able to engage the aircraft during the entire flight path.

The execution of the Engagement Model used for this benchmark is the same as part of the sample problem described in the ENGAGE documentation (Reference 2). Figure 2-2 is a contour map which shows the terrain for the scenario, the laser location, and the aircraft flight path. The solid lines on the flight path represent intervals during which the aircraft can be engaged and the dashed lines represent intervals during which the aircraft cannot be engaged by the laser weapon system. The line printer output for that execution of the Engagement Model is Shown in Figure A-1.



FIGURE 2-2. Engaged Flight Path Intervals for ASALT Benchmark.

SECTION III

ASALT DATA DECK ASSEMBLY

The ASALT Data Deck contains the values necessary to describe the laser weapon system, the target aircraft, and the atmosphere around the laser. A major portion of this input is the set of cards used to specify the name, location, presented areas, and Pk functions for each aircraft component. A sequence of four steps which can be used to assemble this component information into the ASALT Data Deck is presented in Table 3-1. Figure 3-1 is used to show this sequence of steps added to the diagram from Figure 2-1. The sequence added in Figure 3-1 includes a shot line generating program such as FASTGEN (Reference 5), followed by several executions of the QKLOOK Programs (Reference 4), and finally the VAMERGE Program which is used to combine the QKLOOK output into the ASALT Data Deck. The dashed line between the VAMERGE PROGRAM box and the ASALT DATA DECK box in Figure 3-1 is used to indicate that the ASALT Data Deck must be completed manually by the user. This completion step includes specifying the laser weapon location and the aircraft fault tree structure. The next four subsections are used to discuss the four steps in assembling the ASALT Data Deck.

TABLE 3-1. Steps for Assembling the ASALT Data Deck

1. Generate target shot line descriptions at 13 views.
2. Generate target vulnerable area tables at 26 views.
3. Merge the 26 vulnerable area tables.
4. Manually complete the ASALT Data Deck

GENERATE TARGET SHOT LINE DESCRIPTIONS AT 13 VIEWS

The QKLOOK Programs require a target shot line description as input. The format and contents of this file are described in Section V of the QKLOOK documentation (Reference 4) under the subheading, QKPK Binary Input File. Figure 3-1 depicts this file as the output from the FASTGEN Program (Reference 5). Other possibilities for this step include Program SHOTGEN or Program MAGIC (Reference 6) followed by Program CONMAG from the QKLOOK set of programs. The final ASALT Data Deck requires data from 26 aspect angles around the aircraft but the reverse option in the QKLOOK Programs can be used so that shot line descriptions at only 13 views are required for this step.

GENERATE TARGET VULNERABLE AREAS AT 26 VIEWS

This is the longest step in preparing input data for an ASALT run because it involves the repeated execution of the QKLOOK Programs. These programs are used to evaluate the vulnerability of a target to high-energy laser irradiation at one constant aspect angle. Before this step could be started



FIGURE 3-1. ASALT Data Deck Assembly

for the fighter aircraft model used in this benchmark problem, two changes were required in the QKLOOK Programs: the maximum number of components was increased from 498 to 1398 using the code changes outlined in Appendix B of the QKLOOK documentation (Reference 4), and Program PEAKAY was modified so that PEAKAY Binary Output FILE 3 was kept separately from the other output files which were not needed.

The QKLOOK Programs require as input, a formatted data deck which contains the component characteristics for the target aircraft, and a binary target shot line description file. The card shaped box in Figure 3-1 labeled "COMPONENT CHARACTERISTICS" represents the QKLOOK formatted input deck. A copy of this input file for the benchmark problem is presented in Figure A-2. Since the component characteristics do not change with different aspect angles, the same input deck is used for the different views for each execution of the QKLOOK Programs. The QKLOOK Program, PRERD, should be executed once to check for possible errors in the QKLOOK formatted input deck. The binary shot line description files are the 13 files produced by executing the FASTGEN Program in the preceding step. Notice that QKLOOK Program, CONMAG, is not needed in this case because the shot lines files from FASTGEN are in the proper format for QKLOOK. Each target shot line file is used twice as QKLOOK input, once without the reverse flag set as shown in Figure A-2, and once with

the reverse flag set on Card QK2. Since each of the 13 target shot line files is used twice as input for QKLOOK Program, QKPK, a total of 26 target vulnerable area files are produced.

Only data for critical components are contained in the vulnerable area files even though the entire target model is considered when computing the burn-through times. Therefore the vulnerable areas for the critical components are numbers which reflect the shielding effects of all other components. The ASALT Program does not need to handle the large complete target model but rather only the smaller set of critical components.

An alternative in this step is that the vulnerable areas for the systems of components computed by the QKLOOK Program PEAKAY and written on PEAKAY Binary Output, File 4, could be used for the vulnerable area files. This alternative would require some changes in Program VAMERGE and provide a different level of answers in the ASALT output.

MERGE THE 26 VULNERABLE AREA TABLES

Program VAMERGE was written for the benchmark procedure due to the need for a method to quickly and accurately combine the data from several QKLOOK runs. Appendix A of this manual contains a copy of the VAMERGE source code (Figure A-7). The current version of this program requires 31 different input files. The input files read from Logical Units #1,

#2, and #3 are three target shot line files from Program FASTGEN at three orthogonal views, and are used in Subroutine GETXYZ to determine the locations of the critical components in the Aircraft Coordinate System. The number of critical components is read from Logical #5. This value is necessary to properly read the target vulnerable area files as well as the component name file, and can easily be found in the output from the QKLOOK Program PEAKAY. The input file read from Logical Unit #7 is used in Subroutine NAMES to assign an eight character name for each critical component. The 26 target vulnerable area files from the QKLOOK run are read from Logical Units #11 through #36.

Two output files are produced by executing the VAMERGE Program. A lot of useful information is presented in the standard line printer output from Logical Unit #6. The output file that can be modified to be used as the ASALT Data Deck is written on Logical Unit #4. Figure A-3 is a copy of the VAMERGE output written on Logical Unit #6 for the benchmark problem. The first 52 pages of Figure A-3 are an echo of the vulnerable areas at each of the 26 views computed by executing the QKLOOK programs.

Pages 53 and 54 of Figure A-3 contain the coordinates of the critical components in the Aircraft Coordinate System as computed in Subroutine GETXYZ. Note that components with coordinate values of .00 and the value "0" in the sample

column are components not intersected in any of the three shot line files. The user must manually provide accurate coordinates for those components before running ASALT. Pages 55 through 69 of Figure A-3 contain the values for the component presented areas and widths at the 26 look-angles in a readable form. These values were read from the 26 target vulnerable area files in square feet and feet and converted to square meters and meters before being printed during execution of the VAMERGE program. The last two pages, 70 and 71, of Figure A-3 contain the component Pk functions computed during execution of Program VAMERGE. The component Pk functions were computed by dividing the vulnerable area at each time increment by the presented area from the target vulnerable area files, and averaging the Pk's computed at each of the 26 views. The output shown in Figure A-3 is intended to be readable and useful to analysts. The same values are written in the format required for the ASALT Data Deck on Logical Unit #4. Figure A-4 is a copy of this output which requires a few changes before it can be used as the ASALT Data Deck.

MANUALLY COMPLETE THE ASALT DATA DECK

The final step required before running the ASALT Program is to finish the ASALT Data Deck. Most of this file has been completed by executing Program VAMERGE. Figure A-5 is a copy of the final corrected ASALT Data Deck. One method of doing

this task is to look at the ASALT Data Deck Setup in Figure 3-1 of Reference 1 and the card description forms in Section III of Reference 1 to verify the validity of the values provided by the VAMERGE program. Normally, Card Types 3, 4, 5, 13, 14, and 15 are correct. The rest of the cards must reflect values the user wants in the scenario. The weapon location and coordinate system reference point on Card 2 should be copied from the Engagement Model output (see Figure A-1). Any components with invalid coordinates on Cards 13 can be found by scanning the critical component coordinates in the VAMERGE line printer output (see Figure A-3). For some of the other cards, reasonable values are provided by the VAMERGE Program and may not require changes. The last several cards required in the ASALT Data Deck are Card Type 17, and are used to define the aircraft fault tree structures. These cards must be added by the user as indicated by the note printed at the end of the VAMERGE output in Figure A-4. Table 3-1 of Reference 1 contains a set of helpful rules for assembling the fault tree descriptions.

SECTION IV

ASALT BENCHMARK RUN

After the Flight Path File has been built as described in Section II, and the ASALT Data Deck assembled as described in Section III, the ASALT Program can be executed. The Flight Path File is read from Logical Unit #10 and the ASALT Data Deck is read from Logical Unit #5. Figure A-5 is a copy of the ASALT Data Deck used for the benchmark run. The ASALT line printer output from the benchmark run is shown in Figure A-6. Section IV in the ASALT Documentation (Reference 1) contains a description of this output.

Aircraft fault trees were defined for two kill categories, K-KILL and M ABORT for the benchmark run. The K-KILL fault tree consists of a few subgroups with redundant components with the majority of the fault tree containing singly vulnerable components. For the M ABORT fault tree, the aircraft model consists of all critical components in one singly vulnerable arrangement. Pages 3 through 15 of Figure A-6 contain these fault tree diagrams. Seven aim points are used in the benchmark run with each aim point designated to be near a particular set of components. Aim points 5 and 6 are associated with the highest Pk values in this benchmark run.

Users can spend a substantial amount of time and effort in preparing for one ASALT run. However, after the initial

set of input is assembled, a lot of variables can be evaluated without repeating the complete procedure again. For example, different aircraft fault tree structures can be compared by simply rerunning the ASALT Program with the modified fault tree input. A new set of engagement conditions can easily be specified for another execution of the Engagement Model, providing a different scenario for analysis by running ASALT. Different aim points are easily specified in the ASALT Data Deck, and may reveal more sensitive spots in the aircraft design. All of these can be evaluated with small changes to the input files and rerunning only one or two programs in the sequence.

APPENDIX A

COMPUTER PRINTOUTS

In order to provide continuity in the documentation of the ASALT benchmark, copies of all referenced computer printouts are presented in this appendix. Each printout is identified by a distinct figure number and is preceded by a short paragraph used to describe its contents and length. The seven figures in this appendix are:

Figure A-1. Engagement Model Output for ASALT Benchmark

This figure consists of six pages (A-3 through A-8) and is a copy of the output from the Engagement Model Computer Program. The values for the flight path coordinates and the "can" or "cannot" engage status associated with each point are used in another format, as input for the ASALT Program.

** ENGAGEMENT MODEL **

FLIGHT PATH FILE: ATTRITION SIMULATION-AIRCRAFT 1, DIVE ANGLE = 15 DEGREES, TRACK TIME = 0 SECONDS
FLIGHT PATH C.S. X= 0. Y= 0. EQUAL TO X= 0. Y= 0. Z= 0. PSI= .0 IN GENERAL C.S.

RADAR CHARACTERISTICS:

LOCATION X	Y	Z	RADAR RANGE	MINIMUM RANGE	FIELD OF FIRE LEFT TO	RIGHT
-1500.00	7000.00	2452.00	16000.00	100.00	-30.00	-135.00

ACQUISITION ENVELOPE = RANGE AS A FUNCTION OF AZIMUTH AND ELEVATION

ELEVATION \ AZIMUTH	.0	45.0	90.0	135.0	180.0	225.0	270.0	315.0
.0	.0	9000.0	9000.0	10000.0	12000.0	12000.0	9000.0	5000.0
15.0	1000.0	12000.0	12000.0	12000.0	12000.0	12000.0	10000.0	9000.0
30.0	5000.0	12000.0	12000.0	12000.0	12000.0	12000.0	12000.0	10000.0
45.0	8000.0	12000.0	12000.0	12000.0	12000.0	12000.0	11000.0	10000.0
60.0	4000.0	10000.0	10000.0	12000.0	12000.0	12000.0	10000.0	9000.0
90.0	4000.0	9000.0	9000.0	10000.0	12000.0	12000.0	9000.0	8000.0

RADAR: MINIMUM SIGNAL-TO-NOISE RATIO FOR DETECTION = 10.00 SIGNAL-TO-NOISE EQUATION CONSTANT = .77905E+15

RADAR CHAFF: MINIMUM EFFECTIVE CHAFF-TO-SIGNAL RATIO = 100.00
CHAFF PATCH LOCATION (-4000., 1000.) TO (0., 2000.)
CHAFF RADAR CROSS SECTION= 50000. SQUARE METERS

TARGET RADAR CROSS SECTION

ELEVATION \ AZIMUTH	.00	45.00	90.00	135.00	180.00	225.00	270.00	315.00
.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00
45.00	200.00	400.00	700.00	400.00	300.00	400.00	700.00	400.00
90.00	25.00	200.00	500.00	300.00	50.00	300.00	500.00	200.00
135.00	200.00	400.00	700.00	400.00	300.00	400.00	700.00	400.00
180.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00	1000.00

IR LOCK-ON: MINIMUM IR SIGNAL-TO-NOISE = 7.00 SEEKER SENSITIVITY = .78000E-07WATTS/SQ.METER

ATMOSPHERIC TRANSMISSION FACTORS

RANGE(M)	304.8	1524.0	3962.4	9144.0	12192.0
FACTORS	.81080	.49740	.43110	.36620	.34400

TARGET RADIANCE (WATTS/STERADIAN)

ELEVATION \ AZIMUTH	.0	45.0	90.0	135.0	180.0	225.0	270.0	315.0
10.0	3.0	15.0	40.0	60.0	90.0	60.0	40.0	10.0
45.0	4.0	15.0	45.0	65.0	95.0	65.0	45.0	15.0
90.0	5.0	20.0	50.0	70.0	100.0	70.0	50.0	20.0
135.0	4.0	15.0	46.0	66.0	96.0	65.0	45.0	15.0
170.0	3.0	12.0	42.0	62.0	92.0	60.0	40.0	10.0

TERRAIN CHARACTERISTICS:

CLEAR LINE-OF-SIGHT OPTION 1 PROBABILITY OF LOS AS A FUNCTION OF RANGE AND ALTITUDE

ALTITUDE \ RANGE	.0	2000.0	4000.0	6000.0	8000.0	10500.0	12500.0	14500.0	16000.0

.0	:	1.00	.15	.18	.11	.08	.06	.05	.05	.05
150.0	:	1.00	.56	.42	.25	.18	.09	.07	.07	.07
300.0	:	1.00	.68	.52	.40	.30	.18	.12	.11	.11
450.0	:	1.00	.95	.75	.52	.37	.28	.20	.16	.14
600.0	:	1.00	1.00	.82	.63	.48	.34	.30	.24	.21
900.0	:	1.00	1.00	.94	.80	.74	.56	.43	.37	.35
1500.0	:	1.00	1.00	1.00	.98	.92	.87	.77	.61	.54
2250.0	:	1.00	1.00	1.00	1.00	1.00	.95	.90	.84	.80
3000.0	:	1.00	1.00	1.00	1.00	1.00	1.00	.98	.95	.91
6000.0	:	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

MINIMUM PROBABILITY OF CLEAR LINE-OF-SIGHT = .0050 FOR ENGAGEMENT

DIGITAL TERRAIN ALTITUDES EVERY 1000. METERS
EASTING FROM -15000. TO 15000. METERS
NORTHING FROM -15000. TO 15000. METERS
EVERY 60TH FLIGHT PATH ALTITUDE IS COMPARED TO THE TERRAIN ALTITUDE

Pilot Path				Engagement Tests							
Time	X	Y	ALT	Field of Fire	Min Range	Max Range	Acquisition Envelope	Clear LOS Statistical	Radar Detection	In Lock-on Range	Clear LOS Digital
.00	-12[illegible]	-924.0	4189.0	NO	YES	YES		.00			
.50	-11873.1	-921.9	4091.1	NO	YES	YES		.00			
1.00	-11740.2	-920.2	4097.3	NO	YES	YES		.00			
1.50	-11619.7	-919.1	4106.5	NO	YES	YES		.00			
2.00	-11493.8	-918.5	4124.8	NO	YES	YES		.00			
2.50	-11368.5	-918.4	4145.5	NO	YES	YES		.00			
3.00	-11243.6	-918.4	4166.3	NO	YES	YES		.00			
3.50	-11118.3	-918.5	4189.1	NO	YES	YES		.00			
4.00	-10992.6	-918.5	4207.6	NO	YES	YES		.00			
4.50	-10866.7	-918.6	4223.6	NO	YES	YES		.00			
5.00	-10740.4	-918.8	4237.2	NO	YES	YES		.00			
5.50	-10613.9	-918.7	4248.3	NO	YES	YES		.00			
6.00	-10487.2	-918.7	4257.0	NO	YES	YES		.00			
6.50	-10360.3	-918.8	4263.3	NO	YES	YES		.00			
7.00	-10233.4	-918.9	4267.1	NO	YES	YES		.00			
7.50	-10106.4	-918.9	4268.4	NO	YES	YES		.00			
8.00	-9979.5	-918.9	4267.9	NO	YES	YES		.00			
8.50	-9852.5	-917.5	4266.7	NO	YES	YES		.00			
9.00	-9725.6	-914.1	4264.3	NO	YES	YES		.00			
9.50	-9598.6	-908.6	4260.7	NO	YES	YES		.00			
10.00	-9472.1	-901.0	4255.9	NO	YES	YES		.00			
10.50	-9345.6	-891.2	4249.9	YES	YES	YES	YES	.73	YES	NO	
11.00	-9219.4	-879.3	4242.8	YES	YES	YES	YES	.73	YES	NO	
11.50	-9093.5	-865.3	4234.1	YES	YES	YES	YES	.73	YES	NO	
12.00	-8967.9	-849.3	4224.4	YES	YES	YES	YES	.73	YES	NO	
12.50	-8842.6	-831.1	4213.5	YES	YES	YES	YES	.73	YES	NO	
13.00	-8717.9	-810.9	4201.3	YES	YES	YES	YES	.73	YES	NO	
13.50	-8593.6	-788.5	4188.0	YES	YES	YES	YES	.72	YES	NO	
14.00	-8469.8	-764.2	4173.4	YES	YES	YES	YES	.72	YES	NO	
14.50	-8346.6	-737.7	4157.6	YES	YES	YES	YES	.72	YES	NO	
15.00	-8224.0	-709.3	4140.6	YES	YES	YES	YES	.71	YES	NO	
15.50	-8102.0	-678.8	4122.4	YES	YES	YES	YES	.71	YES	NO	
16.00	-7980.8	-646.3	4103.1	YES	YES	YES	YES	.70	YES	NO	
16.50	-7860.3	-611.8	4082.5	YES	YES	YES	YES	.70	YES	NO	
17.00	-7740.6	-575.4	4060.7	YES	YES	YES	YES	.70	YES	NO	
17.50	-7621.8	-537.0	4037.7	YES	YES	YES	YES	.69	YES	NO	
18.00	-7503.8	-496.6	4013.6	YES	YES	YES	YES	.69	YES	NO	
18.50	-7386.8	-454.4	3988.3	YES	YES	YES	YES	.68	YES	NO	
19.00	-7270.7	-410.2	3961.8	YES	YES	YES	YES	.68	YES	NO	
19.50	-7155.6	-364.2	3934.2	YES	YES	YES	YES	.67	YES	NO	
20.00	-7041.6	-316.3	3905.4	YES	YES	YES	YES	.67	YES	NO	
20.50	-6928.6	-266.5	3875.4	YES	YES	YES	YES	.66	YES	NO	
21.00	-6816.8	-215.0	3844.4	YES	YES	YES	YES	.66	YES	NO	
21.50	-6706.1	-161.6	3812.2	YES	YES	YES	YES	.64	YES	NO	
22.00	-6596.7	-106.5	3778.8	YES	YES	YES	YES	.62	YES	NO	
22.50	-6488.5	-49.7	3744.4	YES	YES	YES	YES	.60	YES	NO	
23.00	-6381.6	8.9	3708.8	YES	YES	YES	YES	.58	YES	NO	
23.50	-6276.1	69.5	3672.5	YES	YES	YES	YES	.56	YES	NO	
24.00	-6172.0	132.9	3634.0	YES	YES	YES	YES	.54	YES	NO	
24.50	-6067.1	195.3	3610.0	YES	YES	YES	YES	.52	YES	NO	
25.00	-5960.1	254.1	3584.5	YES	YES	YES	YES	.50	YES	NO	
25.50	-5851.4	308.5	3562.6	YES	YES	YES	YES	.49	YES	NO	
26.00	-5741.2	359.3	3543.8	YES	YES	YES	YES	.48	YES	NO	
26.50	-5629.7	405.1	3528.2	YES	YES	YES	YES	.48	YES	NO	
27.00	-5517.4	446.2	3516.9	YES	YES	YES	YES	.48	YES	NO	
27.50	-5[illegible]	482.2	3510.0	YES	YES	YES	YES	.48	YES	NO	

20.00	-5269.1	517.5	3503.7	YES	YES	YES	YES	.48	YES	NO	
20.50	-5172.6	546.8	3502.3	YES	YES	YES	YES	.49	YES	NO	
29.00	-5055.2	571.2	3504.4	YES	YES	YES	YES	.49	YES	NO	
29.50	-4937.1	591.5	3509.6	YES	YES	YES	YES	.50	YES	NO	
30.00	-4818.5	607.4	3518.8	YES	YES	YES	YES	.52	YES	NO	
30.50	-4699.7	618.7	3531.1	YES	YES	YES	YES	.53	YES	NO	
31.00	-4581.0	625.5	3546.9	YES	YES	YES	YES	.55	YES	NO	
31.50	-4462.5	627.8	3566.1	YES	YES	YES	YES	.56	YES	NO	
32.00	-4344.6	626.5	3588.1	YES	YES	YES	YES	.59	YES	NO	
32.50	-4227.3	624.7	3612.8	YES	YES	YES	YES	.61	YES	NO	
33.00	-4111.5	622.8	3639.2	YES	YES	YES	YES	.64	NO		
33.50	-3997.8	621.0	3667.9	YES	YES	YES	YES	.66	NO		
34.00	-3886.4	619.3	3698.5	YES	YES	YES	YES	.69	NO		
34.50	-3777.4	617.6	3731.0	YES	YES	YES	YES	.72	NO		
35.00	-3670.5	615.9	3765.5	YES	YES	YES	YES	.75	NO		
35.50	-3565.0	614.2	3802.3	YES	YES	YES	YES	.79	NO		
36.00	-3460.2	612.6	3840.6	YES	YES	YES	YES	.82	NO		
36.50	-3354.7	610.9	3877.4	YES	YES	YES	YES	.84	NO		
37.00	-3248.6	609.2	3912.0	YES	YES	YES	YES	.85	NO		
37.50	-3141.8	607.6	3944.4	YES	YES	YES	YES	.86	NO		
38.00	-3034.3	605.9	3974.6	YES	YES	YES	YES	.86	NO		
38.50	-2926.1	604.2	4002.4	YES	YES	YES	YES	.87	NO		
39.00	-2817.4	602.5	4026.0	YES	YES	YES	YES	.88	NO		
39.50	-2708.2	600.7	4051.2	YES	YES	YES	YES	.88	NO		
40.00	-2598.5	599.0	4072.6	YES	YES	YES	YES	.89	NO		
40.50	-2488.4	597.3	4090.5	YES	YES	YES	YES	.89	NO		
41.00	-2377.9	595.5	4106.5	YES	YES	YES	YES	.90	YES	NO	
41.50	-2267.1	593.8	4120.2	YES	YES	YES	YES	.90	YES	NO	
42.00	-2156.0	592.0	4131.5	YES	YES	YES	YES	.90	YES	NO	
42.50	-2044.7	590.3	4140.3	YES	YES	YES	YES	.91	YES	NO	
43.00	-1933.3	588.5	4146.7	YES	YES	YES	YES	.91	YES	NO	
43.50	-1821.7	586.8	4150.6	YES	YES	YES	YES	.91	YES	NO	
44.00	-1710.1	585.0	4152.1	YES	YES	YES	YES	.91	YES	NO	
44.50	-1598.5	583.4	4151.8	YES	YES	YES	YES	.91	YES	NO	
45.00	-1487.7	584.9	4152.6	YES	YES	YES	YES	.91	YES	NO	
45.50	-1378.4	595.1	4153.0	YES	YES	YES	YES	.91	YES	YES	YES
46.00	-1271.2	608.3	4151.5	YES	YES	YES	YES	.91	YES	YES	YES
46.50	-1166.5	630.4	4148.0	YES	YES	YES	YES	.91	YES	YES	YES
47.00	-1064.8	659.3	4142.7	YES	YES	YES	YES	.91	YES	YES	YES
47.50	-966.4	694.6	4135.6	YES	YES	YES	YES	.91	YES	YES	YES
48.00	-871.9	736.2	4126.7	YES	YES	YES	YES	.91	YES	YES	YES
48.50	-781.7	783.8	4116.2	YES	YES	YES	YES	.91	NO		
49.00	-695.6	837.4	4103.9	YES	YES	YES	YES	.91	NO		
49.50	-613.6	897.2	4089.8	YES	YES	YES	YES	.91	NO		
50.00	-536.2	962.6	4074.1	YES	YES	YES	YES	.91	NO		
50.50	-464.0	1033.3	4056.9	YES	YES	YES	YES	.91	NO		
51.00	-397.3	1108.8	4038.3	YES	YES	YES	YES	.91	NO		
51.50	-336.4	1188.6	4018.3	YES	YES	YES	YES	.91	NO		
52.00	-281.6	1272.7	3997.2	YES	YES	YES	YES	.91	NO		
52.50	-233.1	1360.2	3974.9	YES	YES	YES	YES	.91	NO		
53.00	-191.1	1450.8	3951.7	YES	YES	YES	YES	.90	NO		
53.50	-155.9	1543.9	3927.6	YES	YES	YES	YES	.90	NO		
54.00	-127.5	1639.2	3902.8	YES	YES	YES	YES	.90	NO		
54.50	-106.1	1736.1	3877.3	YES	YES	YES	YES	.90	NO		
55.00	-91.6	1834.2	3851.4	YES	YES	YES	YES	.90	NO		
55.50	-84.2	1933.0	3825.1	YES	YES	YES	YES	.88	NO		
56.00	-82.6	2032.0	3798.5	YES	YES	YES	YES	.87	NO		
56.50	-83.0	2131.1	3771.7	YES	YES	YES	YES	.86	NO		
57.00	-83.5	2230.4	3744.9	YES	YES	YES	YES	.85	NO		
57.50	-84.0	2330.5	3717.8	YES	YES	YES	YES	.85	YES	YES	YES

58.00	-84.5	2432.1	3690.4	YES	YES	YES	YES	.82	YES	YES	YES
58.50	-85.1	2535.0	3662.6	YES	YES	YES	YES	.82	YES	YES	YES
59.00	-85.5	2639.5	3634.4	YES	YES	YES	YES	.81	YES	YES	YES
59.50	-86.2	2745.4	3605.8	YES	YES	YES	YES	.80	YES	YES	YES
60.00	-86.7	2852.9	3576.8	YES	YES	YES	YES	.80	YES	YES	YES
60.50	-87.3	2961.7	3547.5	YES	YES	YES	YES	.79	YES	YES	YES
61.00	-87.9	3072.8	3518.7	YES	YES	YES	YES	.79	YES	YES	YES
61.50	-88.4	3186.9	3495.4	YES	YES	YES	YES	.79	YES	YES	YES
62.00	-88.8	3303.7	3479.4	YES	YES	YES	YES	.79	YES	YES	YES
62.50	-89.2	3422.8	3470.8	YES	YES	YES	YES	.80	YES	YES	YES
63.00	-89.5	3542.9	3469.7	YES	YES	YES	YES	.81	YES	YES	YES
63.50	-89.8	3664.1	3476.3	YES	YES	YES	YES	.82	YES	YES	YES
64.00	-90.0	3785.5	3490.5	YES	YES	YES	YES	.84	YES	YES	YES
64.50	-90.1	3906.5	3512.3	YES	YES	YES	YES	.86	YES	YES	YES
65.00	-90.0	4026.5	3541.7	YES	YES	YES	YES	.88	YES	YES	YES
65.50	-90.0	4146.0	3576.3	YES	YES	YES	YES	.90	YES	YES	YES
66.00	-89.9	4266.7	3610.3	YES	YES	YES	YES	.92	YES	YES	YES
66.50	-89.9	4389.3	3642.3	YES	YES	YES	YES	.93	YES	YES	YES
67.00	-89.8	4513.7	3672.3	YES	YES	YES	YES	.94	YES	YES	YES
67.50	-89.7	4639.6	3700.2	YES	YES	YES	YES	.95	YES	YES	YES
68.00	-89.7	4767.6	3726.1	YES	YES	YES	YES	.96	YES	YES	YES
68.50	-89.6	4897.5	3749.9	YES	YES	YES	YES	.97	YES	YES	YES
69.00	-89.5	5029.1	3771.5	YES	YES	YES	YES	.98	YES	YES	YES
69.50	-89.4	5162.5	3790.9	YES	YES	YES	YES	.99	YES	YES	YES
70.00	-89.4	5297.7	3808.2	YES	YES	YES	YES	.99	YES	YES	YES
70.50	-89.3	5434.8	3823.2	YES	YES	YES	YES	1.00	YES	YES	YES
71.00	-89.2	5573.7	3836.0	YES	YES	YES	YES	1.00	YES	YES	YES
71.50	-89.2	5714.4	3846.4	YES	YES	YES	YES	1.00	YES	YES	YES
72.00	-89.1	5857.0	3854.5	YES	YES	YES	YES	1.00	YES	YES	YES
72.50	-89.0	6001.5	3860.3	YES	YES	YES	YES	1.00	YES	YES	YES
73.00	-88.9	6147.8	3863.6	YES	YES	YES	YES	1.00	YES	YES	YES
73.50	-88.8	6295.9	3864.6	YES	YES	YES	YES	1.00	YES	YES	YES
74.00	-88.8	6445.9	3863.0	YES	YES	YES	YES	1.00	YES	YES	YES
74.50	-88.7	6597.7	3859.0	YES	YES	YES	YES	1.00	YES	YES	YES
75.00	-88.6	6751.3	3852.4	YES	YES	YES	YES	1.00	YES	YES	YES
75.50	-88.5	6905.6	3843.3	YES	YES	YES	YES	1.00	YES	YES	YES
76.00	-88.4	7063.6	3831.6	YES	YES	YES	YES	1.00	YES	YES	YES
76.50	-88.6	7222.3	3816.7	YES	YES	YES	YES	1.00	YES	YES	YES
77.00	-91.7	7382.6	3806.7	YES	YES	YES	YES	1.00	YES	YES	YES
77.50	-98.8	7544.4	3802.6	YES	YES	YES	YES	1.00	YES	YES	YES
78.00	-109.7	7707.2	3800.3	YES	YES	YES	YES	1.00	YES	YES	YES
78.50	-124.6	7870.8	3801.9	YES	YES	YES	YES	1.00	YES	YES	YES
79.00	-143.5	8035.0	3807.4	YES	YES	YES	YES	1.00	YES	YES	YES
79.50	-166.3	8199.6	3816.8	YES	YES	YES	YES	1.00	YES	YES	YES
80.00	-193.0	8364.2	3830.2	YES	YES	YES	YES	1.00	YES	YES	YES
80.50	-223.7	8528.6	3847.4	YES	YES	YES	YES	1.00	YES	YES	YES
81.00	-256.2	8692.5	3866.6	YES	YES	YES	YES	1.00	YES	YES	YES
81.49	-296.6	8855.8	3893.7	YES	YES	YES	YES	.99	YES	YES	YES
81.99	-338.6	9018.2	3922.7	YES	YES	YES	YES	.99	YES	YES	YES
82.49	-384.8	9179.4	3955.6	YES	YES	YES	YES	.99	YES	YES	YES
82.99	-434.6	9339.2	3992.3	YES	YES	YES	YES	.99	YES	YES	YES
83.49	-486.0	9497.3	4032.8	YES	YES	YES	YES	.99	YES	YES	YES
83.99	-545.1	9653.6	4077.2	YES	YES	YES	YES	.98	YES	YES	YES
84.49	-605.7	9807.8	4125.2	YES	YES	YES	YES	.98	YES	YES	YES
84.99	-669.9	9959.6	4177.0	YES	YES	YES	YES	.99	YES	YES	YES
85.49	-737.5	10108.8	4232.5	YES	YES	YES	YES	.99	YES	YES	YES
85.99	-808.5	10255.3	4291.5	YES	YES	YES	YES	.99	YES	YES	YES
86.49	-882.8	10398.7	4354.0	YES	YES	YES	YES	.99	YES	YES	YES
86.99	-960.2	10538.8	4420.1	YES	YES	YES	YES	1.00	YES	YES	YES
87.49	-1040.8	10675.5	4489.5	YES	YES	YES	YES	1.00	YES	YES	YES

87.99	-1124.4	10908.8	4562.2	YES	YES	YES	YES	1.00	YES	YES	YES
88.49	-1217.4	10937.7	4636.2	YES	YES	YES	NO	.00			
88.99	-1306.1	11062.7	4717.2	YES	YES	YES	NO	.00			
89.49	-1392.1	11163.5	4799.4	YES	YES	YES	NO	.00			
89.99	-1480.7	11299.7	4884.4	YES	YES	YES	NO	.00			
90.49	-1563.6	11411.2	4972.3	YES	YES	YES	NO	.00			
90.99	-1662.9	11517.9	5062.9	YES	YES	YES	NO	.00			
91.49	-1784.4	11619.5	5156.1	YES	YES	YES	NO	.00			
91.99	-1867.9	11715.8	5251.7	YES	YES	YES	NO	.00			
92.49	-1943.3	11806.7	5349.7	YES	YES	YES	NO	.00			
92.99	-2100.4	11892.1	5449.9	YES	YES	YES	NO	.00			
93.49	-2209.1	11971.7	5552.0	YES	YES	YES	NO	.00			
93.99	-2319.2	12045.3	5656.1	YES	YES	YES	NO	.00			
94.49	-2430.5	12112.9	5761.9	YES	YES	YES	NO	.00			
94.99	-2542.9	12174.3	5869.3	YES	YES	YES	YES	1.00	YES	NO	
95.49	-2656.1	12229.3	5978.0	YES	YES	YES	YES	1.00	YES	NO	
95.99	-2770.0	12277.8	6088.0	YES	YES	YES	YES	1.00	YES	NO	
96.49	-2884.4	12319.8	6198.9	YES	YES	YES	YES	1.00	YES	NO	
96.99	-2999.0	12355.0	6310.7	YES	YES	YES	YES	1.00	YES	NO	
97.49	-3113.8	12383.4	6423.1	YES	YES	YES	YES	1.00	YES	NO	
97.99	-3228.3	12404.9	6535.9	YES	YES	YES	YES	1.00	YES	NO	
98.49	-3342.5	12419.4	6648.9	YES	YES	YES	YES	1.00	YES	NO	
98.99	-3456.1	12426.9	6761.9	YES	YES	YES	YES	1.00	YES	NO	
99.48	-3568.9	12427.6	6874.7	YES	YES	YES	YES	1.00	YES	NO	
99.98	-3680.0	12423.8	6987.9	YES	YES	YES	YES	1.00	YES	NO	
100.48	-3789.6	12419.0	7102.3	YES	YES	YES	YES	1.00	YES	NO	
100.98	-3898.8	12414.2	7216.2	YES	YES	YES	YES	1.00	YES	NO	
101.48	-4005.9	12409.3	7328.5	YES	YES	YES	YES	1.00	YES	NO	
101.98	-4115.7	12404.4	7439.0	YES	YES	YES	YES	1.00	YES	NO	
102.48	-4226.3	12399.5	7546.0	YES	YES	YES	YES	1.00	YES	NO	
102.98	-4337.6	12394.6	7655.2	YES	YES	YES	YES	1.00	YES	NO	
103.48	-4449.6	12389.6	7760.7	YES	YES	YES	YES	1.00	YES	NO	
103.98	-4562.8	12384.6	7864.6	YES	YES	YES	YES	1.00	YES	NO	
104.48	-4676.6	12379.5	7966.7	NO	YES	YES		.00			
104.98	-4791.3	12374.4	8067.1	NO	YES	YES		.00			
105.48	-4906.7	12369.3	8165.7	NO	YES	YES		.00			
105.98	-5023.0	12364.2	8262.6	NO	YES	YES		.00			
106.48	-5140.2	12358.9	8357.7	NO	YES	YES		.00			
106.98	-5258.2	12353.7	8451.0	NO	YES	YES		.00			
107.48	-5377.1	12348.4	8542.6	NO	YES	YES		.00			
107.98	-5496.8	12343.1	8632.3	NO	YES	YES		.00			
108.48	-5617.3	12337.8	8720.2	NO	YES	YES		.00			
108.98	-5738.6	12332.4	8806.3	NO	YES	YES		.00			
109.48	-5861.1	12326.9	8890.5	NO	YES	YES		.00			
109.98	-5984.2	12321.5	8972.9	NO	YES	YES		.00			

END OF FLIGHT PATH

ENGAGED FLIGHT PATH TIME INTERVAL SUMMARY:

ALL REQUESTED ENGAGEMENT TESTS
45.5 TO 48.5
57.5 TO 88.5

Figure A-2. QKLOOK Formatted Input for ASALT Benchmark

The data on the 23 pages (A-10 through A-32) of this figure must be assembled manually. They consist primarily of component characteristics for the aircraft model, and are used as input for Program QKPK from the set of QKLOOK Programs.







































Figure A-3. VAMERGE Line Printer Output for ASALT Benchmark

There are 71 pages (A-34 through A-104) in this copy of line printer output from the execution of Program VAMERGE for the ASALT Benchmark.

VIEW NUMBER 1 REVERSED NUMBER OF COMPONENTS FLUX TABLE
AZ = .0 EL = .0 NO TOTAL CRITICAL TIME(SEC.) FLUX(M/SQ.CM.)
1368 66 10.00 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.2500	.2500	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.5000	.5000
3	ABDOMEN	2003	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
4	PELVIS	2004	1.00000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
5	LEFT ARM	2005	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.5000	.5000	.7500
7	LEFT LEG	2007	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
8	RITE LEG	2008	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
11	STK YOKE	3003	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	5.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000
30	FUEL 1-B	4005	1.75000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	1.0000	1.0000
31	FUEL 1-C	4006	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	1.0000
33	FUEL 1-E	4008	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	1.5000
34	FUEL 2-A	4014	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
39	FUEL 3-A	4024	3.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
43	FUEL 3-E	4028	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
44	FUEL 4-A	4034	4.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
45	FUEL 4-B	4035	2.75000	.0000	.0000	.0000	.0000	.5000	1.0000	1.0000	1.0000	1.0000
46	FUEL 4-C	4036	2.75000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000
47	FUEL 4-D	4037	2.75000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	1.0000	1.0000
48	FUEL 4-E	4038	2.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RHT FUEL	4222	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TAK	4602	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
54	OXYGEN	9402	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
55	HT EXCHG	9917	.75000	.0000	.0000	.0000	.2069	.5334	.7500	.7500	.7500
56	BLD LINE	9931	1.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 2 REVERSED NUMBER OF COMPONENTS FLUX TABLE
AZ = 45.0 EL = .0 NO TOTAL CRITICAL TIME(SEC.) FLUX(#/SQ.CM.)
1368 66 10.00 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
3	ABDOMEN	2003	1.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.7500
4	PELVIS	2004	1.25000	.2500	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.7500
5	LEFT ARM	2005	1.00000	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6	RITE ARM	2006	.75000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.5000
7	LEFT LEG	2007	1.00000	.2500	.2500	.5000	.5000	.7500	.7500	.7500	1.0000	1.0000
8	RITE LEG	2008	1.25000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.7500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3677	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	6.00000	2.2500	2.2500	2.2500	3.5000	3.5000	3.7500	3.7500	3.7500	4.5000
30	FUEL 1-B	4005	3.25000	1.2500	2.5000	2.7500	2.7500	2.7500	2.7500	3.2500	3.2500	3.2500
31	FUEL 1-C	4006	3.25000	.0000	.0000	1.5000	2.2500	3.0000	3.2500	3.2500	3.2500	3.2500
32	FUEL 1-D	4007	3.25000	3.0000	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500
33	FUEL 1-E	4008	6.25000	5.0000	5.0000	5.0000	5.0000	5.2500	5.2500	5.2500	5.2500	6.2500
34	FUEL 2-A	4014	2.25000	.0000	.0000	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35	FUEL 2-B	4015	4.50000	.0000	.0000	1.5000	1.5000	2.0000	2.0000	2.0000	2.0000	2.0000
36	FUEL 2-C	4016	2.25000	.0000	.5000	.5000	.5000	.7500	.7500	.7500	.7500	1.0000
37	FUEL 2-D	4017	4.50000	.0000	1.0000	1.0000	1.0000	1.5000	1.7500	2.0000	2.0000	2.0000
38	FUEL 2-E	4018	4.25000	.0000	1.5000	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500
39	FUEL 3-A	4024	3.75000	.0000	.0000	.2500	1.0000	1.0000	1.0000	1.0000	1.0000	1.7500
40	FUEL 3-B	4025	2.25000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.7500
41	FUEL 3-C	4026	4.25000	.0000	.0000	.0000	.5000	1.0000	1.7500	1.7500	1.7500	2.0000
42	FUEL 3-D	4027	2.50000	.0000	.0000	.0000	.0000	.0000	.0000	.7500	.7500	1.2500
43	FUEL 3-E	4028	3.75000	.0000	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500
44	FUEL 4-A	4034	10.00000	.0000	.0000	1.5000	2.5000	4.5000	4.5000	4.5000	4.5000	4.7500
45	FUEL 4-B	4035	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	1.5000
46	FUEL 4-C	4036	4.75000	.0000	.7500	.7500	.7500	1.2500	1.5000	1.5000	1.5000	1.5000
47	FUEL 4-D	4037	4.75000	.0000	.7500	1.7500	2.0000	2.2500	2.2500	2.5000	2.5000	3.0000
48	FUEL 4-E	4038	5.50000	2.0000	3.2500	3.7500	3.7500	3.7500	3.7500	3.7500	3.7500	3.7500
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FLEL	4221	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RMT FUEL	4222	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
54	OXYGEN	9402	1.25000	.0000	.0000	.2500	.7500	.7500	1.2500	1.2500	1.2500
55	MT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.25000	.0000	.0000	.0000	.0100	.2500	.2500	.2500	.2500
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
66	RMT CRKT	9941	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 3 REVERSED NUMBER OF COMPONENTS FLUX TABLE

AZ = 90.0 EL = .0 NO TOTAL CRITICAL TIME(SEC.) FLUX(N/SQ.CM.)

1366 66 10.00 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

COMPONENT INDEX	COMPONENT NAME	COMPONENT NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
2	THORAX	2002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	1.00000	.2500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
4	PELVIS	2004	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
5	LEFT ARM	2005	1.00000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
7	LEFT LEG	2007	1.50000	.5000	.7500	1.2500	1.2500	1.5000	1.5000	1.5000	1.5000	1.5000
8	RITE LEG	2008	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
21	H2 FLUID	3603	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
30	FUEL 1-B	4005	3.00000	.5000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
31	FUEL 1-C	4006	3.00000	.0000	.0000	1.2500	2.0000	3.0000	3.0000	3.0000	3.0000	3.0000
32	FUEL 1-D	4007	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
33	FUEL 1-E	4008	5.50000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000
34	FUEL 2-A	4014	1.50000	.0000	1.0000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
35	FUEL 2-B	4015	3.00000	.0000	.5000	1.5000	1.5000	2.0000	2.0000	2.5000	3.0000	3.0000
36	FUEL 2-C	4016	1.50000	.0000	.5000	.5000	.5000	1.2500	1.2500	1.2500	1.2500	1.2500
37	FUEL 2-D	4017	3.00000	1.5000	1.5000	1.7500	1.7500	1.7500	3.0000	3.0000	3.0000	3.0000
38	FUEL 2-E	4018	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
39	FUEL 3-A	4024	2.50000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	1.2500
40	FUEL 3-B	4025	1.50000	.0000	.0000	.2500	.5000	.5000	1.0000	1.0000	1.0000	1.5000
41	FUEL 3-C	4026	3.00000	.0000	.2500	.2500	.2500	.7500	.7500	1.0000	1.0000	1.5000
42	FUEL 3-D	4027	1.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	1.5000
43	FUEL 3-E	4028	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
44	FUEL 4-A	4034	10.75000	.0000	.7500	.7500	.7500	1.0000	1.0000	1.0000	1.2500	1.5000
45	FUEL 4-B	4035	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
46	FUEL 4-C	4036	4.25000	.0000	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	2.0000	2.2500
47	FUEL 4-D	4037	4.25000	.5000	3.2500	3.2500	3.7500	3.7500	3.7500	3.7500	3.7500	3.7500
48	FUEL 4-E	4038	5.50000	4.2500	4.2500	4.2500	4.2500	5.2500	5.5000	5.5000	5.5000	5.5000
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500

52	RMT FUEL	4222	.00010	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.75000	.0000	.7500	.7500	.7500	2.5000	2.5000	2.5000	2.5000	2.5000
54	OXYGEN	9402	1.25000	.0000	.0000	.0000	.0000	.7500	.7500	1.2500	1.2500	1.2500
55	HT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PWI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500

VIEW NUMBER 4	REVERSED	NUMBER OF COMPONENTS		FLUX TABLE	
AZ = 135.0 EL = .0	NO	TOTAL	CRITICAL	TIME(SEC.)	FLUX(N/SQ.CM.)
		1366	66	10.00	10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

◆ ◆ ◆ COMPONENT ◆ ◆ ◆			PRESENTED	TIME INCREMENTS								
INDEX	NAME	NUMBER	AREA	.50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.2500	.5000	.7500	.7500	1.0000	1.0000	1.0000	1.0000	1.0000
3	ABDOMEN	2003	1.50000	.0000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000
4	PELVIS	2004	1.25000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	.7500
5	LEFT ARM	2005	1.25000	1.0000	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
7	LEFT LEG	2007	1.25000	.5000	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
8	RITE LEG	2008	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.2500	.5000	.7500	.7500	.7500
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
16	H1 FILTR	3505	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.75000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
20	H1 PRESR	3515	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3677	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	6.00000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
30	FUEL 1-B	4005	3.25000	.0000	.7500	1.7500	1.7500	1.7500	1.7500	2.0000	2.0000	2.0000
31	FUEL 1-C	4006	3.25000	.0000	.0000	.7500	.7500	1.5000	1.7500	2.0000	2.0000	2.0000
32	FUEL 1-D	4007	3.25000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
33	FUEL 1-E	4008	6.25000	3.5000	3.7500	3.7500	3.7500	3.7500	3.7500	4.0000	4.0000	4.0000
34	FUEL 2-A	4014	2.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	4.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	2.25000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	1.0000
37	FUEL 2-D	4017	4.50000	.5000	1.2500	1.2500	1.2500	1.2500	1.5000	2.2500	2.2500	2.2500
38	FUEL 2-E	4018	4.25000	.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	3.0000
39	FUEL 3-A	4024	3.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000
40	FUEL 3-B	4025	2.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.5000
41	FUEL 3-C	4026	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	2.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
43	FUEL 3-E	4028	3.75000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
44	FUEL 4-A	4034	10.00000	.0000	.0000	3.7500	5.2500	6.5000	7.2500	7.5000	7.5000	7.5000
45	FUEL 4-B	4035	4.25000	.0000	.0000	.5000	.7500	1.2500	1.2500	1.2500	1.2500	1.5000
46	FUEL 4-C	4036	4.75000	.0000	1.5000	1.7500	2.0000	2.0000	2.0000	2.5000	2.5000	2.7500
47	FUEL 4-D	4037	4.75000	.0000	1.0000	1.5000	2.5000	2.7500	3.2500	3.2500	3.2500	3.2500
48	FUEL 4-E	4038	5.50000	2.2500	2.2500	2.5000	2.5000	3.2500	3.2500	3.2500	4.0000	5.0000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4234	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RHT FUEL	4222	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	8602	3.75000	.0000	.0000	.2500	.2500	.5000	.7500	.7500	.7500	.7500
54	OXYGEN	9402	1.25000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000
55	HT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
66	RHT CRKT	9941	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 5 REVERSED

AZ = .0 EL = 45.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS ARE FEET

◆ ◆ ◆ INDEX	COMPONENT NAME	◆ ◆ ◆ NUMBER	PRESENTED AREA	TIME INCREMENT
1	HEAD	2001	.5	.5
2	THORAX	2002	1.	.75
3	ABDOMEN	2003	.75	.25
4	PELVIS	2004	1.5	.25
5	LEFT ARM	2005	.25	.25
6	RITE ARM	2006	.75	.75
7	LEFT LEG	2007	1.	.5
8	RITE LEG	2008	1.25	.5
9	STK GRIP	3001	.25	.0
10	STK BENS	3002	.25	.0
11	STK YOKE	3003	.25	.0
12	LFT STAB	3137	.5	.25
13	RHT STAB	3237	.5	.25
14	H1 FLUID	3503	.5	.5
15	H1 MANIF	3504	.0	.0
16	H1 FILTR	3505	.5	.5
17	H1 COOLR	3506	.25	.25
18	H1 PUMP	3511	.25	.0
19	H1 PRESF	3514	.0	.0
20	H1 PRESR	3515	.25	.25
21	H2 FLUID	3603	.5	.5
22	H2 MANIF	3604	.0	.0
23	H2 FILTR	3605	.5	.5
24	H2 COOLR	3606	.25	.25
25	H2 PUMP	3611	.0	.0
26	H2 PRESF	3614	.0	.0
27	H2 PRESR	3615	.0	.0
28	HY FLUID	3677	1.	.5
29	FUEL 1-A	4004	10.	.5
30	FUEL 1-B	4005	17.5	1.5
31	FUEL 1-C	4006	15.	1.5
32	FUEL 1-D	4007	15.	1.5
33	FUEL 1-E	4008	15.	15.7500
34	FUEL 2-A	4014	10.	.0
35	FUEL 2-B	4015	10.5	.0
36	FUEL 2-C	4016	8.	.0
37	FUEL 2-D	4017	8.	.0
38	FUEL 2-E	4018	8.	6.75
39	FUEL 3-A	4024	8.	.0
40	FUEL 3-B	4025	8.	.0
41	FUEL 3-C	4026	8.	.0
42	FUEL 3-D	4027	8.	.75
43	FUEL 3-E	4028	8.	3.7500
44	FUEL 4-A	4034	14.5	.0
45	FUEL 4-B	4035	22.25	.5
46	FUEL 4-C	4036	3.	1.
47	FUEL 4-D	4037	31.	3.5
48	FUEL 4-E	4038	29.	24.
49	LFT FLIP	4215	.	.
50	RHT FLIP	4216	.	.
51	LFT FUEL	4221	.	.

52	HMT FUEL	4222	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	1.25000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
54	OXYGEN	9402	1.00000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
55	HT EXCHE	9917	1.25000	.0000	.0000	.0000	.0000	.0569	.2221	.2500	.7500
56	BLD LINE	9931	1.00000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RHT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RHT	9939	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CHRT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CHRT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 6 — NUMBER OF [illegible]
AZ = 45.0 EL = 45.0 — TOTAL CRITICA — TIME (SEC.)
1368 66 10.00

PRESENTED AREA AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET PER [illegible]

◆ ◆ ◆ INDEX	COMPONENT ◆ ◆ ◆ NAME	NUMBER	PRESENTED AREA	TIME IN [illegible] MEAS									
1	HEAD	2001	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.5000	.5000	[illegible]	[illegible]	[illegible]	.5000
2	THORAX	2002	.750[illegible]	.25	[illegible]	[illegible]	[illegible]	[illegible]	.250[illegible]	[illegible]	[illegible]	[illegible]	.250[illegible]
3	ABDOMEN	2003	1.250[illegible]	.75[illegible]	[illegible]	.7500	.7500	.7500	.7500	[illegible]	[illegible]	[illegible]	.500
4	PELVIS	2004	1.500[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.7500	[illegible]	[illegible]	[illegible]	[illegible]
5	LEFT ARM	2005	1.000[illegible]	.5 [illegible]	1.[illegible]	1.[illegible]	1 [illegible]	1.0000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	RITE ARM	2006	.750[illegible]	.25[illegible]	[illegible]	.25[illegible]	.25[illegible]	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500
7	LEFT LEG	2007	1.00[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
8	RITE LEG	2008	1.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9	STK GRIP	3001	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
10	STK SENS	3002	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500
11	STK YOKE	3003	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
12	LFT STAB	3137	1.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13	RHT STAB	3237	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
14	H1 FLUID	3503	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.500[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
15	H1 MANIF	3504	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.500[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
16	H1 FILTR	3505	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
17	H1 COOLR	3506	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
18	H1 PUMP	3511	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
19	H1 PRESF	3514	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20	H1 PRESR	3515	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500
21	H2 FLUID	3603	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
22	H2 MANIF	3604	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.5000
23	H2 FILTR	3605	.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
24	H2 COOLR	3606	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
25	H2 PUMP	3611	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.00[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
26	H2 PRESF	3614	.25[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500
27	H2 PRESR	3615	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
28	HY FLUID	3877	1.0[illegible]	[illegible]	[illegible]	[illegible]	.0000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
29	FUEL 1-A	4004	9.5[illegible]	[illegible]	[illegible]	[illegible]	1.[illegible]	1.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
30	FUEL 1-B	4005	17.7[illegible]	.25[illegible]	1[illegible]	2.[illegible]	2.[illegible]	2.7[illegible]	2	[illegible]	[illegible]	[illegible]	[illegible]
31	FUEL 1-C	4006	17.75[illegible]	[illegible]	2.[illegible]	[illegible]	2.7500	2.75[illegible]	2	2.[illegible]	[illegible]	[illegible]	[illegible]
32	FUEL 1-D	4007	17.250[illegible]	2.[illegible]	2.5[illegible]	2[illegible]	2.5000	2.7500	2	[illegible]	[illegible]	[illegible]	[illegible]
33	FUEL 1-E	4008	16.750[illegible]	3.[illegible]	[illegible]	8.[illegible]	15.[illegible]	16.2500	16	[illegible]	1	[illegible]	[illegible]
34	FUEL 2-A	4014	9.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35	FUEL 2-B	4015	9.7[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.500[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]
36	FUEL 2-C	4016	9.5[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.75[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
37	FUEL 2-D	4017	10.0[illegible]	.0000	1.2500	1.2500	1.0000	1.250[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.5000
38	FUEL 2-E	4018	9.25[illegible]	.5000	1.7500	1.7500	6.7500	7.0[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]
39	FUEL 3-A	4024	8.75[illegible]	.0[illegible]	[illegible]	[illegible]	[illegible]	.0000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
40	FUEL 3-B	4025	8.[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	.750[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
41	FUEL 3-C	4026	9.250[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.2500	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
42	FUEL 3-D	4027	9.500[illegible]	.25[illegible]	2.5000	2.5000	2.5000	2.5000	2.5	[illegible]	[illegible]	[illegible]	[illegible]
43	FUEL 3-E	4028	7.25[illegible]	[illegible]	1.2500	1.2500	4.0000	5.2500	5.2[illegible]	5.25	[illegible]	[illegible]	[illegible]
44	FUEL 4-A	4034	10.750[illegible]	.7500	.0000	[illegible]	[illegible]	.0000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
45	FUEL 4-B	4035	24.7[illegible]	.0[illegible]	.5000	[illegible]	[illegible]	1.5000	1	[illegible]	[illegible]	[illegible]	[illegible]
46	FUEL 4-C	4036	34.5[illegible]	[illegible]	.500[illegible]	1.2500	3.[illegible]	1.750[illegible]	2	[illegible]	[illegible]	[illegible]	[illegible]
47	FUEL 4-D	4037	34.2[illegible]	3.[illegible]	4.5[illegible]	4.[illegible]	4.[illegible]	5.500[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]
48	FUEL 4-E	4038	29.25[illegible]	17.5[illegible]	17.750[illegible]	17.[illegible]	20.[illegible]	26.7[illegible]	27	[illegible]	[illegible]	28.[illegible]	.25[illegible]
49	LFT FLIN	4215	.0[illegible]	.0[illegible]	[illegible]	[illegible]	.0000	.0000	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50	RHT FLIN	4216	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
51	LFT FLEL	4221	.[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

52	WHT FUEL	9922	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.1111
53	VENT TNK	4602	3.00001	.0000	.0000	.2500	1.0000	1.5000	1.5000	1.5000	1.7511
54	OXYGEN	9402	1.00001	.0000	.0000	.5000	.7500	1.0000	1.0000	1.0000	1.0000
55	HT EXCHG	9917	1.75001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	.56001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00001	.0000	.0000	.0000	.0000	.0001	.0001	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	HEM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
64	SEAT RKT	9939	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 7 REVERSED NUMBER OF COMPONENTS F
AZ = 90.0 EL = 45.0 TOTAL CRITICAL TIME
66 10.

PRESENTED AREA AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER

◆ ◆ ◆ INDEX	COMPONENT NAME	◆ ◆ ◆ NUMBER	PRESENTED AREA	TIME INCREMENTS								
1	HEAD	2001	.75				.7500	.75				
2	THORAX	2002	1.		.7500	.7500	.7500	.7500				
3	ABDOMEN	2003	1.	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.25
4	PELVIS	2004	.75	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.25
5	LEFT ARM	2005	.5	.5000	.5000	.5000	.5000	.5000				
6	RITE ARM	2006	.75				.2500	.25				
7	LEFT LEG	2007	2.			1.500	1.500	1.750				
8	RITE LEG	2008	2.				.7500	.75				
9	STK GRIP	3001	.0					.0000				
10	STK SENS	3002	.0					.0000				
11	STK YOKE	3003	.0				.0000	.0000				
12	LFT STAB	3137	.5		.0000	.0000	.0000	.0000		.0000		
13	RHT STAB	3237	.5	.0000	.0000	.0000	.0000	.0000		.0000		
14	H1 FLUID	3503	.75		.2500	.2500	.2500	.7500		.750		
15	H1 MANIF	3504	.5	.5000	.5000		.5000	.5000				
16	H1 FILTR	3505	.5	.5000			.5000	.5000				
17	H1 COOLR	3506	.0					.0000				
18	H1 PUMP	3511	.25	.0000				.0000				
19	H1 PRESF	3514	.0	.0000				.0000		.0000		
20	H1 PRESR	3515	.25	.0000				.0000				
21	H2 FLUID	3603	1.	.2500	.2500	.2500	.2500	.5000		.5		
22	H2 MANIF	3604	.5	.5000	.5000	.5000	.5000	.5000		.5		
23	H2 FILTR	3605	.25	.0000	.0000	.0000	.0000	.0000		.0000		
24	H2 COOLR	3606	.25	.0000	.0000	.0000	.0000	.0000		.0		
25	H2 PUMP	3611	.75	.0000	.0000	.0000	.0000	.0000		.0		
26	H2 PRESF	3614	.25	.0000		.0000	.0000	.0000		.0		
27	H2 PRESR	3615	.0	.0000			.0000	.0000				
28	HY FLUID	3877	1.	.0000			.0000	.0000				
29	FUEL 1-A	4004	7.		1.	2.	2.	2.0000	2.	2.		
30	FUEL 1-B	4005	18.	.0	3.	3.	3.	3.000	3.	3.		
31	FUEL 1-C	4006	18.	3.0	3.	3.	3.	3.000	3.	3.		
32	FUEL 1-D	4007	15.25	3.0	3.	3.	3.0000	3.00	3.	3.		
33	FUEL 1-E	4008	15.0	6.0	6.0	7.0000	15.0000	15.00	15.	15.	15.	
34	FUEL 2-A	4014	9.				.2500	1.25	1.	1.		
35	FUEL 2-B	4015	9.	.0	.0	.0	.0	1.5	1.	1.		
36	FUEL 2-C	4016	9.	.0	.0	1.5	1.500	1.5	1.	1.		
37	FUEL 2-D	4017	9.	.0	.0	1.5	1.5000	1.5	1.	1.		
38	FUEL 2-E	4018	9.	3.0	3.	3.	6.0000	9.0000	9.	9.		
39	FUEL 3-A	4024	9.	.0	.0	.0	.0	.2500	1.	1.		
40	FUEL 3-B	4025	9.	.0	.0	.0	.0	.7500	1.	1.		
41	FUEL 3-C	4026	9.	.0	.0	.0	.0	1.0000	1.	1.		
42	FUEL 3-D	4027	7.75	1.5	1.5000	1.5	1.5000	1.500	1.	1.		
43	FUEL 3-E	4028	7.75	3.0	3.	3.	6.5000	7.2500	7.	7.		
44	FUEL 4-A	4034	18.5	.0	.0	.0	.0000	.0000	.0	.0		
45	FUEL 4-B	4035	24.5	1.5	1.5	2.5	2.5000	2.5	2.	2.		
46	FUEL 4-C	4036	31.	.0	.0	.0	.0	.0				
47	FUEL 4-D	4037	35.2	4.5	.0	.0	.0000	7.0				
48	FUEL 4-E	403A	25.5	14.0	14.	14.	14.	25.75	25.	25.		
49	LFT FLIR	4215	.0	.0	.0	.0	.0	.0				
50	RHT FLIR	4216	.0	.0	.0	.0	.0	.0				
51	LFT FUEL	4221	.0	.0	.0	.0	.0	.0				

52	AMT FUEL	4222	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.25000	1.2500	1.2500	2.5000	2.7500	2.7500	2.7500	3.0000	
54	OXYGEN	9402	1.25000	.0000	.5000	1.0000	1.0000	1.0000	1.2500	1.2500	
55	HT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
57	PRI CHRG	9932	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
58	LFT CHRG	9933	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	
59	AMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
63	REM AMT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	
64	SEAT AMT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	
65	LFT CRNT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	
66	AMT CRNT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	

VIEW NUMBER 8 [illegible]

AZ = 135.0 EL = 45.0 [illegible] TOTAL CRITICAL TIME [illegible]

360 66 10. [illegible]

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) [illegible]

COMPONENT INDEX	NAME	NUMBER	PRESENTED	[illegible]	[illegible]	[illegible]	[illegible]	TIME INCR [illegible]
1	HEAD	2001	.25	.0313	.2500	.1563	.2500	.25
2	THORAX	2002	.75	.5000	.7500	.7500	.7500	.75
3	ABDOMEN	2003	1.2500	.5000	.2500	.5000	.5000	.5
4	PELVIS	2004	[illegible]	[illegible]	.2500	.2500	.2500	.25
5	LEFT ARM	2005	.7500	.2500	.3000	.7500	.7500	.75
6	RITE ARM	2006	.5000	.0000	.0000	.0000	.0000	.0
7	LEFT LEG	2007	1.7500	.5000	.7500	.2500	.2500	1.5000
8	RITE LEG	2008	1.25	.7500	.5000	.2500	.2500	.5000
9	STK GRIP	3001	.25	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.25	.0000	.0000	.0000	.0000	.0
12	LFT STAR	3137	1.7500	.0000	.0000	.0000	.0000	.0
13	RHT STAR	3237	.5000	.0000	.0000	.0000	.0000	.0
14	H1 FLUID	3503	.7500	.0000	.0000	.0000	.0000	.0
15	H1 MANIF	3504	.5000	.0000	.0000	.0000	.0000	.0
16	H1 FILTR	3505	.5	.0000	.0000	.0000	.0000	.25
17	H1 COOLR	3506	.5	.0000	.0000	.0000	.0000	.0
18	H1 PUMP	3511	.0000	.0000	.0000	.0000	.0000	.0
19	H1 PRESF	3514	.5000	.0000	.0000	.0000	.0000	.0
20	H1 PRESR	3515	.5000	.0000	.0000	.2500	.2500	.25
21	H2 FLUID	3603	.7500	.0000	.2500	.5000	.5000	.5000
22	H2 MANIF	3604	.5	.0000	.0000	.0000	.0000	.25
23	H2 FILTR	3605	.5000	.0000	.0000	.0000	.0000	.0
24	H2 COOLR	3606	.0000	.0000	.0000	.0000	.0000	.0
25	H2 PUMP	3611	1.0000	.0000	.0000	.0000	.0000	.5000
26	H2 PRESF	3614	.5000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.25	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	9.2500	.0000	.0000	1.2500	1.2500	1.2500
30	FUEL 1-B	4005	16.0000	.2500	1.0000	1.5000	1.7500	1.7500
31	FUEL 1-C	4006	18.0000	1.2500	2.0000	2.0000	2.0000	2.0000
32	FUEL 1-D	4007	17.0000	1.7500	2.0000	2.0000	2.0000	2.0000
33	FUEL 1-E	4008	16.5000	2.7500	5.2500	14.0000	14.7500	15.0000
34	FUEL 2-A	4014	9.5000	.0000	.0000	.0000	.2500	.5000
35	FUEL 2-B	4015	10.0000	.0000	.0000	.0000	.5000	1.0000
36	FUEL 2-C	4016	10.0000	.0000	.7500	.7500	.7500	.7500
37	FUEL 2-D	4017	10.0000	1.0000	1.5000	1.5000	1.5000	1.5000
38	FUEL 2-E	4018	9.0000	1.0000	2.2500	7.2500	7.7500	7.7500
39	FUEL 3-A	4024	8.5000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	8.75	.0000	.0000	.0000	.2500	.2500
41	FUEL 3-C	4026	8.2500	.0000	.0000	.2500	.5000	.5000
42	FUEL 3-D	4027	8.75	.7500	1.5000	2.0000	2.0000	2.0000
43	FUEL 3-E	4028	7.25	.5000	1.5000	1.5000	5.2500	6.0000
44	FUEL 4-A	4034	16.7500	.0000	.0000	.0000	.0000	.0000
45	FUEL 4-B	4035	22.7500	.0000	.0000	.5000	.5000	.5000
46	FUEL 4-C	4036	3[illegible]	.0000	.5000	.5000	.5000	.7500
47	FUEL 4-D	4037	34.0000	.0000	.7500	4.7500	5.0000	6.0000
48	FUEL 4-E	4038	30.[illegible]	.0000	.0000	1.2500	24.2500	27.5000
49	LFT FLIN	4215	.25	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.25	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	[illegible]	.0000	.0000	.0000	.0000	.0000

52	HMT FUEL	4222	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.50000	.2500	.7500	.2500	.7500	1.0000	1.0000	1.5000	1.5000	1.5000	2.2500
54	OXYGEN	9402	1.00000	.0000	.2500	.0000	.2500	.7500	1.0000	1.0000	1.0000	1.0000	1.0000
55	HT EXCHG	9917	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.60000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RHT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
64	SEAT RHT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRNT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRNT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 4 REVERSED [illegible] TIMES [illegible]

AZ = .0 EL = -45.0 NO TOTAL CRITICAL 10.00 .00

PRESENTED AREAS ARE TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET PER INCREMENT)

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENT 5	2.00	4.	[illegible]
1	HEAD	2001	.25[illegible]	[illegible]	.0000	.0[illegible]	[illegible]
2	THORAX	2002	1.0[illegible]	[illegible]	.0000	.0[illegible]	[illegible]
3	ABDOMEN	2003	1.0[illegible]	.0000	.0000	.0000	[illegible]
4	PELVIS	2004	1.5000	.0000	.0000	.0000	.0000 .0 [illegible]
5	LEFT ARM	2005	.2500	.0000	.0000	.0000	.0000 [illegible]
6	RITE ARM	2006	.25[illegible]	.0000	.0000	.0000	.0000 [illegible]
7	LEFT LEG	2007	.7[illegible]	[illegible]	[illegible]	[illegible]	.0 [illegible]
8	RITE LEG	2008	1.[illegible]	[illegible]	[illegible]	[illegible]	.0 [illegible]
9	STK GRIP	3001	.25[illegible]	[illegible]	[illegible]	.0000	.0[illegible] [illegible]
10	STK SENS	3002	.25[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible] [illegible]
11	STK YOKE	3003	.2[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible] [illegible]
12	LFT STAB	3137	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] [illegible]
13	RHT STAB	3237	.7500	[illegible]	[illegible]	.0000	.0000 .00 [illegible]
14	H1 FLUID	3503	.5[illegible]	.0[illegible]	[illegible]	.0000	.0000 [illegible] [illegible]
15	H1 MANIF	3504	.2[illegible]	.0[illegible]	[illegible]	.0000	.0000 [illegible] [illegible]
16	H1 FILTR	3505	.5[illegible]	[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
17	H1 COOLR	3506	.2[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible] [illegible]
18	H1 PUMP	3511	.[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible] [illegible]
19	H1 PRESF	3514	.25[illegible]	[illegible]	[illegible]	.000[illegible]	[illegible] [illegible]
20	H1 PRESR	3515	.[illegible]	[illegible]	[illegible]	[illegible]	[illegible] [illegible]
21	H2 FLUID	3603	.5[illegible]	.0[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
22	H2 MANIF	3604	.[illegible]	[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
23	H2 FILTR	3605	.5[illegible]	.0[illegible]	[illegible]	[illegible]	.0000 .250 [illegible]
24	H2 COOLR	3606	.25[illegible]	.0000	.0000	.0000	.0000 [illegible] [illegible]
25	H2 PUMP	3611	.[illegible]	.0[illegible]	.0000	[illegible]	.0000 [illegible] [illegible]
26	H2 PRESF	3614	.[illegible]	.0[illegible]	[illegible]	[illegible]	.000 [illegible]
27	H2 PRESR	3615	.[illegible]	[illegible]	[illegible]	.000	.000 [illegible]
28	HY FLUID	3677	1.	[illegible]	[illegible]	[illegible]	1.0[illegible] [illegible] [illegible]
29	FUEL 1-A	4004	[illegible]	3[illegible]	4[illegible]	4.[illegible]	5.[illegible] 6.[illegible] [illegible] [illegible] [illegible]
30	FUEL 1-B	4005	1.[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible] [illegible] [illegible] [illegible]
31	FUEL 1-C	4006	17.[illegible]	.0[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
32	FUEL 1-D	4007	15.[illegible]	[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
33	FUEL 1-E	4008	15.[illegible]	[illegible]	[illegible]	.0500	1.0000 1.[illegible] 1.[illegible]
34	FUEL 2-A	4014	8.[illegible]	[illegible]	[illegible]	4.[illegible]	4.5000 5.[illegible] 6.[illegible]
35	FUEL 2-B	4015	8.[illegible]	[illegible]	[illegible]	[illegible]	.0000 [illegible] [illegible]
36	FUEL 2-C	4016	8.[illegible]	[illegible]	[illegible]	[illegible]	.000[illegible] [illegible]
37	FUEL 2-D	4017	8.[illegible]	.0[illegible]	[illegible]	.0000	.000[illegible] [illegible] [illegible]
38	FUEL 2-E	4018	10.5[illegible]	[illegible]	[illegible]	.0000	.000[illegible] [illegible] [illegible]
39	FUEL 3-A	4024	8.[illegible]	[illegible]	[illegible]	4.500	3.750[illegible] [illegible] [illegible]
40	FUEL 3-B	4025	8.[illegible]	[illegible]	[illegible]	.0000	.000[illegible] [illegible] [illegible]
41	FUEL 3-C	4026	8.[illegible]	[illegible]	[illegible]	.0000	.000[illegible] [illegible] [illegible]
42	FUEL 3-D	4027	8.[illegible]	[illegible]	[illegible]	.0000	.0000 [illegible] [illegible] [illegible]
43	FUEL 3-E	4028	7.75[illegible]	[illegible]	[illegible]	.0000	.0000 [illegible] [illegible] [illegible]
44	FUEL 4-A	4034	12.2500[illegible]	[illegible]	1.[illegible]	3.7500	4.0000 4.[illegible] [illegible] [illegible]
45	FUEL 4-B	4035	2[illegible].2500[illegible]	.0[illegible]	[illegible]	2.0000	4.2500 4.[illegible] [illegible] [illegible]
46	FUEL 4-C	4036	31.[illegible]	[illegible]	[illegible]	[illegible]	3.500[illegible] [illegible] [illegible]
47	FUEL 4-D	4037	31.[illegible]	[illegible]	[illegible]	.0000	.000[illegible] [illegible] [illegible]
48	FUEL 4-E	4038	24.5[illegible]	[illegible]	[illegible]	.0000	.0[illegible] [illegible] [illegible]
49	LFT FLIN	4215	.5[illegible]	[illegible]	[illegible]	[illegible]	.500[illegible] [illegible] [illegible]
50	RHT FLIP	4216	.5[illegible]	[illegible]	[illegible]	[illegible]	.0[illegible] [illegible] [illegible]
51	LFT FUEL	4221	.75[illegible]	.0[illegible]	[illegible]	[illegible]	.0[illegible] [illegible] [illegible]

52	RHT FUEL	4222	1.00000	.0000	.2500	.5000	.5000	.5000	1.0000	1.0000	1.0000	1.0000
53	VENT TNK	4602	1.50000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500
54	OXYGEN	9402	1.50000	.0000	.0000	.2500	.7500	1.2500	1.2500	1.2500	1.2500	1.5000
55	HT EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0000	.0297	.6924	.6924	.7354
56	BLD LINE	9931	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	HEM RHT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RHT	9939	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 10 AZ = 45.0 EL = 345.0

PRESENTED AREAS AND TRUE [illegible] VULNERABLE AREAS (SQUARE FEET, PER [illegible] INCIDENCE

INDEX	COMPONENT NAME	NUMBER	PRES [illegible]						INC INCREMENTS				
			AREA						4.00				
1	HEAD	2001	.2500			.2500	.2500	.2500	.2500				
2	THORAX	2002	.5000			.0000	.0000	.0000	.0000	.5000			
3	ABDOMEN	2003	1.2500	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
4	PELVIS	2004	1.0000	.0000	.0000	.0000	.0000	.0000	.2500	.5000			
5	LEFT ARM	2005	.2500	.0000	.0000	.2500	.2500	.2500	.2500				
6	RITE ARM	2006	.5000	.0000	.0000	.0000	.0000	.0000	.0000				
7	LEFT LEG	2007	1.2500	.0000	.0000	.0000	.0000	.0000	1.0000				
8	RITE LEG	2008	1.7500	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
9	STK GRIP	3001	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000		
10	STK SENS	3002	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
11	STK YOKE	3003	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
12	LFT STAB	3137	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
13	RHT STAB	3237	1.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
14	H1 FLUID	3503	.7500	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
15	H1 MANIF	3504	.5000	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
16	H1 FILTR	3505	.5000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000		
17	H1 COOLR	3506	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
18	H1 PUMP	3511	.7500	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000		
19	H1 PRESF	3514	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
20	H1 PRESR	3515	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
21	H2 FLUID	3603	1.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
22	H2 MANIF	3604	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
23	H2 FILTR	3605	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
24	H2 COOLR	3606	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
25	H2 PUMP	3611	.7500	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
26	H2 PRESF	3614	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
27	H2 PRESR	3615	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000		
28	HY FLUID	3877	1.0000	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000		
29	FUEL 1-A	4004	9.0000	.0000	.0000	.0000	.0000	5.0000	6.7500	7.2500	7.7500	8.	
30	FUEL 1-B	4005	18.0000	.0000	.0000	.0000	.0000	2.0000	4.2500	4.7500	5.0000	5.	
31	FUEL 1-C	4006	18.0000	.0000	.0000	.0000	.0000	1.0000	2.0000	2.0000	2.0000	2.	
32	FUEL 1-D	4007	17.0000	.0000	.0000	.0000	.0000	1.5000	2.0000	2.0000	2.0000	2.	
33	FUEL 1-E	4008	16.5000	.0000	.0000	.0000	.0000	1.0000	1.7500	2.0000	2.0000	2.	
34	FUEL 2-A	4014	9.0000	.0000	.0000	.0000	.0000	4.0000	5.5000	5.0000	5.0000	5.	
35	FUEL 2-B	4015	18.0000	.0000	.0000	.0000	.0000	.5000	1.2500	1.0000	1.0000	1.	
36	FUEL 2-C	4016	18.0000	.0000	.0000	.0000	.0000	.5000	1.0000	1.0000	1.0000	1.	
37	FUEL 2-D	4017	17.0000	.0000	.0000	.0000	.0000	.5000	.7500	1.0000	1.0000	1.	
38	FUEL 2-E	4018	9.0000	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5	
39	FUEL 3-A	4024	9.0000	.0000	.0000	.0000	.0000	3.0000	3.2500	3.7500	3.7500	4.	
40	FUEL 3-B	4025	9.0000	.0000	.0000	.0000	.0000	.0000	.7500	.7500	.7500	.7	
41	FUEL 3-C	4026	9.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5	
42	FUEL 3-D	4027	8.5000	.0000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	.7	
43	FUEL 3-E	4028	7.2500	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2	
44	FUEL 4-A	4034	16.7500	.0000	.0000	.0000	.0000	3.7500	7.2500	8.0000	8.0000	8.	
45	FUEL 4-B	4035	27.0000	.0000	.0000	.0000	2.2500	2.7500	5.2500	5.0000	5.0000	5.	
46	FUEL 4-C	4036	34.0000	.0000	.0000	.0000	3.0000	4.2500	6.2500	6.0000	6.0000	6.	
47	FUEL 4-D	4037	34.0000	.0000	.0000	.0000	.0000	.0000	.7500	.7500	.7500	.7	
48	FUEL 4-E	4038	31.5000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2	
49	LFT FLIK	4215	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2	
50	RHT FLIK	4216	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2	
51	LFT FUEL	4291	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2	

52	RMT FUEL	4222	.75000	.0000	.5000	.5000	.7500	.7500	.7500	.7500	.7500	.7500
53	VENT TNA	4602	3.50000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.7500
54	OXYGEA	9402	1.25000	.0000	.0000	.0000	.5000	1.2500	1.2500	1.2500	1.2500	1.2500
55	RT EACHG	9917	1.00000	.0000	.0000	.0000	.0000	.0446	.1272	.0000	.2069	.3910
56	BLD LINE	9931	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	HEM RMT	9938	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
64	SEAT RMT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CHRT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CHRT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 11 — REVERSE
AZ = 90.0 EL = -45.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS
1	HEAD	2001	.75	.0000 .5000 .5000
2	THORAX	2002	1.	.0000 .0000 .0000
3	ABDOMEN	2003	1.	.0000 .2500 .5000
4	PELVIS	2004	.75	.0000 .2500 .7500
5	LEFT ARM	2005	1.	.0000 .2500 1.0000 1. 1. 1. 1.
6	RITE ARM	2006	.5	.0000 .0000
7	LEFT LEG	2007	2.	1.2500 1.5 1. 1. 2.
8	RITE LEG	2008	2.	.5000 1. 1. 1.
9	STK GRIP	3001		.0000
10	STK SENS	3002		.0000
11	STK YOKE	3003		.0000 .0000
12	LFT STAB	3137		.0000 .0000
13	RHT STAB	3237		.0000 .0000 .0000
14	H1 FLUID	3503		.0000 .0000
15	H1 MANIF	3504		.0000
16	H1 FILTR	3505		.2500
17	H1 COOLR	3506		.0000
18	H1 PUMP	3511		.0000
19	H1 PRESF	3514		.0000
20	H1 PRESR	3515		.2500 .2500
21	H2 FLUID	3603		.0000 .0000
22	H2 MANIF	3604		.0000 .0000
23	H2 FILTR	3605		.0000 .2500
24	H2 COOLR	3606		.0000
25	H2 PUMP	3611		.0000
26	H2 PRESF	3614		.0000
27	H2 PRESR	3615		.0000 .0000
28	HY FLUID	3877		.0000
29	FUEL 1-A	4004	7.	6.0000
30	FUEL 1-B	4005	18.	6.2500
31	FUEL 1-C	4006	18.	3.0000
32	FUEL 1-D	4007	15.25	.2500
33	FUEL 1-E	4008	15.	3.0000
34	FUEL 2-A	4014	9.	7.5000
35	FUEL 2-B	4015	9.	1.5000
36	FUEL 2-C	4016	9.	1.5000
37	FUEL 2-D	4017	9.	1.5000
38	FUEL 2-E	4018	9.	1.5000
39	FUEL 3-A	4024	5.	4.7500
40	FUEL 3-B	4025	9.	1.0000
41	FUEL 3-C	4026	9.	1.0000
42	FUEL 3-D	4027	7.75	.2500
43	FUEL 3-E	4028	7.75	.2500
44	FUEL 4-A	4034	18.	6.2500
45	FUEL 4-B	4035	24.	6.2500
46	FUEL 4-C	4036	31.	5.7500
47	FUEL 4-D	4037	35.25	1.75
48	FUEL 4-E	4038	28.	.0000
49	LFT FLTA	4215		.0000
50	RHT FLTA	4216		.0000
51	LFT FUEL	4281		.5000

52	RMT FUEL	4222	.00000	.0000	.5000	.0000	.5000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4662	3.25000	.0000	.5000	.5000	1.5000	1.7500	1.7500	1.7500	1.7500	2.0000
54	OXYGEN	9402	1.25000	.0000	.5000	.0000	.2500	1.0000	1.0000	1.2500	1.2500	1.2500
55	HT EXCHG	917	1.00000	.0000	.5000	.0000	.0000	.1570	.3462	.5001	.5001	.5000
56	BLD LINE	9931	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PWI CHRG	9932	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.25000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.25000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.50000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.00000	.0000	.5000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 12 AZ = 135.0 EL = -45.0

REVERSED NO

NUMBER OF COMPONENTS TOTAL 1368 CRITICAL 66

FLUX TABLE TIME(SEC.) 10.00 FLUX(W/SQ.CM.) 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

COMPONENT INDEX	NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
2	THORAX	2002	.75000	.0000	.2500	.2500	.2500	.2500	.2500	.5000	.5000	.5000
3	ABDOMEN	2003	1.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
4	PELVIS	2004	1.50000	.0000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	1.0000
5	LEFT ARM	2005	.75000	.0000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000
6	RITE ARM	2006	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
7	LEFT LEG	2007	1.50000	.0000	.0000	.2500	.5000	.5000	.7500	1.2500	1.2500	1.2500
8	RITE LEG	2008	1.00000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000
13	RHT STAB	3237	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.75000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
16	H1 FILTR	3505	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
21	H2 FLUID	3603	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.5000	.5000	.7500	.7500	.7500
29	FUEL 1-A	4004	9.50000	3.2500	4.0000	5.2500	5.2500	5.2500	5.2500	5.2500	5.2500	5.5000
30	FUEL 1-B	4005	17.75000	.2500	.5000	.5000	2.2500	3.2500	4.0000	4.5000	4.5000	7.7500
31	FUEL 1-C	4006	17.75000	.0000	.0000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
32	FUEL 1-D	4007	17.25000	.0000	.0000	.5000	1.2500	1.2500	1.2500	1.2500	1.2500	1.5000
33	FUEL 1-E	4008	16.75000	.0000	.0000	.0000	.7500	1.0000	1.0000	1.0000	1.2500	1.2500
34	FUEL 2-A	4014	9.00000	.0000	.0000	1.7500	2.7500	5.2500	5.5000	5.5000	5.5000	6.0000
35	FUEL 2-B	4015	9.75000	.0000	.0000	.0000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000
36	FUEL 2-C	4016	9.50000	.0000	.0000	.0000	.0000	1.0000	1.2500	1.2500	1.2500	1.5000
37	FUEL 2-D	4017	10.00000	.0000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	1.0000
38	FUEL 2-E	4018	9.25000	.0000	.0000	.0000	.0000	.2500	.2500	.5000	.5000	.5000
39	FUEL 3-A	4024	8.75000	.0000	.0000	.2500	1.2500	3.5000	4.5000	5.0000	5.7500	6.7500
40	FUEL 3-B	4025	6.75000	.0000	.0000	.2500	.2500	.5000	.5000	.5000	.5000	.7500
41	FUEL 3-C	4026	9.25000	.0000	.0000	.7500	.7500	.7500	.7500	.7500	.7500	.7500
42	FUEL 3-D	4027	9.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.5000
43	FUEL 3-E	4028	7.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
44	FUEL 4-A	4034	16.75000	.0000	.5000	1.5000	2.7500	5.0000	6.0000	7.0000	7.2500	10.2500
45	FUEL 4-B	4035	24.75000	.2500	1.5000	2.2500	3.7500	6.0000	7.5000	7.5000	8.2500	9.2500
46	FUEL 4-C	4036	34.50000	.2500	1.7500	3.2500	3.7500	5.7500	8.0000	8.2500	8.2500	9.2500
47	FUEL 4-D	4037	34.25000	.2500	.7500	.7500	.7500	.7500	1.2500	1.2500	1.5000	2.0000
48	FUEL 4-E	4038	29.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.50000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.5000	.5000

52	RHT FUEL	4222	.75000	.0000	.2500	.5000	.5000	.7500	.7500	.7500	.7500	.7500
53	VENT TNK	4602	3.00000	.0000	.5000	.5000	.5000	.5000	.7500	.7500	.7500	.7500
54	OXYGEN	9402	1.00000	.0000	.5000	.0000	.5000	1.0000	1.0000	1.0000	1.0000	1.0000
55	HT EXCHG	9917	.75000	.0000	.0000	.0000	.0000	.6446	.1272	.2094	.2094	.4043
56	BLD LINE	9931	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.75000	.0600	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 13 REVERSED NUMBER OF COMPONENTS FLUX TABLE
AZ = 90.0 EL = -90.0 NO TOTAL CRITICAL TIME(SEC.) FLUX(W/SQ.CM.)
1365 66 10.00 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

COMPONENT INDEX	NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2	THORAX	2002	1.00000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
3	ABDOMEN	2003	1.00000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
4	PELVIS	2004	.75000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.5000
5	LEFT ARM	2005	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
7	LEFT LEG	2007	1.25000	.2500	.2500	.2500	.2500	1.0000	1.0000	1.0000	1.0000	1.2500
8	RITE LEG	2008	1.25000	.2500	.2500	.2500	.2500	1.0000	1.0000	1.0000	1.0000	1.2500
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
17	H1 COOLR	3506	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
24	H2 COOLR	3606	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.75000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29	FUEL 1-A	4004	7.00000	4.0000	6.0000	6.0000	6.0000	6.0000	6.0000	6.0000	6.0000	6.0000
30	FUEL 1-B	4005	21.00000	1.2500	1.5000	1.5000	2.0000	5.2500	5.2500	5.5000	6.2500	12.2500
31	FUEL 1-C	4006	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
33	FUEL 1-E	4008	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
34	FUEL 2-A	4014	10.50000	.0000	.0000	6.0000	6.0000	7.0000	9.0000	9.0000	9.0000	9.0000
35	FUEL 2-B	4015	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
39	FUEL 3-A	4024	10.50000	.0000	.0000	5.0000	5.0000	8.0000	8.2500	8.2500	8.2500	9.2500
40	FUEL 3-B	4025	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
43	FUEL 3-E	4028	9.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
44	FUEL 4-A	4034	16.75000	.0000	3.2500	3.2500	5.2500	6.0000	6.5000	6.5000	6.5000	6.5000
45	FUEL 4-B	4035	28.75000	.0000	.0000	.0000	2.0000	4.7500	5.2500	5.7500	6.2500	10.2500
46	FUEL 4-C	4036	42.75000	.0000	1.0000	2.2500	3.0000	6.5000	7.0000	7.0000	7.0000	10.5000
47	FUEL 4-D	4037	42.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	1.0000
48	FUEL 4-E	4038	39.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	1.50000	.0000	.5000	1.0000	1.0000	1.2500	1.2500	1.2500	1.2500	1.5000

52	RMT FUEL	4222	1.25000	.2500	.5000	.7500	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.2500
53	VENT TNK	4602	.75000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	.7500	.7500	.7500
54	OXYGEN	9402	.75000	.0000	.0000	.0000	.0000	.0881	.2782	.4361	.5000	.5000	.5000
55	MT EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RMT	993A	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RMT	9939	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 14 — REVERSED — NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66 — FLUX TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 10000.0

AZ = 180.0 EL = .0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2	THORAX	2002	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
4	PELVIS	2004	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
5	LEFT ARM	2005	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
7	LEFT LEG	2007	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
8	RITE LEG	2008	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	5.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
30	FUEL 1-B	4005	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
31	FUEL 1-C	4006	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
33	FUEL 1-E	4008	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
34	FUEL 2-A	4014	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	1.0000
39	FUEL 3-A	4024	3.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	3.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
43	FUEL 3-E	4028	3.50000	.0000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000
44	FUEL 4-A	4034	4.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
45	FUEL 4-B	4035	2.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
46	FUEL 4-C	4036	2.75000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.7500
47	FUEL 4-D	4037	2.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000
48	FUEL 4-E	4038	2.50000	.0000	.0000	.0000	.0000	.2500	.5000	1.0000	1.0000	1.7500
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RHT FUEL	4222	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
54	OXYGEN	9402	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
55	HT EXCHG	9917	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9931	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CKRT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CKRT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 15 AZ = 225.0 EL = .0

REVERSED: YES

NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66

FLUX TABLE: TIME(SEC.) 10.00, FLUX(W/SQ.CM.) 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.2500	.5000	.7500	.7500	1.0000	1.0000	1.0000	1.0000	1.0000
3	ABDOMEN	2003	1.50000	.0000	.2500	.5000	.5000	.5000	.7500	.7500	.7500	.7500
4	PELVIS	2004	1.25000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	1.0000
5	LEFT ARM	2005	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
6	RITE ARM	2006	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
8	RITE LEG	2008	1.25000	.5000	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.2500	.5000	.7500	.7500	.7500
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
23	H2 FILTR	3605	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	6.00000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
30	FUEL 1-B	4005	3.25000	.0000	.7500	1.7500	1.7500	1.7500	1.7500	2.0000	2.0000	2.0000
31	FUEL 1-C	4006	3.25000	.0000	.0000	.7500	.7500	1.5000	1.7500	2.0000	2.0000	2.0000
32	FUEL 1-D	4007	3.25000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
33	FUEL 1-E	4008	6.25000	3.5000	3.7500	3.7500	3.7500	3.7500	3.7500	4.0000	4.0000	4.0000
34	FUEL 2-A	4014	2.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	4.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	2.25000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.7500	1.0000
37	FUEL 2-D	4017	4.50000	.5000	1.2500	1.2500	1.2500	1.2500	1.5000	2.2500	2.2500	2.2500
38	FUEL 2-E	4018	4.25000	.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	3.0000
39	FUEL 3-A	4024	3.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000
40	FUEL 3-B	4025	2.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.5000
41	FUEL 3-C	4026	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	2.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
43	FUEL 3-E	4028	3.75000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
44	FUEL 4-A	4034	10.00000	.0000	.0000	4.2500	5.7500	7.0000	7.7500	7.7500	7.7500	7.7500
45	FUEL 4-B	4035	4.25000	.0000	.0000	.2500	.2500	.7500	.7500	.7500	.7500	1.0000
46	FUEL 4-C	4036	4.75000	.0000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	2.0000	2.2500
47	FUEL 4-D	4037	4.75000	.0000	1.0000	1.5000	2.5000	2.7500	3.0000	3.2500	3.2500	3.2500
48	FUEL 4-E	4038	5.50000	2.0000	2.0000	2.5000	2.5000	3.2500	3.2500	3.2500	4.0000	5.0000
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	HMT FUEL	4222	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.75000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
54	OXYGEN	9402	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.7500
55	HT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
56	BLD LINE	9431	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	HMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM HMT	9938	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT HMT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CHAT	9940	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	HMT CHAT	9941	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500

VIEW NUMBER 16	REVERSED	NUMBER OF COMPONENTS		FLUX TABLE	
AZ = 270.0 EL = .0	YES	TOTAL	CRITICAL	TIME(SEC.)	FLUX(N/SQ.CM.)
		1365	66	10.00	10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

COMPONENT INDEX	NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
2	THORAX	2002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	1.00000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
4	PELVIS	2004	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
5	LEFT ARM	2005	1.00000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
6	RITE ARM	2006	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
8	RITE LEG	2008	1.50000	.5000	1.0000	1.2500	1.2500	1.5000	1.5000	1.5000	1.5000	1.5000
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
21	H2 FLUID	3603	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	1.25000	.0000	.0000	.5000	.5000	.7500	.7500	.7500	.7500	1.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3677	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
30	FUEL 1-B	4005	3.00000	.5000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
31	FUEL 1-C	4006	3.00000	.0000	.0000	1.2500	2.0000	3.0000	3.0000	3.0000	3.0000	3.0000
32	FUEL 1-D	4007	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
33	FUEL 1-E	4008	5.50000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000	5.5000
34	FUEL 2-A	4014	1.50000	.0000	1.0000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
35	FUEL 2-B	4015	3.00000	.0000	.5000	1.5000	1.5000	2.0000	2.0000	2.2500	3.0000	3.0000
36	FUEL 2-C	4016	1.50000	.0000	.5000	.5000	.5000	1.2500	1.2500	1.2500	1.2500	1.2500
37	FUEL 2-D	4017	3.00000	1.5000	1.5000	1.7500	1.7500	1.7500	3.0000	3.0000	3.0000	3.0000
38	FUEL 2-E	4018	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
39	FUEL 3-A	4024	2.50000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	1.2500
40	FUEL 3-B	4025	1.50000	.0000	.0000	.2500	.5000	.5000	1.0000	1.0000	1.0000	1.5000
41	FUEL 3-C	4026	3.00000	.0000	.2500	.2500	.2500	.7500	.7500	1.0000	1.0000	1.2500
42	FUEL 3-D	4027	1.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	1.5000
43	FUEL 3-F	4028	3.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
44	FUEL 4-A	4034	10.75000	.0000	.5000	.5000	.5000	.7500	.7500	1.0000	1.0000	1.2500
45	FUEL 4-B	4035	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
46	FUEL 4-C	4036	4.25000	.0000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.7500	2.0000
47	FUEL 4-D	4037	4.25000	.5000	3.0000	3.0000	3.5000	3.5000	3.5000	3.5000	3.5000	3.5000
48	FUEL 4-E	4038	5.50000	4.2500	4.2500	4.2500	4.2500	5.2500	5.5000	5.5000	5.5000	5.5000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	HMT FUEL	4422	.0001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4402	3.7500	.0000	.0000	.0000	1.7500	1.7500	1.7500	1.7500	2.0000
54	OXYGEN.	9402	1.2500	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
55	HT EXCHG	9917	1.5000	.0000	.0000	.0000	.0000	.2448	.6359	1.0000	1.4929
56	BLD LINE	9931	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CANTR 1	9935	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CANTR 2	9936	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CANT	9937	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.2500	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 17 — REVERSED — NUMBER OF COMPONENTS: TOTAL 1508, CRITICAL 66 — FLUX TABLE: TIME(SEC.) 10.00, FLUX(M/SQ.CM.) 10000.0

AZ = 315.0 EL = .0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	2500	.2500
3	ABDOMEN	2003	1.50000	.2500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	1.0000
4	PELVIS	2004	1.25000	.2500	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.7500
5	LEFT ARM	2005	1.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.7500
6	RITE ARM	2006	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	1.25000	.0000	.0000	.2500	.2500	.5000	.5000	.5000	.5000	.7500
8	RITE LEG	2008	1.00000	.5000	.5000	.7500	.7500	.7500	.7500	.7500	1.0000	1.0000
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	2500	.2500
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	0000	.0000
11	STK YOKE	3003	1.00000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	6.00000	2.2500	2.2500	2.2500	3.0000	3.0000	3.2500	3.2500	3.2500	4.5000
30	FUEL 1-B	4005	3.25000	1.2500	2.5000	2.7500	2.7500	2.7500	2.7500	3.2500	3.2500	3.2500
31	FUEL 1-C	4006	3.25000	.0000	.0000	1.5000	2.2500	3.0000	3.2500	3.2500	3.2500	3.2500
32	FUEL 1-D	4007	3.25000	3.0000	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500	3.2500
33	FUEL 1-E	4008	6.25000	5.0000	5.0000	5.0000	5.0000	5.2500	5.2500	5.2500	5.2500	6.2500
34	FUEL 2-A	4014	2.25000	.0000	.0000	.7500	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
35	FUEL 2-B	4015	4.50000	.0000	.0000	1.5000	1.5000	2.0000	2.0000	2.0000	2.0000	2.0000
36	FUEL 2-C	4016	2.25000	.0000	.5000	.5000	.5000	.7500	.7500	.7500	.7500	1.0000
37	FUEL 2-D	4017	4.50000	.0000	1.0000	1.0000	1.0000	1.5000	1.7500	2.0000	2.0000	2.0000
38	FUEL 2-E	4018	4.25000	.0000	1.5000	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500
39	FUEL 3-A	4024	3.75000	.0000	.0000	.2500	1.0000	1.0000	1.0000	1.0000	1.0000	1.5000
40	FUEL 3-B	4025	2.25000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.7500
41	FUEL 3-C	4026	4.25000	.0000	.0000	.0000	.2500	1.0000	1.5000	1.5000	1.7500	2.5000
42	FUEL 3-D	4027	2.50000	.0000	.0000	.0000	.0000	.0000	.0000	.7500	.7500	1.2500
43	FUEL 3-E	4028	3.75000	.0000	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500	1.7500
44	FUEL 4-A	4034	10.00000	.0000	.0000	1.2500	2.5000	4.5000	4.5000	4.5000	4.5000	4.7500
45	FUEL 4-B	4035	4.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	2.0000
46	FUEL 4-C	4036	4.75000	.0000	1.0000	1.0000	1.0000	1.5000	1.7500	1.7500	1.7500	1.7500
47	FUEL 4-D	4037	4.75000	.0000	1.0000	1.7500	2.0000	2.2500	2.2500	2.5000	2.5000	3.0000
48	FUEL 4-E	4038	5.50000	1.7500	3.0000	3.7500	3.7500	3.7500	3.7500	3.7500	3.7500	3.7500
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

AD-A128 473 BENCHMARK FOR THE ASALT PROGRAM; ASSESSMENT OF SURVIVABILITY AGAINST LASER THREATS(U) ARMAMENT SYSTEMS INC ANAHEIM CA F J STEENROD ET AL. SEP 81 2/3

UNCLASSIFIED JTCG/AS-81-S-005 N00123-80-D-0033 F/G 20/5 NL





52	RMT FUEL	4222	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.7500	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
54	OXYGEN	9402	1.2500	.0000	.0000	.2500	.5000	.5000	.7500	.7500	.7500
55	HT EXCHG	9917	1.5000	.0000	.0000	.0000	.0000	.0000	.1567	.4500	1.3484
56	BLD LINE	9931	.7500	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REK RKT	9938	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500

VIEW NUMBER 18 | REVERSED | NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66 | FLUX TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 10000.0

AZ = 180.0 EL = -45.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
2	THORAX	2002	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
4	PELVIS	2004	1.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
5	LEFT ARM	2005	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
6	RITE ARM	2006	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
7	LEFT LEG	2007	1.00000	.0000	.0000	.0000	.0000	.5000	.7500	.7500	.7500	.7500
8	RITE LEG	2008	1.25000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	.7500	.7500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
14	H1 FLUID	3503	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
17	H1 COOLR	3506	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000
29	FUEL 1-A	4004	10.00000	2.5000	3.0000	3.0000	4.0000	4.5000	4.5000	4.5000	4.5000	5.0000
30	FUEL 1-B	4005	17.50000	.0000	.2500	.2500	.2500	.2500	.7500	1.2500	1.2500	3.2500
31	FUEL 1-C	4006	15.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	15.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
33	FUEL 1-E	4008	15.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
34	FUEL 2-A	4014	10.50000	.0000	.0000	4.0000	5.0000	5.0000	5.5000	6.0000	7.0000	7.2500
35	FUEL 2-B	4015	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
39	FUEL 3-A	4024	8.75000	.0000	.0000	1.2500	1.5000	3.2500	5.5000	5.5000	5.5000	5.7500
40	FUEL 3-B	4025	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	8.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
43	FUEL 3-E	4028	6.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
44	FUEL 4-A	4034	14.50000	.0000	.7500	1.0000	3.0000	4.2500	4.5000	4.7500	4.7500	5.7500
45	FUEL 4-B	4035	22.25000	.0000	.0000	1.0000	1.5000	2.5000	3.0000	3.0000	3.0000	5.5000
46	FUEL 4-C	4036	31.75000	.0000	.0000	.2500	.5000	.7500	1.2500	2.2500	2.2500	3.0000
47	FUEL 4-D	4037	31.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
48	FUEL 4-E	4038	29.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.75000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000	.5000

52	RHT FUEL	4222	1.00000	.0000	.2500	.2500	.5000	.5000	.5000	.5000	.7500	.7500	.7500
53	VENT TNK	4602	1.25000	.2500	.2500	.2500	.2500	.5000	.7500	.7500	.7500	.7500	.7500
54	OXYGEN	9402	1.66000	.0000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000
55	RT EXLHG	9917	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0564	1.2822	1.0000	1.0000
56	BLD LINE	9931	1.00000	.0000	.0000	.0000	.0000	.1000	.0000	.0000	.0000	.0000	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CART 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CART 2	9936	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CART	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CART	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 19	REVERSED	NUMBER OF COMPONENTS		FLUX TABLE	
AZ = 225.0 EL = -45.0	YES	TOTAL	CRITICAL	TIME(SEC.)	FLUX(#/SQ.FT.)
		1564	66	10.00	1000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

◆ ◆ ◆ COMPONENT ◆ ◆ ◆			PRESENTED	TIME INCREMENTS								
INDEX	NAME	NUMBER	AREA	.50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
2	THORAX	2002	.75000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.5000	.5000
3	ABDOMEN	2003	1.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.5000
4	PELVIS	2004	1.50000	.0000	.0000	.0000	.2500	.2500	.7500	1.0000	1.0000	1.0000
5	LEFT ARM	2005	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
6	RITE ARM	2006	.75000	.0000	.0000	.2500	.2500	.2500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	1.00000	.0000	.0000	.0000	.0000	.2500	.2500	.5000	.5000	.5000
8	RITE LEG	2008	1.50000	.0000	.0000	.0000	.2500	1.0000	1.2500	1.2500	1.2500	1.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
12	LFT STAB	3137	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
13	RHT STAB	3237	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
19	H1 PRESF	3514	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
22	H2 MANIF	3604	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
23	H2 FILTR	3605	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
26	H2 PRESF	3614	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.5000	.5000	.7500	.7500	.7500
29	FUEL 1-A	4004	9.50000	3.5000	4.2500	5.2500	5.2500	5.2500	5.2500	5.5000	5.5000	5.5000
30	FUEL 1-B	4005	17.75000	.2500	.5000	.5000	2.7500	3.7500	4.0000	4.5000	4.7500	7.5000
31	FUEL 1-C	4006	17.75000	.0000	.0000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
32	FUEL 1-D	4007	17.25000	.0000	.0000	.5000	1.2500	1.2500	1.2500	1.2500	1.2500	1.5000
33	FUEL 1-E	4008	16.75000	.0000	.0000	.0000	.7500	1.0000	1.0000	1.0000	1.2500	1.2500
34	FUEL 2-A	4014	9.00000	.0000	.0000	2.0000	3.0000	5.2500	5.5000	5.5000	5.7500	6.2500
35	FUEL 2-B	4015	9.75000	.0000	.0000	.0000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000
36	FUEL 2-C	4016	9.50000	.0000	.0000	.0000	.0000	1.0000	1.2500	1.2500	1.2500	1.5000
37	FUEL 2-D	4017	10.00000	.0000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	1.0000
38	FUEL 2-E	4018	9.25000	.0000	.0000	.0000	.0000	.2500	.5000	.7500	.7500	.7500
39	FUEL 3-A	4024	8.75000	.0000	.0000	.7500	1.2500	4.5000	5.0000	5.0000	5.7500	6.5000
40	FUEL 3-B	4025	8.75000	.0000	.0000	.2500	.2500	.5000	.5000	.5000	.5000	.7500
41	FUEL 3-C	4026	9.25000	.0000	.0000	.7500	.7500	.7500	.7500	.7500	.7500	.7500
42	FUEL 3-D	4027	9.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000
43	FUEL 3-E	4028	7.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
44	FUEL 4-A	4034	16.75000	.0000	.5000	1.2500	2.0000	5.0000	5.7500	6.5000	6.7500	10.0000
45	FUEL 4-B	4035	24.75000	.2500	1.5000	3.2500	4.5000	6.0000	7.2500	7.2500	7.5000	8.2500
46	FUEL 4-C	4036	34.50000	.2500	1.0000	2.5000	3.5000	5.5000	6.2500	6.5000	6.5000	7.5000
47	FUEL 4-D	4037	34.25000	.2500	.7500	.7500	.7500	.7500	1.0000	1.0000	1.5000	1.7500
48	FUEL 4-E	4038	24.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.75000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.5000	.5000

52	RHT FUEL	4222	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
53	VENT TNK	4602	3.00000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.5000	.5000
54	OXYGEN	9402	1.00000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.7500
55	HT EXCHG	9917	1.75000	.0000	.0000	.0000	.0000	.0000	.1440	.4243	1.3154	1.3154
56	BLD LINE	9931	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000
63	REM HNT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RHT FUEL	4222	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
53	VENT TNK	4602	3.00000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.5000
54	OXYGEN	9402	1.00000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.7500
55	HT EXCHG	9917	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.1440	.4243	.4243	1.3154
56	BLD LINE	9931	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.0000
64	SEAT RKT	9939	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CART	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CART	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 2
AZ = 270.0 EL = -45.0

REVERSED
YES

NUMBER OF COMPONENTS
TOTAL 1368
CRITICAL 66

[illegible] TABLE
TIME(SEC.) [illegible](M/SEC/SEC.)
10.00 1.0000

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.75000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	1.00000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	.5000
4	PELVIS	2004	.75000	.2500	.2500	.2500	.2500	.2500	.7500	.7500	.7500	.7500
5	LEFT ARM	2005	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
6	RITE ARM	2006	.75000	.0000	.2500	.2500	.7500	.7500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	2.00000	.0000	.0000	.0000	.2500	.7500	1.0000	1.0000	1.2500	1.5000
8	RITE LEG	2008	2.00000	1.2500	1.2500	1.2500	1.2500	1.2500	1.7500	1.7500	1.7500	2.0000
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.0000	.0000	.5000	.5000	.5000	.7500	1.0000	1.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
24	H2 COOLR	3606	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
25	H2 PUMP	3611	.75000	.0000	.0000	.0000	.0000	.5000	.7500	.7500	.7500	.7500
26	H2 PRESF	3614	.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.7500	1.0000	1.0000
29	FUEL 1-A	4004	7.00000	6.0000	6.0000	6.0000	6.0000	6.0000	6.0000	6.2500	6.2500	6.5000
30	FUEL 1-B	4005	18.00000	2.0000	3.5000	3.5000	5.7500	5.7500	5.7500	6.5000	7.0000	10.5000
31	FUEL 1-C	4006	16.00000	.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
32	FUEL 1-D	4007	15.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
33	FUEL 1-E	4008	15.00000	.0000	2.2500	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
34	FUEL 2-A	4014	9.00000	.0000	1.2500	4.7500	5.7500	7.5000	7.5000	7.5000	7.5000	7.5000
35	FUEL 2-B	4015	9.00000	.0000	.0000	1.2500	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
36	FUEL 2-C	4016	9.00000	.0000	.0000	.5000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000
37	FUEL 2-D	4017	9.00000	.0000	.5000	.5000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000
38	FUEL 2-E	4018	9.00000	.0000	.0000	1.0000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
39	FUEL 3-A	4024	9.00000	.0000	.0000	3.0000	5.7500	5.2500	5.5000	6.0000	6.5000	7.7500
40	FUEL 3-B	4025	9.00000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000	2.2500
41	FUEL 3-C	4026	9.00000	.0000	.0000	.5000	.7500	1.0000	1.2500	1.2500	1.2500	1.2500
42	FUEL 3-D	4027	7.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
43	FUEL 3-E	4028	7.75000	.0000	.0000	.2500	.2500	.2500	.7500	.7500	.7500	1.0000
44	FUEL 4-A	4034	18.50000	.0000	1.7500	2.7500	5.2500	6.5000	8.2500	8.7500	9.2500	11.2500
45	FUEL 4-B	4035	24.50000	1.7500	5.0000	7.2500	8.2500	8.5000	9.2500	9.2500	9.2500	10.0000
46	FUEL 4-C	4036	31.00000	1.2500	2.7500	4.5000	5.2500	5.2500	5.5000	5.5000	5.7500	6.5000
47	FUEL 4-D	4037	35.25000	.0000	.5000	.5000	.5000	1.7500	1.7500	2.2500	2.2500	3.7500
48	FUEL 4-E	4038	26.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500

52	RHT FUEL	4222	.50000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
53	VENT TNK	4602	3.25000	.0000	.2500	.2500	.2500	1.0000	1.2500	1.2500	1.2500	1.5000
54	OXYGEN	9402	1.25000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.7500	1.2500
55	HT EXCHG	9917	1.50000	.0000	.0000	.0000	.0000	.0000	.3294	.8973	1.4647	1.5000
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 21 — REVERSED — NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66 — FLUX TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 1000.0

AZ = 315.0 EL = -45.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
2	THORAX	2002	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
3	ABDOMEN	2003	1.25000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
4	PELVIS	2004	1.00000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.7500
5	LEFT ARM	2005	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
6	RITE ARM	2006	.50000	.0000	.2500	.2500	.2500	.2500	.5000	.5000	.5000	.5000
7	LEFT LEG	2007	1.75000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.7500	.7500
8	RITE LEG	2008	1.25000	.2500	.5000	.5000	.7500	1.2500	1.2500	1.2500	1.2500	1.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
12	LFT STAB	3137	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
14	H1 FLUID	3503	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.5000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.50000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
21	H2 FLUID	3603	.75000	.0000	.0000	.0000	.0000	.5000	.5000	.7500	.7500	.7500
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
23	H2 FILTR	3605	.50000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	1.00000	.0000	.0000	.0000	.2500	.2500	.5000	.5000	.5000	.5000
26	H2 PRESF	3614	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
27	H2 PRESR	3615	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.2500	.2500	.5000	.7500	.7500
29	FUEL 1-A	4004	9.25000	4.5000	5.5000	6.2500	7.0000	7.0000	7.0000	7.2500	8.0000	9.0000
30	FUEL 1-B	4005	18.00000	.2500	.7500	1.0000	3.5000	4.7500	4.7500	5.5000	5.7500	10.0000
31	FUEL 1-C	4006	18.00000	.0000	.0000	.5000	1.5000	1.7500	2.0000	2.0000	2.0000	2.5000
32	FUEL 1-D	4007	17.00000	.0000	.2500	1.2500	1.5000	1.7500	1.7500	1.7500	1.7500	2.5000
33	FUEL 1-E	4008	16.50000	.0000	.0000	.2500	1.2500	1.7500	2.0000	2.0000	2.0000	2.0000
34	FUEL 2-A	4014	9.50000	.0000	.0000	3.0000	4.0000	5.5000	5.5000	5.7500	5.7500	6.0000
35	FUEL 2-B	4015	10.00000	.0000	.0000	.5000	.7500	1.2500	1.2500	1.2500	1.5000	1.5000
36	FUEL 2-C	4016	10.00000	.0000	.0000	.2500	.5000	1.0000	1.2500	1.2500	1.2500	1.2500
37	FUEL 2-D	4017	10.00000	.0000	.0000	.5000	.5000	.7500	1.0000	1.0000	1.0000	1.0000
38	FUEL 2-E	4018	9.00000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
39	FUEL 3-A	4024	8.50000	.0000	.0000	1.0000	1.7500	3.2500	3.7500	3.7500	4.0000	5.7500
40	FUEL 3-B	4025	8.75000	.0000	.0000	.0000	.5000	.7500	.7500	.7500	.7500	1.0000
41	FUEL 3-C	4026	9.25000	.0000	.0000	.0000	.2500	.5000	.7500	.7500	.7500	1.2500
42	FUEL 3-D	4027	8.75000	.0000	.0000	.0000	.2500	.7500	.7500	.7500	.7500	.7500
43	FUEL 3-E	4028	7.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
44	FUEL 4-A	4034	16.75000	.0000	1.0000	2.0000	3.7500	6.7500	8.5000	8.7500	9.0000	10.2500
45	FUEL 4-B	4035	22.75000	.0000	.2500	2.0000	2.7500	5.0000	5.5000	5.5000	5.5000	6.0000
46	FUEL 4-C	4036	34.00000	.0000	1.2500	3.5000	4.5000	6.7500	7.5000	8.2500	8.2500	9.2500
47	FUEL 4-D	4037	34.00000	.0000	.0000	.2500	.2500	.7500	1.0000	1.0000	1.0000	1.2500
48	FUEL 4-E	4038	30.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.5000
49	LFT FLIN	4215	.25000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
50	RHT FLIN	4216	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
51	LFT FUEL	4221	.75000	.0000	.2500	.2500	.2500	.7500	.7500	.7500	.7500	.7500

52	HWT FUEL	4222	.25000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
53	VENT TNK	4662	3.50000	.0000	.0000	.0000	.7500	.7500	.7500	.7500	.7500	1.0000	1.0000
54	OXYGEN	9462	1.00000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.7501	.7501
55	HT EXCHG	9917	1.75000	.0000	.0000	.0000	.0000	.0000	.0000	.2044	.5293	1.5423	1.5423
56	BLD LINE	9931	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	HWT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CAMTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CAMTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	HEM HKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT HKT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CHKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	HWT CHKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 22 — AZ = 180.0 EL = 45.0 — REVERSED: YES — NUMBER OF COMPONENTS: TOTAL 1306, CRITICAL 86 — LOS TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
2	THORAX	2002	1.00000	.2500	.5000	.5000	.5000	.7500	.7500	.7500	.7500	.7500
3	ABDOMEN	2003	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
4	PELVIS	2004	1.50000	.0000	.0000	.0000	.0000	.7500	.7500	.7500	.7500	1.0000
5	LEFT ARM	2005	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
6	RITE ARM	2006	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
7	LEFT LEG	2007	.75000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
8	RITE LEG	2008	1.00000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK BENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.50000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
17	H1 COOLR	3506	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
19	H1 PRESF	3514	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	.50000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000	.5000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	6.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
30	FUEL 1-B	4005	17.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
31	FUEL 1-C	4006	17.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	15.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
33	FUEL 1-E	4008	15.75000	.0000	2.2500	3.5000	12.5000	13.7500	13.7500	13.7500	13.7500	13.7500
34	FUEL 2-A	4014	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	10.50000	.0000	1.0000	2.5000	8.2500	8.5000	8.5000	8.5000	8.5000	8.7500
39	FUEL 3-A	4024	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	8.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	8.75000	.0000	1.0000	1.0000	1.5000	1.5000	1.5000	1.5000	1.5000	2.0000
43	FUEL 3-E	4028	7.75000	.0000	.0000	.0000	4.2500	5.7500	5.7500	5.7500	5.7500	6.2500
44	FUEL 4-A	4034	12.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
45	FUEL 4-B	4035	20.25000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
46	FUEL 4-C	4036	31.75000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
47	FUEL 4-D	4037	31.00000	4.0000	4.0000	4.0000	4.0000	5.0000	5.5000	6.0000	6.5000	8.0000
48	FUEL 4-E	4038	29.50000	15.5000	16.0000	16.0000	21.7500	27.0000	27.2500	27.5000	27.5000	29.2500
49	LFT FLAP	4215	.50000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
50	RHT FLAP	4216	.50000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
51	LFT ELEV	4261	.75000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500

52	RMT FUEL	4222	1.60000	.0000	.0000	.0000	.0000	.2511	.2500	.2500	.2500	.2500	.2500
53	VENT TNK	4602	1.50000	.0000	.0000	.5000	.7500	.7500	.7500	.7500	1.2500	1.2500	1.2500
54	OXYGEN	9402	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
55	HT EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0000	.0318	.1227	.5000	.5000	.5000
56	BLD LINE	9931	1.00000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.60000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.00001	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 23 — AZ = 225.0 EL = 45.0

REVERSED: YES

NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66

FLUX TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.25000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
2	THORAX	2002	.75000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
3	ABDOMEN	2003	1.25000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	.5000
4	PELVIS	2004	1.00000	.0000	.5000	.5000	.5000	.5000	.5000	.5000	.7500	.7500
5	LEFT ARM	2005	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
6	RITE ARM	2006	.50000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
7	LEFT LEG	2007	1.25000	.2500	.5000	.5000	.5000	.5000	.5000	.7500	.7500	.7500
8	RITE LEG	2008	1.75000	.2500	.5000	.7500	.7500	1.2500	1.2500	1.2500	1.2500	1.2500
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK BENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.50000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
13	RHT STAB	3237	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.5000
14	M1 FLUID	3503	.75000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	.5000
15	M1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
16	M1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
17	M1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	M1 PUMP	3511	.75000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.5000
19	M1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	M1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	M2 FLUID	3603	1.00000	.0000	.2500	.2500	.2500	.2500	.5000	.7500	.7500	.7500
22	M2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
23	M2 FILTR	3605	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
24	M2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	M2 PUMP	3611	.50000	.0000	.2500	.2500	.2500	.2500	.2500	.5000	.5000	.5000
26	M2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	M2 PRESR	3615	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	MY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	9.25000	.0000	.0000	.7500	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500
30	FUEL 1-B	4005	18.00000	.2500	1.0000	1.5000	1.5000	1.7500	1.7500	1.7500	1.7500	1.7500
31	FUEL 1-C	4006	18.00000	1.2500	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
32	FUEL 1-D	4007	17.00000	1.7500	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
33	FUEL 1-E	4008	16.50000	2.2500	4.7500	5.7500	14.0000	14.7500	14.7500	14.7500	14.7500	15.0000
34	FUEL 2-A	4014	9.50000	.0000	.0000	.0000	.0000	.2500	.2500	.5000	.5000	1.0000
35	FUEL 2-B	4015	10.00000	.0000	.0000	.0000	.0000	.7500	1.2500	1.2500	1.5000	1.5000
36	FUEL 2-C	4016	10.00000	.0000	.0000	.7500	.7500	.7500	1.0000	1.0000	1.0000	1.2500
37	FUEL 2-D	4017	10.00000	1.0000	1.2500	1.2500	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
38	FUEL 2-E	4018	9.00000	1.0000	2.2500	2.2500	7.2500	7.7500	8.0000	8.0000	8.0000	8.2500
39	FUEL 3-A	4024	8.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	8.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
41	FUEL 3-C	4026	9.25000	.0000	.0000	.2500	.2500	.2500	1.0000	1.0000	1.0000	1.0000
42	FUEL 3-D	4027	8.75000	.7500	1.5000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
43	FUEL 3-E	4028	7.25000	.5000	1.5000	1.5000	5.0000	5.5000	5.7500	6.2500	6.2500	6.7500
44	FUEL 4-A	4034	16.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
45	FUEL 4-B	4035	23.00000	.0000	.2500	.2500	.7500	.7500	.7500	.7500	1.0000	1.2500
46	FUEL 4-C	4036	34.00000	.0000	.5000	.5000	.5000	.7500	1.0000	1.2500	1.5000	2.0000
47	FUEL 4-D	4037	34.00000	3.5000	5.0000	5.0000	5.0000	6.2500	6.7500	7.0000	7.2500	9.0000
48	FUEL 4-E	4038	30.50000	16.7500	17.5000	17.7500	23.5000	26.7500	26.7500	28.5000	28.7500	29.7500
49	LFT FLIR	4215	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
50	RHT FLIR	4216	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
51	LFT FUEL	4221	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RMT FUEL	4222	.75000	.0000	.0000	.7500	.0000	.0000	.0000	.0000	.0000	.2500
53	VENT TNK	4602	3.50000	.2500	.7500	.7500	.0000	1.0000	1.0000	1.0000	1.5000	2.2500
54	OXYGEN	9402	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0709	.0000	.0000
55	RT EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.1535	.3804
56	BLD LINE	9931	1.25000	.0000	.0000	.0001	.0000	.0000	.2500	.2500	.2500	.5000
57	PRI CHRG	9932	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
63	REM RKT	9938	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 24	REVERSED	NUMBER OF COMPONENTS		FLUX TABLE	
AZ = 270.0 EL = 45.0	YES	TOTAL	CRITICAL	TIME(SEC.)	FLUX(W/SQ.CM.)
		1368	66	10.00	10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

COMPONENT INDEX	NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.75000	.2500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
2	THORAX	2002	1.00000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
3	ABDOMEN	2003	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
4	PELVIS	2004	.75000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
5	LEFT ARM	2005	1.00000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
6	RITE ARM	2006	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
7	LEFT LEG	2007	2.00000	.7500	.7500	.7500	.7500	.7500	.7500	1.0000	1.5000	1.5000
8	RITE LEG	2008	2.00000	1.0000	1.7500	1.7500	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.2500	.2500	.2500	.2500	.2500	.5000	.5000	.5000
15	H1 MANIF	3504	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	.5000	.5000	.5000	1.0000	1.0000	1.0000	1.0000	1.0000
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
23	H2 FILTR	3605	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	1.50000	.0000	.0000	.0000	.0000	.2500	.7500	1.2500	1.2500	1.2500
26	H2 PRESF	3614	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	7.00000	.0000	1.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000	2.0000
30	FUEL 1-B	4005	18.00000	.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
31	FUEL 1-C	4006	18.00000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
32	FUEL 1-D	4007	15.25000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000	3.0000
33	FUEL 1-E	4008	15.00000	2.7500	6.0000	7.0000	15.0000	15.0000	15.0000	15.0000	15.0000	15.0000
34	FUEL 2-A	4014	9.00000	.0000	.0000	.0000	.2500	1.2500	1.5000	1.5000	1.5000	1.5000
35	FUEL 2-B	4015	9.00000	.0000	.0000	.5000	.5000	1.5000	1.5000	1.5000	1.5000	1.5000
36	FUEL 2-C	4016	9.00000	.0000	1.2500	1.2500	1.2500	1.5000	1.5000	1.5000	1.5000	1.5000
37	FUEL 2-D	4017	9.00000	.7500	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000
38	FUEL 2-E	4018	9.00000	3.0000	3.0000	3.0000	6.5000	9.0000	9.0000	9.0000	9.0000	9.0000
39	FUEL 3-A	4024	9.00000	.0000	.0000	.0000	.0000	.5000	.7500	.7500	1.2500	1.2500
40	FUEL 3-B	4025	9.00000	.0000	.0000	.2500	.2500	1.0000	1.2500	1.2500	1.2500	1.2500
41	FUEL 3-C	4026	9.00000	.0000	1.0000	1.0000	1.0000	1.0000	1.5000	1.5000	1.5000	1.5000
42	FUEL 3-D	4027	7.75000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.5000	1.7500
43	FUEL 3-E	4028	7.75000	3.0000	3.0000	3.0000	7.2500	7.2500	7.2500	7.2500	7.5000	7.7500
44	FUEL 4-A	4034	18.50000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.5000	.5000
45	FUEL 4-B	4035	24.50000	1.7500	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000
46	FUEL 4-C	4036	31.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
47	FUEL 4-D	4037	35.25000	4.2500	5.7500	6.0000	6.5000	6.7500	7.5000	8.0000	8.2500	9.2500
48	FUEL 4-E	4038	28.50000	19.0000	19.2500	19.2500	25.5000	26.5000	27.2500	27.2500	27.2500	28.0000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RMT FUEL	4222	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4002	3.25000	.0000	.7500	1.0000	1.2500	2.0000	2.5000	2.7500	2.7500	2.7500	3.0000	3.0000
54	OXYGEN	9402	1.25000	.0000	.0000	.2500	.2500	.7500	.7500	.7500	1.0000	1.0000	1.2500	1.2500
55	HY EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0000	.0785	.1731	.2500	.2500	.5319	.5319
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHRG	9934	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RKT	9939	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 25	REVERSED	NUMBER OF COMPONENTS		FLUX TABLE	
AZ = 315.0 EL = 45.0	YES	TOTAL	CRITICAL	TIME(SEC.)	FLUX(N/SQ.CM.)
		1366	66	10.00	10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

* * * INDEX	COMPONENT NAME	* * * NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	.75000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
3	ABDOMEN	2003	1.25000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
4	PELVIS	2004	1.50000	.0000	.2500	.5000	.5000	.7500	.7500	.7500	.7500	.7500
5	LEFT ARM	2005	.75000	.2500	.2500	.2500	.2500	.2500	.2500	.5000	.5000	.7500
6	RITE ARM	2006	1.00000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
7	LEFT LEG	2007	1.50000	.0000	.2500	.5000	.5000	.5000	.7500	.7500	1.0000	1.2500
8	RITE LEG	2008	1.00000	.0000	.5000	.7500	.7500	1.0000	1.0000	1.0000	1.0000	1.0000
9	STK GRIP	3001	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500	.2500
11	STK YOKE	3003	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	.75000	.0000	.2500	.2500	.2500	.5000	.5000	.5000	.5000	.5000
15	H1 MANIF	3504	.75000	.0000	.0000	.0000	.0000	.2500	.2500	.2500	.2500	.2500
16	H1 FILTR	3505	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
21	H2 FLUID	3603	.75000	.0000	.5000	.5000	.5000	.7500	.7500	.7500	.7500	.7500
22	H2 MANIF	3604	.50000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000	.5000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
24	H2 COOLR	3606	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.50000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000	.5000
26	H2 PRESF	3614	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.5000	.5000	.5000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	9.50000	.0000	.0000	.7500	1.0000	1.5000	1.7500	1.7500	1.7500	1.7500
30	FUEL 1-B	4005	17.75000	.2500	1.7500	2.5000	2.7500	2.7500	2.7500	2.7500	3.0000	3.0000
31	FUEL 1-C	4006	17.75000	1.0000	2.5000	2.7500	2.7500	2.7500	2.7500	2.7500	3.0000	3.2500
32	FUEL 1-D	4007	17.25000	2.0000	2.5000	2.5000	2.5000	2.7500	2.7500	2.7500	3.0000	3.5000
33	FUEL 1-E	4008	16.75000	3.0000	7.0000	8.5000	15.7500	16.2500	16.2500	16.2500	16.2500	16.5000
34	FUEL 2-A	4014	9.00000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.5000
35	FUEL 2-B	4015	9.75000	.0000	.0000	.2500	.2500	.5000	1.2500	1.2500	1.2500	1.2500
36	FUEL 2-C	4016	9.50000	.0000	.5000	.7500	.7500	.7500	.7500	.7500	.7500	.7500
37	FUEL 2-D	4017	10.00000	.0000	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500	1.2500	1.5000
38	FUEL 2-E	4018	9.25000	.5000	1.7500	1.7500	6.7500	7.0000	7.2500	7.2500	7.2500	7.5000
39	FUEL 3-A	4024	8.75000	.0000	.0000	.0000	.0000	.2500	.5000	.5000	.5000	.7500
40	FUEL 3-B	4025	8.75000	.0000	.0000	.0000	.0000	.7500	.7500	.7500	.7500	.7500
41	FUEL 3-C	4026	9.25000	.0000	.2500	.2500	.2500	.2500	.5000	.7500	.7500	.7500
42	FUEL 3-D	4027	9.50000	.2500	2.2500	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000	2.5000
43	FUEL 3-E	4028	7.25000	.0000	1.2500	1.2500	3.7500	4.7500	4.7500	4.7500	5.2500	6.0000
44	FUEL 4-A	4034	16.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500
45	FUEL 4-B	4035	24.75000	.0000	.5000	.5000	.7500	1.5000	1.5000	1.5000	1.5000	1.7500
46	FUEL 4-C	4036	34.50000	.0000	.7500	1.0000	1.0000	1.7500	2.0000	2.0000	2.2500	2.2500
47	FUEL 4-D	4037	34.25000	3.2500	4.5000	4.5000	4.5000	5.5000	6.5000	6.7500	7.0000	9.5000
48	FUEL 4-E	4038	29.25000	17.5000	17.7500	17.7500	24.0000	26.5000	26.7500	26.7500	27.5000	28.0000
49	LFT FLIR	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIR	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RHT FUEL	4222	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	3.00000	.0000	.0000	.0000	.2500	1.2500	1.5000	1.5000	1.5000	1.5000	1.7500
54	OXYGEN	9402	1.00000	.0000	.0000	.0000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
55	HT EXCHG	9917	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2536
56	BLD LINE	9931	.75000	.0000	.0000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
57	PRI CHRG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHRG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RHT CHRG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REM RKT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.2500	.2500
64	SEAT RKT	9939	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CRKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RHT CRKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

VIEW NUMBER 26 — AZ = 270.0 EL = 90.0

REVERSED: YES

NUMBER OF COMPONENTS: TOTAL 1368, CRITICAL 66

FLUX TABLE: TIME(SEC.) 10.00, FLUX(N/SQ.CM.) 10000.0

PRESENTED AREAS AND TRUE COMPONENT VULNERABLE AREAS (SQUARE FEET) PER TIME INCREMENT

INDEX	COMPONENT NAME	NUMBER	PRESENTED AREA	TIME INCREMENTS .50	1.00	1.50	2.00	4.00	6.00	8.00	10.00	20.00
1	HEAD	2001	.50000	.0000	.2500	.5000	.5000	.5000	.5000	.5000	.5000	.5000
2	THORAX	2002	1.00000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000
3	ABDOMEN	2003	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
4	PELVIS	2004	.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
5	LEFT ARM	2005	.25000	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500	.2500
6	RITE ARM	2006	.75000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500	.7500
7	LEFT LEG	2007	1.25000	.7500	.7500	.7500	.7500	.7500	.7500	.7500	1.0000	1.2500
8	RITE LEG	2008	1.25000	.5000	.5000	.5000	.5000	.5000	.7500	.7500	.7500	1.0000
9	STK GRIP	3001	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
10	STK SENS	3002	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
11	STK YOKE	3003	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
12	LFT STAB	3137	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
13	RHT STAB	3237	.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
14	H1 FLUID	3503	1.00000	.0000	.5000	.5000	.5000	1.0000	1.0000	1.0000	1.0000	1.0000
15	H1 MANIF	3504	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
16	H1 FILTR	3505	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
17	H1 COOLR	3506	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
18	H1 PUMP	3511	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
19	H1 PRESF	3514	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
20	H1 PRESR	3515	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
21	H2 FLUID	3603	1.00000	.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
22	H2 MANIF	3604	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
23	H2 FILTR	3605	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
24	H2 COOLR	3606	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
25	H2 PUMP	3611	.75000	.0000	.0000	.5000	.5000	.5000	.7500	.7500	.7500	.7500
26	H2 PRESF	3614	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
27	H2 PRESR	3615	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
28	HY FLUID	3877	1.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
29	FUEL 1-A	4004	7.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
30	FUEL 1-B	4005	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
31	FUEL 1-C	4006	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
32	FUEL 1-D	4007	21.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
33	FUEL 1-E	4008	21.00000	1.0000	5.7500	7.2500	19.5000	20.5000	20.5000	20.5000	20.5000	21.0000
34	FUEL 2-A	4014	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
35	FUEL 2-B	4015	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
36	FUEL 2-C	4016	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
37	FUEL 2-D	4017	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
38	FUEL 2-E	4018	10.50000	.0000	3.0000	3.0000	10.2500	10.2500	10.2500	10.2500	10.2500	10.5000
39	FUEL 3-A	4024	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
40	FUEL 3-B	4025	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
41	FUEL 3-C	4026	10.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
42	FUEL 3-D	4027	10.50000	1.0000	1.0000	1.0000	1.5000	1.5000	1.5000	1.5000	1.5000	2.0000
43	FUEL 3-E	4028	9.00000	.0000	.0000	.0000	7.2500	8.2500	8.2500	8.2500	8.2500	8.7500
44	FUEL 4-A	4034	16.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
45	FUEL 4-B	4035	28.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
46	FUEL 4-C	4036	42.75000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
47	FUEL 4-D	4037	42.75000	3.0000	4.0000	4.0000	4.0000	5.5000	7.0000	8.5000	9.0000	12.5000
48	FUEL 4-E	4038	39.75000	23.5000	23.5000	24.0000	33.2500	37.0000	37.5000	37.5000	37.5000	39.0000
49	LFT FLIN	4215	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
50	RHT FLIN	4216	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
51	LFT FUEL	4221	1.50000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

52	RMT FUEL	4222	1.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
53	VENT TNK	4602	.75000	.0000	.0000	.5000	.7500	.7500	.7500	.7500	.7500
54	OXYGEN	9402	.75000	.0000	.0000	.2500	.5000	.7500	.7500	.7500	.7500
55	MT EXCHG	9917	1.00000	.0000	.0000	.0000	.0000	.0461	.2228	.3847	.5000
56	BLD LINE	9931	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
57	PRI CHKG	9932	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
58	LFT CHKG	9933	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
59	RMT CHKG	9934	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
60	CARTR 1	9935	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
61	CARTR 2	9936	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
62	GUN CART	9937	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
63	REW RMT	9938	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
64	SEAT RMT	9939	.25000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
65	LFT CHKT	9940	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000
66	RMT CHKT	9941	.00000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000

-- 66 CRITICAL COMPONENT LOCATIONS --

INDEX	COMPONENT NAME	NUMBER	X-COORD.	SAMPLE	Y-COORD.	SAMPLE	Z-COORD.	SAMPLE
1	HEAD	2001	-6.57	5	.08	4	3.80	5
2	THORAX	2002	-6.57	5	.15	8	3.52	5
3	ABDOMEN	2003	-6.55	8	.14	7	3.36	7
4	PELVIS	2004	-6.48	4	.08	7	3.15	5
5	LEFT ARM	2005	-6.39	5	.36	2	3.34	5
6	RITE ARM	2006	-6.50	6	-.08	6	3.43	6
7	LEFT LEG	2007	-5.98	11	.23	7	3.07	8
8	RITE LEG	2008	-5.98	11	-.06	8	3.07	9
9	STK GRIP	3001	.00	0	.08	1	3.28	1
10	STK SENS	3002	.00	0	.08	1	3.12	1
11	STK YOKE	3003	.00	0	.02	5	2.85	5
12	LFT STAB	3137	-16.15	8	.99	6	2.97	6
13	RHT STAB	3237	-16.15	8	-.84	6	2.97	6
14	H1 FLUID	3503	-14.02	6	.46	8	3.07	6
15	H1 MANIF	3504	-14.02	2	.00	0	3.12	2
16	H1 FILTR	3505	-13.49	2	.99	2	2.21	2
17	H1 COOLR	3506	-13.94	1	1.14	1	.00	0
18	H1 PUMP	3511	-14.10	2	.38	2	2.51	4
19	H1 PRESF	3514	.00	0	.00	0	.00	0
20	H1 PRESR	3515	-14.00	6	.99	2	2.44	4
21	H2 FLUID	3603	-14.02	6	-.31	8	3.07	6
22	H2 MANIF	3604	-14.02	2	.00	0	3.12	2
23	H2 FILTR	3605	-13.49	2	-.84	2	2.21	2
24	H2 COOLR	3606	-13.94	1	-.99	1	.00	0
25	H2 PUMP	3611	-13.94	16	-.69	6	2.67	10
26	H2 PRESF	3614	.00	0	.00	0	.00	0
27	H2 PRESR	3615	.00	0	.00	0	.00	0
28	HT FLUID	3677	-12.60	4	.08	4	.00	0
29	FUEL 1-A	4004	-9.45	40	.08	49	2.67	33
30	FUEL 1-B	4005	-8.84	96	.08	91	2.97	19
31	FUEL 1-C	4006	-8.84	96	.08	91	3.12	19
32	FUEL 1-D	4007	-8.84	96	.08	91	3.26	19
33	FUEL 1-E	4008	-8.83	110	.08	104	3.52	46
34	FUEL 2-A	4014	-10.21	48	.06	51	2.51	15
35	FUEL 2-B	4015	-10.21	54	.08	56	2.74	26
36	FUEL 2-C	4016	-10.23	52	.08	53	2.97	13
37	FUEL 2-D	4017	-10.21	54	.08	56	3.20	26
38	FUEL 2-E	4018	-10.22	56	.08	58	3.51	30
39	FUEL 3-A	4024	-11.14	56	.08	56	2.44	28
40	FUEL 3-B	4025	-11.13	48	.08	51	2.67	15
41	FUEL 3-C	4026	-11.19	70	.05	80	2.90	34
42	FUEL 3-D	4027	-11.13	48	.08	51	3.12	15
43	FUEL 3-E	4028	-11.10	48	.06	54	3.35	30
44	FUEL 4-A	4034	-12.70	110	.08	108	2.54	84
45	FUEL 4-B	4035	-12.58	140	.08	138	2.82	48
46	FUEL 4-C	4036	-12.82	204	.08	204	2.97	66
47	FUEL 4-D	4037	-12.77	198	.08	226	3.12	70
48	FUEL 4-E	4038	-12.83	193	.08	195	3.32	58
49	LFT FLIN	4215	.00	0	.00	0	.00	0
50	RHT FLIN	4216	.00	0	.00	0	.00	0
51	LFT FUEL	4221	-13.53	7	.62	7	2.21	2
52	RHT FUEL	4222	-13.51	6	-.23	7	2.21	1
53	VENT TNK	4602	-14.40	18	.08	8	2.82	20
54	OXYGEN	9402	-7.60	8	.30	9	2.65	11
55	HT EXCHG	9917	-10.62	10	-.47	7	2.51	9
56	BLD LINE	9931	.00	0	-.32	10	3.12	10

57	PRI CHG	9932	.00	0	.00	1	3.73	0	0
58	LFT CHG	9933	.00	0	.00	1	.00	0	0
59	RHT CHRG	9934	.00	0	.00	1	.00	0	0
60	CARTR 1	9935	.00	0	.00	1	.00	0	0
61	CARTR 2	9936	.00	0	.00	1	.00	0	0
62	GUN CART	9937	.00	0	.00	1	3.43	0	0
63	REM RKT	9938	.93	1	.00	1	.00	0	0
64	SEAT RKT	9939	6.46	1	.00	1	3.43	0	0
65	LFT CRKT	9940	7.24	1	.00	1	3.43	0	0
66	RHT CRKT	9941	7.24	1	.00	1	3.43	0	0

* * * COMPONENT * * *

INDEX	NAME	NUMBER
1	HEAD	2001

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.05	.22	2	.05	.22	3	.05	.22
4	.07	.26	5	.02	.15	6	.02	.15
7	.02	.15	8	.07	.26	9	.05	.22
10	.05	.22	11	.05	.22	12	.07	.26
13	.05	.22	14	.05	.22	15	.05	.22
16	.07	.26	17	.05	.22	18	.02	.15
19	.02	.15	20	.07	.26	21	.05	.22
22	.05	.22	23	.05	.22	24	.07	.26
25	.02	.15	26	.05	.22			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
2	THORAX	2002

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30	2	.09	.30	3	.07	.26
4	.09	.30	5	.07	.26	6	.09	.30
7	.07	.26	8	.09	.30	9	.07	.26
10	.09	.30	11	.09	.30	12	.02	.15
13	.09	.30	14	.09	.30	15	.09	.30
16	.02	.15	17	.09	.30	18	.09	.30
19	.07	.26	20	.09	.30	21	.07	.26
22	.09	.30	23	.07	.26	24	.09	.30
25	.07	.26	26	.09	.30			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
3	ABDOMEN	2003

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30	2	.07	.26	3	.12	.34
4	.09	.30	5	.12	.34	6	.09	.30
7	.12	.34	8	.09	.30	9	.12	.34
10	.07	.26	11	.14	.37	12	.09	.30
13	.14	.37	14	.07	.26	15	.14	.37
16	.09	.30	17	.14	.37	16	.09	.30
19	.12	.34	20	.09	.30	21	.12	.34
22	.07	.26	23	.12	.34	24	.09	.30
25	.12	.34	26	.09	.30			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
4	PELVIS	2004

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.07	.26	2	.14	.37	3	.14	.37
4	.07	.26	5	.09	.30	6	.14	.37
7	.09	.30	8	.07	.26	9	.14	.37
10	.09	.30	11	.12	.34	12	.02	.15
13	.12	.34	14	.09	.30	15	.12	.34
16	.02	.15	17	.12	.34	18	.14	.37
19	.09	.30	20	.07	.26	21	.14	.37
22	.14	.37	23	.14	.37	24	.07	.26
25	.09	.30	26	.07	.26			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
5	LEFT ARM	2005

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.02	.15	3	.09	.30
4	.05	.22	5	.07	.26	6	.02	.15
7	.02	.15	8	.09	.30	9	.07	.26

10	.02	.15	11	.09	.30	12	.09	.30
13	.12	.34	14	.02	.15	15	.09	.30
16	.09	.30	17	.12	.34	18	.02	.15
19	.02	.15	20	.09	.30	21	.07	.26
22	.02	.15	23	.09	.30	24	.05	.22
25	.07	.26	26	.02	.15			

* * * COMPONENT * * *
INDEX 6 NAME RITE ARM NUMBER 2006

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.07	.26	2	.07	.26	3	.07	.26
4	.07	.26	5	.05	.22	6	.02	.15
7	.05	.22	8	.05	.22	9	.09	.30
10	.07	.26	11	.07	.26	12	.07	.26
13	.07	.26	14	.07	.26	15	.07	.26
16	.07	.26	17	.07	.26	18	.02	.15
19	.05	.22	20	.05	.22	21	.09	.30
22	.07	.26	23	.07	.26	24	.07	.26
25	.05	.22	26	.07	.26			

* * * COMPONENT * * *
INDEX 7 NAME LEFT LEG NUMBER 2007

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.12	.34	2	.09	.30	3	.09	.30
4	.19	.43	5	.16	.40	6	.07	.26
7	.12	.34	8	.19	.43	9	.14	.37
10	.05	.22	11	.09	.30	12	.14	.37
13	.12	.34	14	.05	.22	15	.09	.30
16	.14	.37	17	.12	.34	18	.07	.26
19	.12	.34	20	.19	.43	21	.14	.37
22	.09	.30	23	.09	.30	24	.19	.43
25	.16	.40	26	.12	.34			

* * * COMPONENT * * *
INDEX 8 NAME RITE LEG NUMBER 2008

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.12	.34	2	.12	.34	3	.14	.37
4	.19	.43	5	.12	.34	6	.09	.30
7	.16	.40	8	.19	.43	9	.09	.30
10	.07	.26	11	.12	.34	12	.14	.37
13	.09	.30	14	.07	.26	15	.12	.34
16	.14	.37	17	.09	.30	18	.09	.30
19	.16	.40	20	.19	.43	21	.09	.30
22	.12	.34	23	.14	.37	24	.19	.43
25	.12	.34	26	.12	.34			

* * * COMPONENT * * *
INDEX 9 NAME STK GRIP NUMBER 3001

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.02	.15
4	.00	.00	5	.02	.15	6	.02	.15
7	.02	.15	8	.00	.00	9	.02	.15
10	.02	.15	11	.02	.15	12	.00	.00
13	.02	.15	14	.02	.15	15	.02	.15
16	.00	.00	17	.02	.15	18	.02	.15
19	.02	.15	20	.00	.00	21	.02	.15
22	.02	.15	23	.02	.15	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
10	STR SENS	3002

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.02	.15
4	.00	.00	5	.02	.15	6	.02	.15
7	.02	.15	8	.00	.00	9	.02	.15
10	.02	.15	11	.02	.15	12	.00	.00
13	.02	.15	14	.02	.15	15	.02	.15
16	.00	.00	17	.02	.15	18	.02	.15
19	.02	.15	20	.00	.00	21	.02	.15
22	.02	.15	23	.02	.15	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
11	STR YOKE	3003

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.05	.22
4	.00	.00	5	.02	.15	6	.02	.15
7	.05	.22	8	.00	.00	9	.05	.22
10	.12	.34	11	.07	.26	12	.00	.00
13	.09	.30	14	.12	.34	15	.07	.26
16	.00	.00	17	.09	.30	18	.02	.15
19	.05	.22	20	.00	.00	21	.05	.22
22	.02	.15	23	.05	.22	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
12	LFT STAB	3137

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.05	.22	2	.05	.22	3	.12	.34
4	.05	.22	5	.09	.30	6	.07	.26
7	.05	.22	8	.05	.22	9	.07	.26
10	.02	.15	11	.05	.22	12	.05	.22
13	.05	.22	14	.02	.15	15	.05	.22
16	.05	.22	17	.05	.22	18	.07	.26
19	.05	.22	20	.05	.22	21	.07	.26
22	.05	.22	23	.12	.34	24	.05	.22
25	.09	.30	26	.05	.22			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
13	RHT STAB	3237

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.05	.22	2	.05	.22	3	.07	.26
4	.05	.22	5	.05	.22	6	.07	.26
7	.09	.30	8	.05	.22	9	.12	.34
10	.02	.15	11	.05	.22	12	.05	.22
13	.05	.22	14	.02	.15	15	.05	.22
16	.05	.22	17	.05	.22	18	.07	.26
19	.09	.30	20	.05	.22	21	.12	.34
22	.05	.22	23	.07	.26	24	.05	.22
25	.05	.22	26	.05	.22			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
14	M1 FLUID	3503

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30	2	.05	.22	3	.07	.26
4	.07	.26	5	.07	.26	6	.05	.22
7	.07	.26	8	.07	.26	9	.07	.26
10	.09	.30	11	.07	.26	12	.05	.22
13	.07	.26	14	.09	.30	15	.07	.26
16	.05	.22	17	.07	.26	18	.05	.22

19	.07	.26	20	.07	.26	21	.07	.26
22	.05	.22	23	.07	.26	24	.07	.26
25	.07	.26	26	.09	.30			

* * * COMPONENT * * *

INDEX 15 — NAME: M1 MANIF — NUMBER: 3504

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.05	.22
4	.05	.22	5	.05	.22	6	.00	.00
7	.05	.22	8	.05	.22	9	.07	.26
10	.00	.00	11	.05	.22	12	.05	.22
13	.05	.22	14	.00	.00	15	.05	.22
16	.05	.22	17	.05	.22	18	.00	.00
19	.05	.22	20	.05	.22	21	.07	.26
22	.00	.00	23	.05	.22	24	.05	.22
25	.05	.22	26	.00	.00			

* * * COMPONENT * * *

INDEX 16 — NAME: M1 FILTR — NUMBER: 3505

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.05	.22	3	.02	.15
4	.05	.22	5	.05	.22	6	.05	.22
7	.05	.22	8	.02	.15	9	.05	.22
10	.02	.15	11	.02	.15	12	.02	.15
13	.05	.22	14	.02	.15	15	.02	.15
16	.02	.15	17	.05	.22	18	.05	.22
19	.05	.22	20	.02	.15	21	.05	.22
22	.05	.22	23	.02	.15	24	.05	.22
25	.05	.22	26	.02	.15			

* * * COMPONENT * * *

INDEX 17 — NAME: M1 COOLR — NUMBER: 3506

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.02	.15	3	.00	.00
4	.00	.00	5	.00	.00	6	.02	.15
7	.00	.00	8	.02	.15	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.02	.15
19	.00	.00	20	.02	.15	21	.00	.00
22	.02	.15	23	.00	.00	24	.00	.00
25	.00	.00	26	.02	.15			

* * * COMPONENT * * *

INDEX 18 — NAME: M1 PUMP — NUMBER: 3511

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.02	.15
4	.02	.15	5	.00	.00	6	.05	.22
7	.07	.26	8	.02	.15	9	.02	.15
10	.02	.15	11	.05	.22	12	.02	.15
13	.02	.15	14	.02	.15	15	.05	.22
16	.02	.15	17	.02	.15	18	.05	.22
19	.07	.26	20	.02	.15	21	.02	.15
22	.02	.15	23	.02	.15	24	.02	.15
25	.00	.00	26	.00	.00			

* * * COMPONENT * * *

INDEX 19 — NAME: M1 PRESF — NUMBER: 3514

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.02	.15

4	.00	.00	5	.05	.22	6	.02	.15
7	.00	.00	8	.02	.15	9	.05	.22
10	.00	.00	11	.02	.15	12	.00	.00
13	.07	.26	14	.00	.00	15	.02	.15
16	.00	.00	17	.07	.26	18	.02	.15
19	.00	.00	20	.02	.15	21	.05	.22
22	.00	.00	23	.02	.15	24	.00	.00
25	.05	.22	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
20	M1 PRESR	3515

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.02	.15	3	.02	.15
4	.02	.15	5	.05	.22	6	.00	.00
7	.02	.15	8	.05	.22	9	.02	.15
10	.00	.00	11	.02	.15	12	.05	.22
13	.00	.00	14	.00	.00	15	.02	.15
16	.05	.22	17	.00	.00	18	.00	.00
19	.02	.15	20	.05	.22	21	.02	.15
22	.02	.15	23	.02	.15	24	.02	.15
25	.05	.22	26	.02	.15			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
21	M2 FLUID	3603

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30	2	.05	.22	3	.07	.26
4	.09	.30	5	.07	.26	6	.05	.22
7	.09	.30	8	.09	.30	9	.07	.26
10	.09	.30	11	.09	.30	12	.05	.22
13	.09	.30	14	.09	.30	15	.09	.30
16	.05	.22	17	.09	.30	18	.05	.22
19	.09	.30	20	.09	.30	21	.07	.26
22	.05	.22	23	.07	.26	24	.09	.30
25	.07	.26	26	.09	.30			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
22	M2 MANIF	3604

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.07	.26
4	.05	.22	5	.05	.22	6	.00	.00
7	.05	.22	8	.05	.22	9	.05	.22
10	.00	.00	11	.05	.22	12	.05	.22
13	.05	.22	14	.00	.00	15	.05	.22
16	.05	.22	17	.05	.22	18	.00	.00
19	.05	.22	20	.05	.22	21	.05	.22
22	.00	.00	23	.07	.26	24	.05	.22
25	.05	.22	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
23	M2 FILTR	3605

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.05	.22	3	.05	.22
4	.02	.15	5	.05	.22	6	.05	.22
7	.05	.22	8	.05	.22	9	.02	.15
10	.02	.15	11	.05	.22	12	.02	.15
13	.02	.15	14	.02	.15	15	.05	.22
16	.02	.15	17	.02	.15	18	.05	.22
19	.05	.22	20	.05	.22	21	.02	.15
22	.05	.22	23	.05	.22	24	.02	.15
25	.05	.22	26	.02	.15			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
24	M2 COOLN	3606

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.02	.15	2	.02	.15	3	.00	.00
4	.02	.15	5	.00	.00	6	.02	.15
7	.00	.00	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.02	.15
19	.00	.00	20	.00	.00	21	.00	.00
22	.02	.15	23	.00	.00	24	.02	.15
25	.00	.00	26	.02	.15			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
25	M2 PUMP	3611

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.07	.26	2	.00	.00	3	.02	.15
4	.07	.26	5	.09	.30	6	.00	.00
7	.05	.22	8	.14	.37	9	.05	.22
10	.00	.00	11	.02	.15	12	.12	.34
13	.07	.26	14	.00	.00	15	.02	.15
16	.12	.34	17	.07	.26	18	.00	.00
19	.05	.22	20	.14	.37	21	.05	.22
22	.00	.00	23	.02	.15	24	.07	.26
25	.09	.30	26	.07	.26			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
26	M2 PRESF	3614

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.02	.15
4	.02	.15	5	.05	.22	6	.00	.00
7	.00	.00	8	.02	.15	9	.05	.22
10	.00	.00	11	.00	.00	12	.00	.00
13	.07	.26	14	.00	.00	15	.00	.00
16	.00	.00	17	.07	.26	18	.00	.00
19	.00	.00	20	.02	.15	21	.05	.22
22	.00	.00	23	.02	.15	24	.02	.15
25	.05	.22	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
27	M2 PRESR	3615

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.00	.00
4	.00	.00	5	.02	.15	6	.00	.00
7	.02	.15	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.00	.00
19	.02	.15	20	.00	.00	21	.00	.00
22	.00	.00	23	.00	.00	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
28	MY FLUID	3877

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30	2	.09	.30	3	.09	.30
4	.09	.30	5	.09	.30	6	.09	.30
7	.09	.30	8	.09	.30	9	.09	.30
10	.00	.00	11	.00	.00	12	.00	.00

13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.09	.30
19	.09	.30	20	.09	.30	21	.09	.30
22	.09	.30	23	.09	.30	24	.09	.30
25	.09	.30	26	.09	.30			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
29	FUEL 1-A	4004

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.65	.81	2	.93	.96	3	.86	.94
4	.65	.81	5	.86	.93	6	.81	.90
7	.86	.93	8	.65	.81	9	.88	.94
10	.49	.70	11	.56	.75	12	.28	.53
13	.56	.75	14	.49	.70	15	.56	.75
16	.28	.53	17	.56	.75	18	.81	.90
19	.86	.93	20	.65	.81	21	.88	.94
22	.93	.96	23	.88	.94	24	.65	.81
25	.86	.93	26	.65	.81			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
30	FUEL 1-B	4005

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	1.95	1.40	2	1.63	1.28	3	1.65	1.28
4	1.67	1.29	5	1.67	1.29	6	1.58	1.26
7	1.67	1.29	8	1.67	1.29	9	1.65	1.28
10	.16	.40	11	.30	.55	12	.28	.53
13	.30	.55	14	.16	.40	15	.30	.55
16	.28	.53	17	.30	.55	18	1.56	1.26
19	1.67	1.29	20	1.67	1.29	21	1.65	1.28
22	1.63	1.28	23	1.65	1.28	24	1.67	1.29
25	1.67	1.29	26	1.95	1.40			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
31	FUEL 1-C	4006

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	1.95	1.40	2	1.46	1.21	3	1.65	1.28
4	1.67	1.29	5	1.67	1.29	6	1.63	1.26
7	1.67	1.29	8	1.67	1.29	9	1.65	1.26
10	.16	.40	11	.30	.55	12	.28	.53
13	.30	.55	14	.16	.40	15	.30	.55
16	.28	.53	17	.30	.55	18	1.63	1.28
19	1.67	1.29	20	1.67	1.29	21	1.65	1.28
22	1.46	1.21	23	1.65	1.28	24	1.67	1.29
25	1.67	1.29	26	1.95	1.40			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
32	FUEL 1-D	4007

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	1.95	1.40	2	1.46	1.21	3	1.60	1.27
4	1.42	1.19	5	1.58	1.26	6	1.46	1.21
7	1.58	1.26	8	1.42	1.19	9	1.60	1.27
10	.16	.40	11	.30	.55	12	.28	.53
13	.30	.55	14	.16	.40	15	.30	.55
16	.28	.53	17	.30	.55	18	1.46	1.21
19	1.58	1.26	20	1.42	1.19	21	1.60	1.27
22	1.46	1.21	23	1.60	1.27	24	1.42	1.19
25	1.58	1.26	26	1.95	1.40			

* * * COMPONENT * * *

INDEX	NAME	NUMBER	LOOK-ANG	PRESENTED AREA	WIDTH	LOOK-ANG	PRESENTED AREA	WIDTH	LOOK-ANG	PRESENTED AREA	WIDTH

33 FUEL 1-E 4004	INDEX	(SQ. METERS)	(METERS)	INDEX	(SQ. METERS)	(METERS)	INDEX	(SQ. METERS)	(METERS)
	1	1.95	1.40	2	1.46	1.21	3	1.56	1.25
	4	1.39	1.16	5	1.53	1.24	6	1.46	1.21
	7	1.53	1.24	8	1.39	1.16	9	1.56	1.25
	10	.33	.57	11	.58	.76	12	.51	.71
	13	.58	.76	14	.33	.57	15	.58	.76
	16	.51	.71	17	.58	.76	18	1.46	1.21
	19	1.53	1.24	20	1.39	1.16	21	1.56	1.25
	22	1.46	1.21	23	1.56	1.25	24	1.39	1.16
	25	1.53	1.24	26	1.95	1.40			

◆ ◆ ◆ COMPONENT ◆ ◆ ◆ INDEX NAME NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
34 FUEL 2-A 4014	1	.98	.99	2	.98	.99	3	.84	.91
	4	.84	.91	5	.88	.94	6	.81	.90
	7	.88	.94	8	.84	.91	9	.84	.91
	10	.16	.40	11	.21	.46	12	.14	.37
	13	.21	.46	14	.16	.40	15	.21	.46
	16	.14	.37	17	.21	.46	18	.81	.90
	19	.88	.94	20	.84	.91	21	.84	.91
	22	.98	.99	23	.84	.91	24	.84	.91
	25	.88	.94	26	.98	.99			

◆ ◆ ◆ COMPONENT ◆ ◆ ◆ INDEX NAME NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
35 FUEL 2-B 4015	1	.98	.99	2	.98	.99	3	.91	.95
	4	.84	.91	5	.93	.96	6	.81	.90
	7	.93	.96	8	.84	.91	9	.91	.95
	10	.33	.57	11	.42	.65	12	.28	.53
	13	.42	.65	14	.33	.57	15	.42	.65
	16	.28	.53	17	.42	.65	18	.81	.90
	19	.93	.96	20	.84	.91	21	.91	.95
	22	.98	.99	23	.91	.95	24	.84	.91
	25	.93	.96	26	.98	.99			

◆ ◆ ◆ COMPONENT ◆ ◆ ◆ INDEX NAME NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
36 FUEL 2-C 4016	1	.98	.99	2	.81	.90	3	.88	.94
	4	.84	.91	5	.93	.96	6	.81	.90
	7	.93	.96	8	.84	.91	9	.88	.94
	10	.16	.40	11	.21	.46	12	.14	.37
	13	.21	.46	14	.16	.40	15	.21	.46
	16	.14	.37	17	.21	.46	18	.81	.90
	19	.93	.96	20	.84	.91	21	.88	.94
	22	.81	.90	23	.88	.94	24	.84	.91
	25	.93	.96	26	.98	.99			

◆ ◆ ◆ COMPONENT ◆ ◆ ◆ INDEX NAME NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
37 FUEL 2-D 4017	1	.98	.99	2	.81	.90	3	.93	.96
	4	.84	.91	5	.93	.96	6	.81	.90
	7	.93	.96	8	.84	.91	9	.93	.96
	10	.33	.57	11	.42	.65	12	.28	.53
	13	.42	.65	14	.33	.57	15	.42	.65
	16	.28	.53	17	.42	.65	18	.81	.90
	19	.93	.96	20	.84	.91	21	.93	.96

22	.81	.90	23	.93	.96	24	.84	.91
25	.93	.96	26	.98	.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
38	FUEL 2-E	4018

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.98	.99	2	.81	.90	3	.66	.93
4	.84	.91	5	.64	.91	6	.94	.99
7	.84	.91	8	.64	.91	9	.66	.93
10	.33	.57	11	.39	.63	12	.28	.53
13	.39	.63	14	.33	.57	15	.39	.63
16	.28	.53	17	.39	.63	18	.98	.99
19	.84	.91	20	.84	.91	21	.86	.93
22	.81	.90	23	.86	.93	24	.84	.91
25	.84	.91	26	.98	.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
39	FUEL 3-A	4024

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.98	.99	2	.81	.90	3	.81	.90
4	.84	.91	5	.79	.89	6	.81	.90
7	.79	.89	8	.84	.91	9	.81	.90
10	.28	.53	11	.35	.59	12	.23	.48
13	.35	.59	14	.28	.53	15	.35	.59
16	.23	.48	17	.35	.59	18	.81	.90
19	.79	.89	20	.84	.91	21	.81	.90
22	.81	.90	23	.81	.90	24	.84	.91
25	.79	.89	26	.98	.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
40	FUEL 3-B	4025

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.98	.99	2	.81	.90	3	.81	.90
4	.84	.91	5	.81	.90	6	.81	.90
7	.81	.90	8	.84	.91	9	.81	.90
10	.16	.40	11	.21	.46	12	.14	.37
13	.21	.46	14	.16	.40	15	.21	.46
16	.14	.37	17	.21	.46	18	.81	.90
19	.81	.90	20	.84	.91	21	.81	.90
22	.81	.90	23	.81	.90	24	.84	.91
25	.81	.90	26	.98	.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
41	FUEL 3-C	4026

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.98	.99	2	.81	.90	3	.66	.93
4	.84	.91	5	.86	.93	6	.81	.90
7	.86	.93	8	.84	.91	9	.86	.93
10	.33	.57	11	.39	.63	12	.28	.53
13	.39	.63	14	.33	.57	15	.39	.63
16	.28	.53	17	.39	.63	18	.81	.90
19	.86	.93	20	.84	.91	21	.86	.93
22	.81	.90	23	.86	.93	24	.84	.91
25	.86	.93	26	.98	.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
42	FUEL 3-D	4027

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.98	.99	2	.77	.88	3	.68	.94
4	.72	.85	5	.61	.90	6	.81	.90

7	.61	.91	8	.72	.85	9	.68	.94
10	.16	.40	11	.23	.48	12	.14	.37
13	.23	.48	14	.16	.40	15	.23	.48
16	.14	.37	17	.23	.48	16	.81	.90
19	.81	.90	20	.72	.85	21	.88	.94
22	.77	.88	23	.88	.94	24	.72	.85
25	.81	.90	26	.96	.94			

* * * COMPONENT * * *
INDEX 43 NAME FUEL 3-E NUMBER 4028

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.84	.91	2	.63	.79	3	.67	.82
4	.72	.85	5	.67	.82	6	.72	.85
7	.67	.82	8	.72	.85	9	.67	.82
10	.33	.57	11	.35	.59	12	.28	.53
13	.35	.59	14	.33	.57	15	.35	.59
16	.28	.53	17	.35	.59	18	.72	.85
19	.67	.82	20	.72	.85	21	.67	.82
22	.63	.79	23	.67	.82	24	.72	.85
25	.67	.82	26	.84	.91			

* * * COMPONENT * * *
INDEX 44 NAME FUEL 4-A NUMBER 4034

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	1.56	1.25	2	1.35	1.16	3	1.56	1.25
4	1.72	1.31	5	1.56	1.25	6	1.14	1.07
7	1.56	1.25	8	1.72	1.31	9	1.56	1.25
10	.44	.66	11	.93	.96	12	1.00	1.00
13	.93	.96	14	.44	.66	15	.93	.96
16	1.00	1.00	17	.93	.96	18	1.14	1.07
19	1.56	1.25	20	1.72	1.31	21	1.56	1.25
22	1.35	1.16	23	1.56	1.25	24	1.72	1.31
25	1.56	1.25	26	1.56	1.25			

* * * COMPONENT * * *
INDEX 45 NAME FUEL 4-B NUMBER 4035

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	2.67	1.63	2	2.07	1.44	3	2.30	1.52
4	2.28	1.51	5	2.11	1.45	6	1.86	1.37
7	2.14	1.46	8	2.28	1.51	9	2.30	1.52
10	.26	.51	11	.39	.63	12	.39	.63
13	.39	.63	14	.26	.51	15	.39	.63
16	.39	.63	17	.39	.63	18	1.86	1.37
19	2.14	1.46	20	2.28	1.51	21	2.30	1.52
22	2.07	1.44	23	2.30	1.52	24	2.28	1.51
25	2.11	1.45	26	2.67	1.63			

* * * COMPONENT * * *
INDEX 46 NAME FUEL 4-C NUMBER 4036

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	3.97	1.99	2	2.95	1.72	3	3.21	1.79
4	2.86	1.70	5	3.16	1.78	6	2.95	1.72
7	3.16	1.78	8	2.86	1.70	9	3.21	1.79
10	.26	.51	11	.44	.66	12	.39	.63
13	.44	.66	14	.26	.51	15	.44	.66
16	.39	.63	17	.44	.66	18	2.95	1.72
19	3.16	1.78	20	2.88	1.70	21	3.21	1.79
22	2.95	1.72	23	3.21	1.79	24	2.88	1.70
25	3.16	1.78	26	3.97	1.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
47	FUEL A-D	4037

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	3.97	1.99	2	2.88	1.70	3	3.18	1.78
4	3.27	1.81	5	3.16	1.78	6	2.88	1.70
7	3.16	1.78	8	3.27	1.81	9	3.18	1.78
10	.26	.51	11	.44	.66	12	.39	.63
13	.44	.66	14	.26	.51	15	.44	.66
16	.39	.63	17	.44	.66	18	2.88	1.70
19	3.16	1.78	20	3.27	1.81	21	3.18	1.78
22	2.88	1.70	23	3.18	1.78	24	3.27	1.81
25	3.16	1.78	26	3.97	1.99			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
48	FUEL A-E	4038

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	3.69	1.92	2	2.72	1.65	3	2.72	1.65
4	2.65	1.63	5	2.83	1.68	6	2.74	1.66
7	2.83	1.68	8	2.65	1.63	9	2.72	1.65
10	.23	.48	11	.51	.71	12	.51	.71
13	.51	.71	14	.23	.48	15	.51	.71
16	.51	.71	17	.51	.71	18	2.74	1.66
19	2.83	1.68	20	2.65	1.63	21	2.72	1.65
22	2.72	1.65	23	2.72	1.65	24	2.65	1.63
25	2.83	1.68	26	3.69	1.92			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
49	LFT FLIN	4215

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.00	.00
4	.00	.00	5	.02	.15	6	.05	.22
7	.02	.15	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.05	.22
19	.02	.15	20	.00	.00	21	.00	.00
22	.00	.00	23	.00	.00	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
50	RHT FLIN	4216

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.00	.00
4	.00	.00	5	.02	.15	6	.05	.22
7	.02	.15	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.05	.22
19	.02	.15	20	.00	.00	21	.00	.00
22	.00	.00	23	.00	.00	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
51	LFT FUEL	4221

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.14	.37	2	.07	.26	3	.07	.26
4	.02	.15	5	.07	.26	6	.07	.26
7	.05	.22	8	.05	.22	9	.05	.22
10	.02	.15	11	.02	.15	12	.02	.15
13	.00	.00	14	.02	.15	15	.02	.15

16	.02	.15
19	.05	.22
22	.07	.26
25	.07	.26

17	.00	.00
20	.05	.22
23	.07	.26
26	.14	.37

18	.07	.26
21	.05	.22
24	.02	.15

* * * COMPONENT * * *
INDEX 52 NAME MMT FUEL NUMBER 4222

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.12	.34
4	.05	.22
7	.07	.26
10	.02	.15
13	.00	.00
16	.00	.00
19	.07	.26
22	.09	.30
25	.02	.15

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
2	.09	.30
5	.02	.15
8	.00	.00
11	.02	.15
14	.02	.15
17	.00	.00
20	.00	.00
23	.02	.15
26	.12	.34

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
3	.02	.15
6	.09	.30
9	.07	.26
12	.00	.00
15	.02	.15
18	.09	.30
21	.07	.26
24	.05	.22

* * * COMPONENT * * *
INDEX 53 NAME VENT TAN NUMBER 4602

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.07	.26
4	.30	.55
7	.33	.57
10	.12	.34
13	.35	.59
16	.35	.59
19	.33	.57
22	.12	.34
25	.33	.57

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
2	.12	.34
5	.33	.57
8	.30	.55
11	.35	.59
14	.12	.34
17	.35	.59
20	.30	.55
23	.28	.53
26	.07	.26

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
3	.28	.53
6	.14	.37
9	.28	.53
12	.35	.59
15	.35	.59
18	.14	.37
21	.28	.53
24	.30	.55

* * * COMPONENT * * *
INDEX 54 NAME OXYGEN NUMBER 9402

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.07	.26
4	.12	.34
7	.12	.34
10	.14	.37
13	.12	.34
16	.12	.34
19	.12	.34
22	.09	.30
25	.09	.30

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
2	.04	.30
5	.09	.30
8	.12	.34
11	.12	.34
14	.14	.37
17	.12	.34
20	.12	.34
23	.09	.30
26	.07	.26

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
3	.09	.30
6	.14	.37
9	.09	.30
12	.12	.34
15	.12	.34
18	.14	.37
21	.09	.30
24	.12	.34

* * * COMPONENT * * *
INDEX 55 NAME MT EXCHG NUMBER 9917

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.09	.30
4	.14	.37
7	.09	.30
10	.07	.26
13	.14	.37
16	.14	.37
19	.09	.30
22	.12	.34
25	.16	.40

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
2	.12	.34
5	.16	.40
8	.09	.30
11	.14	.37
14	.07	.26
17	.14	.37
20	.04	.30
23	.16	.40
26	.09	.30

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
3	.16	.40
6	.09	.30
9	.07	.26
12	.14	.37
15	.14	.37
18	.09	.30
21	.07	.26
24	.14	.37

* * * COMPONENT * * *
INDEX 56 NAME OLD LINE NUMBER 9931

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)

1	.00	.00	2	.04	.30	3	.05	.22
4	.00	.00	5	.07	.26	6	.04	.30
7	.12	.34	8	.00	.00	9	.07	.26
10	.12	.34	11	.12	.34	12	.00	.00
13	.07	.26	14	.12	.34	15	.12	.34
16	.00	.00	17	.07	.26	18	.04	.30
19	.12	.34	20	.00	.00	21	.07	.26
22	.09	.30	23	.05	.22	24	.00	.00
25	.07	.26	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
57	PRI CHRG	9932

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.00	.00
4	.00	.00	5	.02	.15	6	.02	.15
7	.02	.15	8	.00	.00	9	.00	.00
10	.02	.15	11	.00	.00	12	.00	.00
13	.00	.00	14	.02	.15	15	.00	.00
16	.00	.00	17	.00	.00	18	.02	.15
19	.02	.15	20	.00	.00	21	.00	.00
22	.02	.15	23	.00	.00	24	.00	.00
25	.02	.15	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
58	LFT CHRG	9933

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.00	.00
4	.02	.15	5	.00	.00	6	.00	.00
7	.00	.00	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.00	.00
19	.00	.00	20	.00	.00	21	.00	.00
22	.00	.00	23	.00	.00	24	.02	.15
25	.00	.00	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
59	RHT CHRG	9934

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.00	.00	3	.00	.00
4	.00	.00	5	.00	.00	6	.00	.00
7	.00	.00	8	.02	.15	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.00	.00
19	.00	.00	20	.02	.15	21	.00	.00
22	.00	.00	23	.00	.00	24	.00	.00
25	.00	.00	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER
60	CARTR 1	9935

LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
1	.00	.00	2	.02	.15	3	.00	.00
4	.00	.00	5	.02	.15	6	.00	.00
7	.02	.15	8	.00	.00	9	.00	.00
10	.00	.00	11	.00	.00	12	.00	.00
13	.00	.00	14	.00	.00	15	.00	.00
16	.00	.00	17	.00	.00	18	.00	.00
19	.02	.15	20	.00	.00	21	.00	.00
22	.02	.15	23	.00	.00	24	.00	.00

			25	.02	.15	26	.00	.00			

• • • COMPONENT • • • INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
61	CARTR 2	9936	1	.00	.00	2	.02	.15	3	.00	.00
			4	.00	.00	5	.00	.00	6	.02	.15
			7	.00	.00	8	.00	.00	9	.00	.00
			10	.00	.00	11	.00	.00	12	.00	.00
			13	.00	.00	14	.00	.00	15	.00	.00
			16	.00	.00	17	.00	.00	18	.02	.15
			19	.00	.00	20	.00	.00	21	.00	.00
			22	.02	.15	23	.00	.00	24	.00	.00
			25	.00	.00	26	.00	.00			

• • • COMPONENT • • • INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
62	GUN CART	9937	1	.00	.00	2	.00	.00	3	.00	.00
			4	.00	.00	5	.00	.00	6	.00	.00
			7	.00	.00	8	.00	.00	9	.02	.15
			10	.00	.00	11	.00	.00	12	.00	.00
			13	.02	.15	14	.00	.00	15	.00	.00
			16	.00	.00	17	.02	.15	18	.00	.00
			19	.00	.00	20	.00	.00	21	.02	.15
			22	.00	.00	23	.00	.00	24	.00	.00
			25	.00	.00	26	.00	.00			

• • • COMPONENT • • • INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
63	REM RKT	9938	1	.00	.00	2	.00	.00	3	.00	.00
			4	.00	.00	5	.00	.00	6	.00	.00
			7	.02	.15	8	.02	.15	9	.00	.00
			10	.00	.00	11	.02	.15	12	.02	.15
			13	.00	.00	14	.00	.00	15	.02	.15
			16	.02	.15	17	.00	.00	18	.00	.00
			19	.02	.15	20	.02	.15	21	.00	.00
			22	.00	.00	23	.00	.00	24	.00	.00
			25	.00	.00	26	.00	.00			

• • • COMPONENT • • • INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
64	SEAT RKT	9939	1	.02	.15	2	.02	.15	3	.07	.26
			4	.05	.22	5	.05	.22	6	.02	.15
			7	.05	.22	8	.05	.22	9	.07	.26
			10	.00	.00	11	.00	.00	12	.00	.00
			13	.00	.00	14	.00	.00	15	.00	.00
			16	.00	.00	17	.00	.00	18	.02	.15
			19	.05	.22	20	.05	.22	21	.07	.26
			22	.02	.15	23	.07	.26	24	.05	.22
			25	.05	.22	26	.02	.15			

• • • COMPONENT • • • INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)
65	LFT CRKT	9940	1	.00	.00	2	.00	.00	3	.00	.00
			4	.00	.00	5	.00	.00	6	.00	.00
			7	.00	.00	8	.00	.00	9	.00	.00

10	.00	.00	11	.02	.15	12	.02	.15
13	.02	.15	14	.00	.00	15	.02	.1
16	.02	.15	17	.02	.15	18	.00	.0
19	.00	.00	20	.00	.00	21	.00	.0
22	.00	.00	23	.00	.00	24	.00	.0
25	.00	.00	26	.00	.00			

* * * COMPONENT * * *

INDEX	NAME	NUMBER	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METERS)	LOOK-ANG INDEX	PRESENTED AREA (SQ. METERS)	WIDTH (METE
66	RMT CRKT	9941	1	.00	.00	2	.00	.00	3	.00	.0
			4	.00	.00	5	.00	.00	6	.00	.0
			7	.00	.00	8	.00	.00	9	.00	.0
			10	.00	.00	11	.02	.15	12	.02	.1
			13	.02	.15	14	.00	.00	15	.02	.1
			16	.02	.15	17	.02	.15	18	.00	.0
			19	.00	.00	20	.00	.00	21	.00	.0
			22	.00	.00	23	.00	.00	24	.00	.0
			25	.00	.00	26	.00	.00			

• • • COMPONENT PK FUNCTIONS FOR ASALT • • •

DAMAGING ENERGY LEVELS IN KILOJOULES/SQ.CM.

• • • COMPONENT • • • INDEX	NAME	NUMBER	.00	5.00	10.00	15.00	20.00	40.00	60.00	80.00	100.00	200.00
1	HEAD	2001	.00	.21	.61	.76	.76	.78	.78	.78	.78	.78
2	THORAX	2002	.00	.23	.31	.33	.33	.37	.38	.40	.41	.43
3	ABDOMEN	2003	.00	.09	.18	.22	.23	.27	.30	.31	.31	.34
4	PELVIS	2004	.00	.06	.19	.23	.25	.33	.47	.48	.50	.58
5	LEFT ARM	2005	.00	.32	.43	.47	.49	.49	.51	.52	.52	.65
6	RITE ARM	2006	.00	.30	.42	.43	.46	.49	.55	.56	.56	.60
7	LEFT LEG	2007	.00	.14	.21	.28	.31	.46	.52	.58	.62	.71
8	RITE LEG	2008	.00	.17	.26	.32	.36	.49	.54	.56	.59	.67
9	STK GRIP	3001	.00	.00	.00	.00	.00	.06	.08	.08	.08	.12
10	STK SENS	3002	.00	.00	.00	.00	.00	.00	.04	.15	.15	.19
11	STK YOKE	3003	.00	.00	.00	.00	.00	.02	.06	.06	.12	.12
12	LFT STAB	3137	.00	.00	.00	.00	.00	.02	.10	.12	.13	.18
13	RHT STAB	3237	.00	.00	.00	.00	.00	.02	.10	.12	.15	.20
14	H1 FLUID	3503	.00	.00	.13	.13	.17	.31	.37	.42	.42	.44
15	H1 MANIF	3504	.00	.00	.00	.00	.00	.21	.29	.29	.31	.31
16	H1 FILTR	3505	.00	.04	.23	.23	.23	.31	.38	.44	.44	.52
17	H1 COOLR	3506	.00	.00	.00	.00	.00	.00	.04	.04	.04	.04
18	H1 PUMP	3511	.00	.00	.00	.00	.01	.06	.11	.11	.15	.15
19	H1 PRESF	3514	.00	.00	.00	.01	.01	.05	.07	.09	.09	.09
20	H1 PRESR	3515	.00	.00	.06	.10	.10	.13	.15	.23	.23	.31
21	H2 FLUID	3603	.00	.00	.17	.17	.22	.37	.38	.43	.44	.44
22	H2 MANIF	3604	.00	.00	.00	.00	.00	.21	.24	.24	.28	.28
23	H2 FILTR	3605	.00	.04	.27	.27	.27	.37	.44	.46	.46	.54
24	H2 COOLR	3606	.00	.00	.00	.00	.00	.00	.04	.04	.04	.04
25	H2 PUMP	3611	.00	.00	.10	.14	.16	.24	.34	.39	.39	.40
26	H2 PRESF	3614	.00	.00	.00	.00	.00	.08	.08	.12	.13	.21
27	H2 PRESR	3615	.00	.00	.00	.00	.00	.00	.08	.08	.08	.08
28	HY FLUID	3877	.00	.00	.00	.00	.00	.17	.17	.27	.31	.31
29	FUEL 1-A	4004	.00	.28	.32	.36	.40	.41	.42	.43	.44	.47
30	FUEL 1-B	4005	.00	.06	.20	.24	.27	.30	.31	.34	.36	.43
31	FUEL 1-C	4006	.00	.02	.05	.14	.18	.25	.26	.27	.27	.27
32	FUEL 1-D	4007	.00	.23	.24	.25	.25	.26	.26	.27	.27	.29
33	FUEL 1-E	4008	.00	.23	.31	.34	.53	.55	.55	.55	.56	.59
34	FUEL 2-A	4014	.00	.00	.06	.23	.28	.34	.36	.37	.38	.39
35	FUEL 2-B	4015	.00	.00	.01	.08	.09	.14	.15	.16	.18	.18
36	FUEL 2-C	4016	.00	.00	.06	.07	.07	.15	.17	.17	.17	.20
37	FUEL 2-D	4017	.00	.06	.11	.12	.13	.15	.19	.21	.21	.21
38	FUEL 2-E	4018	.00	.12	.22	.25	.45	.47	.48	.48	.48	.50
39	FUEL 3-A	4024	.00	.00	.00	.09	.13	.21	.24	.25	.27	.36
40	FUEL 3-B	4025	.00	.00	.00	.02	.04	.07	.11	.12	.12	.17
41	FUEL 3-C	4026	.00	.00	.02	.03	.04	.07	.10	.11	.11	.13
42	FUEL 3-D	4027	.00	.03	.06	.06	.07	.09	.11	.14	.14	.21
43	FUEL 3-E	4028	.00	.15	.21	.22	.39	.43	.45	.46	.46	.49
44	FUEL 4-A	4034	.00	.00	.03	.09	.15	.21	.24	.25	.26	.29
45	FUEL 4-B	4035	.00	.01	.03	.06	.08	.12	.14	.14	.15	.20
46	FUEL 4-C	4036	.00	.00	.08	.10	.11	.14	.15	.17	.18	.21
47	FUEL 4-D	4037	.00	.04	.14	.16	.19	.21	.23	.25	.26	.30
48	FUEL 4-E	4038	.00	.32	.34	.36	.43	.49	.50	.51	.53	.56
49	LFT FLTN	4215	.00	.04	.06	.06	.06	.10	.13	.13	.13	.17
50	RHT FLTN	4216	.00	.04	.06	.06	.06	.10	.13	.13	.13	.21
51	LFT FUEL	4221	.00	.00	.15	.17	.21	.28	.33	.33	.41	.42
52	RHT FUEL	4222	.00	.07	.13	.15	.17	.24	.25	.25	.28	.30
53	VENT TNK	4602	.00	.01	.10	.12	.17	.33	.37	.37	.39	.44
54	OXYGEN	4602	.00	.00	.00	.02	.11	.42	.59	.64	.67	.74
55	HT EXCHG	9917	.00	.00	.00	.00	.00	.00	.05	.14	.24	.46
56	BLD LINE	9931	.00	.00	.00	.01	.04	.06	.07	.07	.07	.10

57	PNI CMRG	9932	.00	.00	.00	.00	.04	.06	.15	.23		
58	LFT CMRG	9933	.00	.00	.00	.00	.00	.00	.04	.04		
59	RHT CMRG	9934	.00	.00	.00	.00	.00	.00	.04	.04		
60	CARTR 1	9935	.00	.00	.00	.00	.00	.00	.00	.00		
61	CARTR 2	9936	.00	.00	.00	.00	.00	.00	.00	.00		
62	GUN CART	9937	.00	.00	.00	.00	.04	.04	.04	.08		
63	REM RKT	9938	.00	.00	.00	.00	.04	.04	.04	.12		
64	SEAT RKT	9939	.00	.00	.00	.00	.01	.06	.10	.16		
65	LFT CRKT	9940	.00	.00	.00	.00	.12	.12	.12	.12		
66	RHT CRKT	9941	.00	.00	.00	.00	.12	.12	.12	.12		

Figure A-4. VAMERGE Output for ASALT Data Deck

These ten pages (A-106 through A-115) are a copy of the output written on Logical Unit #4 by executing Program VAMERGE. It represents the computer generated portion of the ASALT Data Deck which requires a few manual modifications before it can be used as input for the ASALT Program.

Figure A-5. Final ASALT Data Deck for Benchmark

These ten pages (A-117 through A-126) are a copy of the final ASALT Data Deck used for the benchmark run. Most of the data is the output from Program VAMERGE, but the pages also include several additional items required as input for the ASALT Program.



```
LEFT L[illegible]=.[illegible]E+01 .25E+[illegible] .31E+01
 .12E+[illegible] .34E+[illegible] .93E-01 .30E+[illegible] .93E-01 .30E+[illegible] .14E+[illegible] .43E+[illegible] .16E+[illegible] .40E+[illegible]
 .70E-01 .26E+[illegible] .12E+[illegible] .34E+[illegible] .19E+[illegible] .43E+[illegible] .14E+[illegible] .37E+[illegible] .46E-01 .22E+[illegible]
 .93E-01 .30E+[illegible] .14E+[illegible] .37E+[illegible] .12E+[illegible] .34E+[illegible] .46E-01 .22E+[illegible] .93E-01 .30E+[illegible]
 .14E+[illegible] .37E+[illegible] .12E+[illegible] .34E+[illegible] .70E-01 .26E+[illegible] .12E+[illegible] .34E+[illegible] .19E+[illegible] .43E+[illegible]
 .14E+[illegible] .37E+[illegible] .93E-01 .30E+[illegible] .93E-01 .30E+[illegible] .14E+[illegible] .43E+[illegible] .16E+[illegible] .40E+[illegible]
 .12E+[illegible] .34E+[illegible]
 .[illegible]E+[illegible] .14E+[illegible] .21E+[illegible] .28E+[illegible] .31E+[illegible] .44E+[illegible] .52E+[illegible] .58E+[illegible] .62E+[illegible] .71E+[illegible]
RITE LEG=.[illegible]E+01=.57E-01 .31E+01
 .12E+00 .34E+00 .12E+00 .34E+00 .14E+00 .37E+00 .19E+00 .43E+00 .12E+00 .34E+00
 .93E-01 .30E+00 .16E+00 .40E+00 .19E+00 .43E+00 .93E-01 .30E+00 .70E-01 .26E+00
 .12E+00 .34E+00 .14E+00 .37E+00 .93E-01 .30E+00 .70E-01 .26E+00 .12E+00 .34E+00
 .14E+00 .37E+00 .93E-01 .30E+00 .93E-01 .30E+00 .14E+00 .40E+00 .19E+00 .43E+00
 .93E-01 .30E+00 .12E+00 .34E+00 .14E+00 .37E+00 .19E+00 .43E+00 .12E+00 .34E+00
 .12E+00 .34E+00
 .00E+00 .17E+00 .26E+00 .32E+00 .36E+00 .49E+00 .54E+00 .56E+00 .59E+00 .67E+00
STR G[illegible]E=.60E+01 .76E-01 .33E+01
 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00
 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .77E-01 .77E-01 .77E-01 .77E-01 .12E+00
STR SE.S=.[illegible]E+01 .76E-01 .31E+01
 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00
 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .23E-01 .15E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .00E+00 .00E+00
 .0[illegible]E+00 .[illegible]E+00 .00E+00 .00E+00 .00E+00 .00E+00 .34E-01 .15E+00 .15E+00 .19E+00
STR YOKE=.46E+01 .15E-01 .29E+01
 .00E+00 .00E+00 .23E-01 .15E+00 .46E-01 .22E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .46E-01 .22E+00 .00E+00 .00E+00 .46E-01 .22E+00 .12E+00 .34E+00
 .70E-01 .26E+00 .00E+00 .00E+00 .93E-01 .30E+00 .12E+00 .34E+00 .70E-01 .26E+00
 .00E+00 .00E+00 .93E-01 .30E+00 .23E-01 .15E+00 .46E-01 .22E+00 .00E+00 .00E+00
 .46E-01 .22E+00 .23E-01 .15E+00 .46E-01 .22E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .22E-01 .61E-01 .61E-01 .12E+00 .12E+00
LFT STAR=.16E+02 .99E+00 .30E+01
 .46E-01 .22E+00 .46E-01 .22E+00 .12E+00 .34E+00 .46E-01 .22E+00 .93E-01 .30E+00
 .70E-01 .26E+00 .46E-01 .22E+00 .46E-01 .22E+00 .70E-01 .26E+00 .23E-01 .15E+00
 .46E-01 .22E+00 .46E-01 .22E+00 .46E-01 .22E+00 .23E-01 .15E+00 .46E-01 .22E+00
 .46E-01 .22E+00 .46E-01 .22E+00 .70E-01 .26E+00 .46E-01 .22E+00 .46E-01 .22E+00
 .70E-01 .26E+00 .46E-01 .22E+00 .12E+00 .34E+00 .46E-01 .22E+00 .93E-01 .30E+00
 .46E-01 .22E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .19E-01 .96E-01 .12E+00 .13E+00 .18E+00
RHT STAR=.1[illegible]E+02=.44E+00 .30E+01
 .46E-01 .22E+00 .46E-01 .22E+00 .70E-01 .26E+00 .46E-01 .22E+00 .46E-01 .22E+00
 .70E-01 .26E+00 .93E-01 .30E+00 .46E-01 .22E+00 .12E+00 .34E+00 .23E-01 .15E+00
 .46E-01 .22E+00 .46E-01 .22E+00 .46E-01 .22E+00 .23E-01 .15E+00 .46E-01 .22E+00
 .46E-01 .22E+00 .46E-01 .22E+00 .70E-01 .26E+00 .93E-01 .30E+00 .46E-01 .22E+00
 .12E+00 .34E+00 .46E-01 .22E+00 .70E-01 .26E+00 .46E-01 .22E+00 .46E-01 .22E+00
 .46E-01 .22E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .19E-01 .96E-01 .12E+00 .15E+00 .20E+00
M1 FLUX=.14E+02 .46E+00 .31E+01
 .93E-01 .30E+00 .46E-01 .22E+00 .70E-01 .26E+00 .70E-01 .26E+00 .70E-01 .26E+00
 .46E-01 .22E+00 .70E-01 .26E+00 .70E-01 .26E+00 .70E-01 .26E+00 .93E-01 .30E+00
 .70E-01 .26E+00 .46E-01 .22E+00 .70E-01 .26E+00 .93E-01 .30E+00 .70E-01 .26E+00
```

```
FUEL 2-A-.11E+02 .76E-01 .24E+01
 .98E+00 .99E+00 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00 .79E+00 .89E+00
 .81E+00 .90E+00 .79E+00 .89E+00 .84E+00 .91E+00 .81E+00 .90E+00 .28E+00 .53E+00
 .35E+00 .59E+00 .23E+00 .48E+00 .35E+00 .59E+00 .28E+00 .53E+00 .35E+00 .59E+00
 .23E+00 .48E+00 .35E+00 .59E+00 .81E+00 .90E+00 .79E+00 .89E+00 .84E+00 .91E+00
 .81E+00 .90E+00 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00 .79E+00 .89E+00
 .98E+00 .99E+00
 .00E+00 .00E+00 .00E+00 .90E-01 .13E+00 .21E+00 .24E+00 .25E+00 .27E+00 .36E+00
FUEL 3-B-.11E+02 .76E-01 .27E+01
 .96E+00 .99E+00 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00 .81E+00 .90E+00
 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00 .81E+00 .90E+00 .16E+00 .40E+00
 .21E+00 .46E+00 .14E+00 .37E+00 .21E+00 .46E+00 .16E+00 .40E+00 .21E+00 .46E+00
 .14E+00 .37E+00 .21E+00 .46E+00 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00
 .81E+00 .90E+00 .81E+00 .90E+00 .81E+00 .90E+00 .84E+00 .91E+00 .81E+00 .90E+00
 .98E+00 .99E+00
 .00E+00 .00E+00 .00E+00 .16E-01 .42E-01 .70E-01 .11E+00 .12E+00 .12E+00 .17E+00
FUEL 3-C-.11E+02 .53E-01 .29E+01
 .98E+00 .99E+00 .81E+00 .90E+00 .86E+00 .93E+00 .84E+00 .91E+00 .86E+00 .93E+00
 .81E+00 .90E+00 .86E+00 .93E+00 .84E+00 .91E+00 .86E+00 .93E+00 .33E+00 .57E+00
 .39E+00 .63E+00 .28E+00 .53E+00 .39E+00 .63E+00 .33E+00 .57E+00 .39E+00 .63E+00
 .28E+00 .53E+00 .39E+00 .63E+00 .81E+00 .90E+00 .86E+00 .93E+00 .84E+00 .91E+00
 .86E+00 .93E+00 .81E+00 .90E+00 .86E+00 .93E+00 .84E+00 .91E+00 .86E+00 .93E+00
 .98E+00 .99E+00
 .00E+00 .00E+00 .17E-01 .30E-01 .41E-01 .70E-01 .97E-01 .11E+00 .11E+00 .13E+00
FUEL 3-D-.11E+02 .76E-01 .31E+01
 .96E+00 .99E+00 .77E+00 .88E+00 .86E+00 .94E+00 .72E+00 .85E+00 .81E+00 .90E+00
 .81E+00 .90E+00 .81E+00 .90E+00 .72E+00 .85E+00 .88E+00 .94E+00 .16E+00 .40E+00
 .23E+00 .48E+00 .14E+00 .37E+00 .23E+00 .48E+00 .16E+00 .40E+00 .23E+00 .48E+00
 .14E+00 .37E+00 .23E+00 .46E+00 .81E+00 .90E+00 .81E+00 .90E+00 .72E+00 .85E+00
 .88E+00 .94E+00 .77E+00 .88E+00 .88E+00 .94E+00 .72E+00 .85E+00 .81E+00 .90E+00
 .98E+00 .99E+00
 .00E+00 .27E-01 .57E-01 .62E-01 .69E-01 .88E-01 .11E+00 .14E+00 .14E+00 .21E+00
FUEL 3-E-.11E+02 .65E-01 .34E+01
 .84E+00 .91E+00 .83E+00 .79E+00 .87E+00 .82E+00 .72E+00 .85E+00 .87E+00 .82E+00
 .72E+00 .85E+00 .87E+00 .82E+00 .72E+00 .85E+00 .87E+00 .82E+00 .33E+00 .57E+00
 .35E+00 .59E+00 .28E+00 .53E+00 .35E+00 .59E+00 .33E+00 .57E+00 .35E+00 .59E+00
 .28E+00 .53E+00 .35E+00 .59E+00 .72E+00 .85E+00 .87E+00 .82E+00 .72E+00 .85E+00
 .67E+00 .82E+00 .83E+00 .79E+00 .87E+00 .82E+00 .72E+00 .85E+00 .87E+00 .82E+00
 .84E+00 .91E+00
 .00E+00 .15E+00 .21E+00 .22E+00 .39E+00 .43E+00 .45E+00 .44E+00 .44E+00 .49E+00
FUEL 4-A-.13E+02 .76E-01 .25E+01
 .16E+01 .12E+01 .13E+01 .12E+01 .16E+01 .12E+01 .17E+01 .13E+01 .16E+01 .12E+01
 .11E+01 .11E+01 .16E+01 .12E+01 .17E+01 .13E+01 .16E+01 .12E+01 .44E+00 .66E+00
 .93E+00 .96E+00 .15E+01 .10E+01 .93E+00 .98E+00 .44E+00 .66E+00 .93E+00 .96E+00
```

```
 .1nE+01 .1nE+01 .4nE+00 .5nE+00 .11E+01 .11E+01 .1nE+01 .1nE+01 .17E+01 .1nE+01
 .1nE+01 .12E+01 .13E+01 .12E+01 .1nE+01 .12E+01 .17E+01 .13E+01 .16E+01 .12E+01
 .1nE+01 .12E+01
 .00E+00 .00E+00 .34E-01 .91E-01 .15E+00 .21E+00 .24E+00 .25E+00 .2nE+00 .29E+00
FUEL 4-n=.13E+02 .76E-01 .2nE+01
 .27E+01 .15E+01 .21E+01 .14E+01 .23E+01 .15E+01 .23E+01 .15E+01 .21E+01 .15E+01
 .19E+01 .14E+01 .21E+01 .15E+01 .23E+01 .15E+01 .23E+01 .15E+01 .2nE+00 .51E+00
 .39E+00 .n3E+00 .39E+00 .n3E+00 .39E+00 .n3E+00 .2nE+00 .51E+00 .39E+00 .n3E+00
 .39E+00 .n3E+00 .39E+00 .n3E+00 .19E+01 .14E+01 .21E+01 .15E+01 .23E+01 .15E+01
 .23E+01 .15E+01 .21E+01 .14E+01 .23E+01 .15E+01 .23E+01 .15E+01 .21E+01 .15E+01
 .27E+01 .14E+01
 .00E+00 .12E-01 .31E-01 .5nE-01 .79E-01 .12E+00 .14E+00 .14E+00 .15E+00 .2nE+00
FUEL 4-C=.13E+02 .76E-01 .3nE+01
 .40E+01 .2nE+01 .29E+01 .17E+01 .32E+01 .18E+01 .24E+01 .17E+01 .32E+01 .18E+01
 .29E+01 .17E+01 .32E+01 .18E+01 .24E+01 .17E+01 .32E+01 .18E+01 .2nE+00 .51E+00
 .44E+00 .nnE+00 .39E+00 .n3E+00 .44E+00 .nnE+00 .2nE+00 .51E+00 .44E+00 .nnE+00
 .39E+00 .n3E+00 .44E+00 .nnE+00 .29E+01 .17E+01 .32E+01 .18E+01 .29E+01 .17E+01
 .32E+01 .18E+01 .29E+01 .17E+01 .32E+01 .18E+01 .29E+01 .17E+01 .32E+01 .18E+01
 .40E+01 .2nE+01
 .00E+00 .40E-02 .44E-01 .10E+00 .11E+00 .14E+00 .15E+00 .17E+00 .18E+00 .21E+00
FUEL 4-D=.13E+02 .76E-01 .31E+01
 .40E+01 .2nE+01 .29E+01 .17E+01 .32E+01 .18E+01 .33E+01 .18E+01 .32E+01 .18E+01
 .29E+01 .17E+01 .32E+01 .18E+01 .33E+01 .18E+01 .32E+01 .18E+01 .2nE+00 .51E+00
 .44E+00 .nnE+00 .39E+00 .n3E+00 .44E+00 .nnE+00 .2nE+00 .51E+00 .44E+00 .nnE+00
 .39E+00 .n3E+00 .44E+00 .nnE+00 .29E+01 .17E+01 .32E+01 .18E+01 .33E+01 .18E+01
 .32E+01 .18E+01 .29E+01 .17E+01 .32E+01 .18E+01 .33E+01 .18E+01 .32E+01 .18E+01
 .40E+01 .2nE+01
 .00E+00 .45E-01 .14E+00 .16E+00 .19E+00 .21E+00 .23E+00 .25E+00 .26E+00 .3nE+00
FUEL 4-E=.13E+02 .76E-01 .33E+01
 .37E+01 .19E+01 .27E+01 .16E+01 .27E+01 .16E+01 .2nE+01 .16E+01 .28E+01 .17E+01
 .27E+01 .17E+01 .2nE+01 .17E+01 .2nE+01 .16E+01 .27E+01 .16E+01 .23E+00 .48E+00
 .51E+00 .71E+00 .51E+00 .71E+00 .51E+00 .71E+00 .23E+00 .48E+00 .51E+00 .71E+00
 .51E+00 .71E+00 .51E+00 .71E+00 .27E+01 .17E+01 .2nE+01 .17E+01 .2nE+01 .16E+01
 .27E+01 .16E+01 .27E+01 .16E+01 .27E+01 .16E+01 .2nE+01 .16E+01 .28E+01 .17E+01
 .37E+01 .19E+01
 .00E+00 .32E+00 .34E+00 .36E+00 .43E+00 .49E+00 .5nE+00 .51E+00 .53E+00 .5nE+00
LFT FLL=.12E+02 .98E+00 .2nE+01
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .46E+01 .22E+00 .23E+01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .46E+01 .22E+00 .23E+01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E+01 .15E+00
 .00E+00 .00E+00
 .00E+00 .35E+01 .59E+01 .58E+01 .58E+01 .96E+01 .13E+00 .13E+00 .13E+00 .17E+00
RHT FLL=.12E+02=.98E+00 .2nE+01
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E+01 .15E+00
 .46E+01 .22E+00 .23E+01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .46E+01 .22E+00 .23E+01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E+01 .15E+00
 .00E+00 .00E+00
 .00E+00 .38E+01 .5nE+01 .5nE+01 .5nE+01 .96E+01 .13E+00 .13E+00 .13E+00 .21E+00
LFT FLEL=.14E+02 .62E+00 .22E+01
 .14E+00 .37E+00 .70E+01 .2nE+00 .70E+01 .2nE+00 .23E+01 .15E+00 .70E+01 .2nE+00
 .70E+01 .2nE+00 .46E+01 .22E+00 .46E+01 .22E+00 .46E+01 .22E+00 .23E+01 .15E+00
 .23E+01 .15E+00 .23E+01 .15E+00 .00E+00 .00E+00 .23E+01 .15E+00 .23E+01 .15E+00
 .23E+01 .15E+00 .00E+00 .00E+00 .70E+01 .2nE+00 .46E+01 .22E+00 .46E+01 .22E+00
 .46E+01 .22E+00 .70E+01 .2nE+00 .70E+01 .2nE+00 .23E+01 .15E+00 .70E+01 .2nE+00
 .14E+00 .37E+00
 .00E+00 .00E+00 .15E+00 .17E+00 .21E+00 .2nE+00 .33E+00 .33E+00 .41E+00 .42E+00
```

```
RMT F.T=-.14E+02-.65E+01  .22E+01
 .12E+00 .34E-01 .45E-01 .30E+00 .23E-01 .15E+00 .44E-01 .22E+00 .23E-01 .15E+00
 .93E-01 .30E+00 .70E-01 .26E+00 .00E+00 .00E+00 .70E-01 .26E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .93E-01 .30E+00 .70E-01 .26E+00 .00E+00 .00E+00
 .70E-01 .26E+00 .93E-01 .30E+00 .23E-01 .15E+00 .44E-01 .22E+00 .23E-01 .15E+00
 .12E+00 .34E+00
 .00E+00 .65E-01 .13E+00 .15E+00 .17E+00 .24E+00 .25E+00 .25E+00 .28E+00 .30E+00
VENT T=A-.14E+02 .70E-01 .26E+01
 .70E-01 .26E+00 .12E+00 .34E+00 .23E+00 .53E+00 .30E+00 .55E+00 .33E+00 .57E+00
 .14E+00 .37E+00 .33E+00 .57E+00 .30E+00 .55E+00 .28E+00 .53E+00 .12E+00 .34E+00
 .35E+00 .59E+00 .35E+00 .59E+00 .35E+00 .54E+00 .12E+00 .34E+00 .35E+00 .59E+00
 .35E+00 .54E+00 .35E+00 .59E+00 .14E+00 .37E+00 .33E+00 .57E+00 .30E+00 .55E+00
 .28E+00 .53E+00 .12E+00 .34E+00 .28E+00 .53E+00 .30E+00 .55E+00 .33E+00 .57E+00
 .70E-01 .26E+00
 .00E+00 .13E-01 .10E+00 .12E+00 .17E+00 .33E+00 .37E+00 .37E+00 .39E+00 .44E+00
OXYGEN  -.76E+01 .30E+00 .27E+01
 .70E+01 .26E+00 .93E-01 .30E+00 .93E-01 .30E+00 .12E+00 .34E+00 .93E-01 .30E+00
 .14E+00 .37E+00 .12E+00 .34E+00 .12E+00 .34E+00 .93E-01 .30E+00 .14E+00 .37E+00
 .12E+00 .34E+00 .12E+00 .34E+00 .12E+00 .34E+00 .14E+00 .37E+00 .12E+00 .34E+00
 .12E+00 .34E+00 .12E+00 .34E+00 .14E+00 .37E+00 .12E+00 .34E+00 .12E+00 .34E+00
 .93E-01 .30E+00 .93E-01 .30E+00 .93E-01 .30E+00 .12E+00 .34E+00 .93E-01 .30E+00
 .70E-01 .26E+00
 .00E+00 .00E+00 .00E+00 .25E-01 .11E+00 .42E+00 .59E+00 .64E+00 .67E+00 .74E+00
HT EXCHG=-.11E+02-.47E+01 .25E+01
 .93E-01 .30E+00 .12E+00 .34E+00 .14E+00 .40E+00 .14E+00 .37E+00 .14E+00 .40E+00
 .93E-01 .30E+00 .93E-01 .30E+00 .93E-01 .30E+00 .70E-01 .26E+00 .70E-01 .26E+00
 .14E+00 .37E+00 .14E+00 .37E+00 .14E+00 .37E+00 .70E-01 .26E+00 .14E+00 .37E+00
 .14E+00 .37E+00 .14E+00 .37E+00 .93E-01 .30E+00 .93E-01 .30E+00 .93E-01 .30E+00
 .70E-01 .26E+00 .12E+00 .34E+00 .14E+00 .40E+00 .14E+00 .37E+00 .14E+00 .40E+00
 .93E-01 .30E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .45E-01 .14E+00 .24E+00 .48E+00
BLD LIKE-.11E+02-.32E+00 .31E+01
 .01E+00 .11E+00 .93E-01 .30E+00 .46E-01 .22E+00 .00E+00 .00E+00 .70E-01 .26E+00
 .93E-01 .30E+00 .12E+00 .34E+00 .00E+00 .00E+00 .70E-01 .26E+00 .12E+00 .34E+00
 .12E+00 .34E+00 .00E+00 .00E+00 .70E-01 .26E+00 .12E+00 .34E+00 .12E+00 .34E+00
 .00E+00 .00E+00 .70E-01 .26E+00 .93E-01 .30E+00 .12E+00 .34E+00 .00E+00 .00E+00
 .70E-01 .26E+00 .93E-01 .30E+00 .44E-01 .22E+00 .00E+00 .00E+00 .70E-01 .26E+00
 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .13E-01 .35E-01 .60E-01 .73E-01 .73E-01 .73E-01 .10E+00
PRI CHNG-.70E+01 .70E-01 .37E+01
 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00
 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .38E-01 .77E-01 .77E-01 .15E+00 .23E+00
LFT CHNG-.47E+01 .15E+00 .31E+01
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00
 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .38E-01 .38E-01
RMT CHNG-.47E+01-.05E+00 .31E+01
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .23E-01 .15E+00 .00E+00 .00E+00 .00E+00 .00E+00
 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00 .00E+00
```

```
   -8.5      .0     3.5   1.00    .89     0.    360.    30.    160.
   -14.     1.0     2.2   1.00    .89     0.    360.     0.    160.
   -14.    -1.0     2.2   1.00    .89     0.    360.     0.    160.
   -8.8     .08     3.1   1.00    .89     0.    360.     0.    160.
   -10.     .08      3.   1.00    .89     0.    360.     0.    160.
   -11.     .07     2.9   1.00    .89     0.    360.     0.    160.
   -13.     .08     2.8   1.00    .89     0.    360.     0.    160.
KILL CATEGORY 1
*GR-KILL   = PILOT .OR. CONTROLS .OR. FUEL .OR. MISC
*SPILOT    = HEAD.OR.THORAX.OR.ABDOMEN.OR.PELVIS.OR.ARMS.OR.LEGS
*SARMS     = LEFT ARM.AND.RITE ARM/2/2
*SLEGS     = LEFT LEG.AND.RITE LEG/2/2
*SCONTROLS= STICK .OR. STABILAT .OR. HYDRALIC
*SSTICK    = STK GRIP.AND.STK SENS.AND.STK YOKE/2/3
*SSTABILAT= LFT STAB.AND.RHT STAB/2/2
*SHYDRALIC= HYD1 .OR. HYD2 .OR. HY FLUID
*SHYD1     = H1 FLUID .AND.H1 PUMP .AND.H1 PRESF .AND.H1 PRESR/2/4
*SHYD2     = H2 FLUID .AND.H2 PUMP .AND.H2 PRESF .AND.H2 PRESR/2/4
*SFUEL     = TANK1 .OR.TANK2 .OR.TANK3 .OR.TANK4 .OR.LINES .OR.VENT TNK
*STANK1    = FUEL 1-A.OR.FUEL 1-B.OR.FUEL 1-C.OR.FUEL 1-D.OR.FUEL 1-E
*STANK2    = FUEL 2-A.OR.FUEL 2-B.OR.FUEL 2-C.OR.FUEL 2-D.OR.FUEL 2-E
*STANK3    = FUEL 3-A.OR.FUEL 3-B.OR.FUEL 3-C.OR.FUEL 3-D.OR.FUEL 3-E
*STANK4    = FUEL 4-A.OR.FUEL 4-B.OR.FUEL 4-C.OR.FUEL 4-D.OR.FUEL 4-E
*SLINES    = LFT FUEL .OR. RHT FUEL
*SMISC     = OXYGEN .OR. PYROTECH
*SPYROTECH= FRT CHRG.OR.LFT CHRG.OR.RHT CHRG.OR.CARTR 1.OR.CARTR 2.OR.RESTPYRO
SRESTPYRO = GUN CART.OR.REM RKT .OR.SEAT RKT.OR.LFT CRKT.OR.RHT CRKT
END
END OF K-KILL GROUP
KILL CATEGORY 2
*GR ARCRT = PILOT .OR. CONTROLS .OR. FUEL .OR. MISC
*SPILOT    = HEAD.OR.THORAX.OR.ABDOMEN.OR.PELVIS.OR.ARMS.OR.LEGS
*SARMS     = LEFT ARM.OR.RITE ARM
*SLEGS     = LEFT LEG.OR.RITE LEG
*SCONTROLS= STICK .OR. STABILAT .OR. HYDRALIC
*SSTICK    = STK GRIP.OR.STK SENS.OR. STK YOKE
*SSTABILAT= LFT STAB.OR.RHT STAB
*SHYDRALIC= HYD1 .OR. HYD2 .OR. HY FLUID
*SHYD1     = H1 FLUID.OR.H1 MANIF.OR.H1 FILTR.OR.H1 COOLR.OR.H1REST
SH1REST    = H1 PUMP .OR.H1 PRESF .OR.H1 PRESR
*SHYD2     = H2 FLUID.OR.H2 MANIF.OR.H2 FILTR.OR.H2 COOLR.OR.H2REST
SH2REST    = H2 PUMP .OR.H2 PRESF .OR.H2 PRESR
*SFUEL     = TANK1 .OR.TANK2 .OR.TANK3 .OR.TANK4 .OR.LINES .OR.VENT TNK
*STANK1    = FUEL 1-A.OR.FUEL 1-B.OR.FUEL 1-C.OR.FUEL 1-D.OR.FUEL 1-E
*STANK2    = FUEL 2-A.OR.FUEL 2-B.OR.FUEL 2-C.OR.FUEL 2-D.OR.FUEL 2-E
*STANK3    = FUEL 3-A.OR.FUEL 3-B.OR.FUEL 3-C.OR.FUEL 3-D.OR.FUEL 3-E
*STANK4    = FUEL 4-A.OR.FUEL 4-B.OR.FUEL 4-C.OR.FUEL 4-D.OR.FUEL 4-E
*SLINES    = LFT FLIN.OR.LFT FUEL .OR. RHT FLIN.OR.RHT FUEL
*SMISC     = OXYGEN .OR. HT EXCHG .OR. BLD LINE .OR. PYROTECH
*SPYROTECH= FRT CHRG.OR.LFT CHRG.OR.RHT CHRG.OR.CARTR 1.OR.CARTR 2.OR.RESTPYRO
SRESTPYRO = GUN CART.OR.REM RKT .OR.SEAT RKT.OR.LFT CRKT.OR.RHT CRKT
END
END OF K ARCRT GROUP
```

Figure A-6. Line Printer Output for ASALT Benchmark

These 20 pages (A-128 through A-147) are a copy of the line printer output generated during execution of Program ASALT using the input data assembled for the benchmark run.

ASSESSMENT OF SURVIVABILITY AGAINST LASER THREATS

AIRCRAFT FLIGHT PATH:
FLIGHT PATH FILE = SAMPLE FIGHT PATH FILE FOR ASALT-1 DOCUMENTION
TRANSFORMATION = (X,Y,Z) = (0., 0., 0.) IN FLIGHT PATH COORDINATE SYSTEM IS EQUAL TO
(X,Y,Z) = (0., 0., 0.) IN GENERAL COORDINATE SYSTEM WITH .0 DEGREES ROTATION ANGLE

LASER WEAPON:
LOCATION = (X,Y,Z) = (-1500., 7000., 2952.)

AIM POINT STANDARD DEVIATION IN THE ENCOUNTER PLANE DUE TO JITTER SIGMA-Y = .89 MILS SIGMA-Z = .50 MILS

FLUX EMISSION IN KILOWATTS/SQ.CM. 10.00
AT TIMES (IN SECONDS)********

TRACKING = MAXIMUM SLEW RATES IN DEGREES PER SECOND AZIMUTH = 45.00 ELEVATION = 10.00
MINIMUM TRACKING TIME = 1.00 SECONDS

ATMOSPHERE:

ATTENUATION FACTORS	1.000	.980	.960	.930	.850	.780	.720	.650	.600
AT RANGES (METERS)	1000.	2000.	4000.	6000.	8000.	10000.	15000.	20000.	40000.

SMOKE CORRIDOR = FROM COORDINATES (0., 3000.) TO (-5000., 0.) IN THE XY-PLANE
ATTENUATION FACTOR THROUGH SMOKE = .10000

AIRCRAFT COMPONENTS:

		LOCATION IN AIRCRAFT C.S.				DAMAGING ENERGY LEVELS IN KILOJOULES/SQ.CM.									
						.00	5.00	10.00	15.00	20.00	40.00	60.00	80.00	100.00	200.00
1	HEAD	-6.40	.08	3.80	PK =	.00	.21	.61	.76	.76	.78	.78	.78	.78	.78
2	THORAX	-6.60	.15	3.50	PK =	.00	.23	.31	.33	.33	.37	.38	.40	.41	.43
3	ABDOMEN	-6.60	.14	3.40	PK =	.00	.09	.18	.22	.23	.27	.30	.31	.31	.34
4	PELVIS	-6.50	.08	3.20	PK =	.00	.06	.19	.23	.25	.33	.47	.48	.50	.58
5	LEFT ARM	-6.40	.38	3.30	PK =	.00	.32	.43	.47	.49	.49	.51	.52	.52	.65
6	RITE ARM	-6.50	-.06	3.40	PK =	.00	.30	.42	.43	.46	.49	.55	.56	.56	.60
7	LEFT LEG	-6.00	.23	3.10	PK =	.00	.14	.21	.28	.31	.46	.52	.58	.62	.71
8	RITE LEG	-6.00	-.06	3.10	PK =	.00	.17	.26	.32	.36	.49	.54	.56	.59	.67
9	STK GRIP	-6.00	.08	3.30	PK =	.00	.00	.00	.00	.00	.08	.06	.06	.08	.12
10	STK SENS	-6.00	.08	3.10	PK =	.00	.00	.00	.00	.00	.00	.04	.15	.15	.19
11	STK YOKE	-6.00	.02	2.90	PK =	.00	.00	.00	.00	.00	.02	.06	.06	.12	.12
12	LFT STAB	-16.00	.99	3.00	PK =	.00	.00	.00	.00	.00	.02	.10	.12	.13	.18
13	RHT STAB	-16.00	-.84	3.00	PK =	.00	.00	.00	.00	.00	.02	.10	.12	.15	.20
14	H1 FLUID	-14.00	.46	3.10	PK =	.00	.00	.13	.13	.17	.31	.37	.42	.42	.44
15	H1 MANIF	-14.00	.56	3.10	PK =	.00	.00	.00	.00	.00	.21	.29	.29	.31	.31
16	H1 FILTR	-13.00	.99	2.20	PK =	.00	.04	.23	.23	.23	.31	.36	.44	.44	.52
17	H1 COOLR	-14.00	1.10	3.10	PK =	.00	.00	.00	.00	.00	.00	.04	.04	.04	.04
18	H1 PUMP	-14.00	.38	2.50	PK =	.00	.00	.00	.00	.01	.06	.11	.11	.15	.15
19	H1 PRESR	-14.00	.94	2.40	PK =	.00	.00	.00	.01	.01	.05	.07	.09	.09	.09
20	H1 PRESR	-14.00	.99	2.40	PK =	.00	.00	.06	.10	.10	.13	.15	.23	.23	.31
21	H2 FLUID	-14.00	-.31	3.10	PK =	.00	.00	.17	.17	.22	.37	.38	.43	.44	.44
22	H2 MANIF	-14.00	-.51	3.10	PK =	.00	.00	.00	.00	.00	.21	.24	.24	.28	.28
23	H2 FILTR	-13.00	-.84	2.20	PK =	.00	.04	.27	.27	.27	.37	.44	.44	.46	.54
24	H2 COOLR	-14.00	-.99	3.10	PK =	.00	.00	.00	.00	.00	.00	.04	.04	.04	.04
25	H2 PUMP	-14.00	-.69	2.70	PK =	.00	.00	.10	.14	.16	.24	.34	.39	.39	.40
26	H2 PRESR	-14.00	-.89	2.50	PK =	.00	.00	.00	.00	.00	.06	.08	.12	.13	.21
27	H2 PRESR	-14.00	-.95	2.60	PK =	.00	.00	.01	.00	.00	.00	.08	.08	.08	.08

28	WY FL 1E	-13.[illegible]	.08	2.10	PK =	.00	.00	.00	.00	.00	.17	.17	.27	.31	.31
29	FUEL 1-A	-9.40	.08	2.70	PK =	.00	.26	.32	.36	.40	.41	.42	.43	.44	.47
30	FUEL 1-B	-8.80	.08	3.00	PK =	.00	.06	.20	.24	.27	.30	.31	.34	.36	.43
31	FUEL 1-C	-8.80	.08	3.10	PK =	.00	.02	.05	.14	.18	.25	.26	.27	.27	.27
32	FUEL 1-D	-8.80	.08	3.30	PK =	.00	.23	.24	.25	.25	.26	.26	.27	.27	.29
33	FUEL 1-E	-8.80	.08	3.50	PK =	.00	.23	.31	.34	.53	.55	.55	.55	.56	.59
34	FUEL 2-A	-10.00	.08	2.50	PK =	.00	.00	.00	.23	.28	.34	.36	.37	.38	.39
35	FUEL 2-B	-10.00	.08	2.70	PK =	.00	.00	.01	.08	.09	.14	.15	.16	.16	.18
36	FUEL 2-C	-10.00	.08	3.00	PK =	.00	.00	.06	.07	.07	.15	.17	.17	.17	.20
37	FUEL 2-D	-10.00	.08	3.20	PK =	.00	.06	.11	.12	.13	.15	.19	.21	.21	.21
38	FUEL 2-E	-10.00	.08	3.50	PK =	.00	.12	.22	.25	.45	.47	.48	.48	.48	.50
39	FUEL 3-A	-11.00	.08	2.40	PK =	.00	.00	.00	.09	.13	.21	.24	.25	.27	.36
40	FUEL 3-B	-11.00	.08	2.70	PK =	.00	.00	.00	.02	.04	.07	.11	.12	.12	.17
41	FUEL 3-C	-11.00	.05	2.90	PK =	.00	.00	.02	.03	.04	.07	.10	.11	.11	.13
42	FUEL 3-D	-11.00	.08	3.10	PK =	.00	.03	.06	.06	.07	.09	.11	.14	.14	.21
43	FUEL 3-E	-11.00	.06	3.40	PK =	.00	.15	.21	.22	.39	.43	.45	.46	.46	.49
44	FUEL 4-A	-13.00	.08	2.50	PK =	.00	.00	.03	.09	.15	.21	.24	.25	.26	.29
45	FUEL 4-B	-13.00	.08	2.80	PK =	.00	.01	.03	.06	.08	.12	.14	.14	.15	.20
46	FUEL 4-C	-13.00	.08	3.00	PK =	.00	.00	.08	.10	.11	.14	.15	.17	.18	.21
47	FUEL 4-D	-13.00	.08	3.10	PK =	.00	.05	.14	.16	.19	.21	.23	.25	.26	.30
48	FUEL 4-E	-13.00	.08	3.30	PK =	.00	.32	.34	.36	.43	.49	.50	.51	.53	.56
49	LFT FLIN	-12.00	.98	2.80	PK =	.00	.04	.06	.06	.06	.10	.13	.13	.13	.17
50	RHT FLIN	-12.00	-.98	2.80	PK =	.00	.04	.06	.06	.06	.10	.13	.13	.13	.21
51	LFT FUEL	-14.00	.62	2.20	PK =	.00	.00	.15	.17	.21	.28	.33	.33	.41	.42
52	RHT FUEL	-14.00	-.23	2.20	PK =	.00	.06	.13	.15	.17	.24	.25	.25	.28	.30
53	VENT TNK	-14.00	.08	2.80	PK =	.00	.01	.10	.12	.17	.33	.37	.37	.39	.44
54	OXYGEN	-7.60	.30	2.70	PK =	.00	.00	.00	.02	.11	.42	.59	.64	.67	.74
55	HT EXCHG	-11.00	-.47	2.50	PK =	.00	.00	.00	.00	.00	.06	.05	.14	.24	.46
56	BLD LINE	-11.00	-.32	3.10	PK =	.00	.00	.00	.01	.03	.06	.07	.07	.07	.10
57	PRI CHNG	-7.00	.08	3.70	PK =	.00	.00	.00	.00	.00	.04	.08	.08	.15	.23
58	LFT CHNG	-6.70	.05	3.10	PK =	.00	.00	.00	.00	.00	.00	.00	.00	.04	.04
59	RHT CHNG	-6.70	-.05	3.10	PK =	.00	.00	.00	.00	.00	.00	.00	.00	.04	.04
60	CANTN 1	-6.90	.00	3.40	PK =	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
61	CANTN 2	-6.80	.00	3.10	PK =	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
62	GUN CANT	-7.00	.06	3.70	PK =	.00	.00	.00	.00	.00	.04	.04	.04	.04	.08
63	REM RHT	-6.90	.07	3.40	PK =	.00	.00	.00	.00	.00	.04	.08	.08	.08	.12
64	SEAT RHT	-6.50	.08	2.70	PK =	.00	.00	.00	.00	.00	.01	.04	.06	.10	.16
65	LFT CHRT	-7.20	.43	3.40	PK =	.00	.00	.00	.00	.00	.12	.12	.12	.12	.12
66	RHT CHRT	-7.20	-.43	3.40	PK =	.00	.00	.00	.00	.00	.12	.12	.12	.12	.12

AIM POINTS ON AIRCRAFT:				SIGMA-Y	SIGMA-Z	LOOK-ANGLE ENVELOPE TO HIT THE AIM POINT	
	LOCATION IN AIRCRAFT C.S.			(MILS)	(MILS)	AZIMUTH	ELEVATION IN DEG.
1	-6.50	.00	3.50	1.00	.80	.0 TO 360.0	30.0 TO 180.0
2	-14.00	1.00	2.20	1.00	.80	.0 TO 360.0	.0 TO 180.0
3	-14.00	-1.00	2.20	1.00	.80	.0 TO 360.0	.0 TO 180.0
4	-8.60	.08	3.10	1.00	.89	.0 TO 360.0	.0 TO 180.0
5	-10.00	.08	3.00	1.00	.89	.0 TO 360.0	.0 TO 180.0
6	-11.00	.07	2.90	1.00	.89	.0 TO 360.0	.0 TO 180.0
7	-13.00	.08	2.80	1.00	.80	.0 TO 360.0	.0 TO 180.0


LPT FUEL
MHT FUEL
FUEL 4-D
FUEL 4-C
FUEL 4-B
FUEL 4-A
FUEL 4-E
FUEL 3-D
FUEL 3-C


FUEL 3-F
FUEL 3-A
FUEL 3-E
FUEL 2-D
FUEL 2-C
FUEL 2-H
FUEL 2-A
FUEL 2-E
FUEL 1-D
FUEL 1-C


FUEL 1-D
FUEL 1-A
FUEL 1-E
VENT TNK
LFT STAB
RHT STAB
2/2
STK SENS
STK GRIP
STK YOKE
2/3
H2 PRESS
H2 PUMP
H2 FLUID
H2 PRESS
2/4


MY FLUID
LEFT ARM
RITE ARM
PELVIS
LEFT LEG
RITE LEG


C/P
OXYGEN
EARTH 2
EARTH 1
RHT CHKG
LFT CHKG
PHI CHKG
LFT CHKT
SEAT RHT
MEM RHT



FUEL A-E
FUEL A-A
FUEL A-B
FUEL A-C
FUEL A-D
RHT FUEL
LFT FLTR
LFT FUEL
RHT FLTR


FUEL 3-C
FUEL 3-H
FUEL 3-A
FUEL 3-E
FUEL 2-J
FUEL 2-C
FUEL 2-H
FUEL 2-A
FUEL 2-E


FUEL I-C
FUEL I-B
FUEL I-A
FUEL I-E
VENT TAB
LFT STAB
RHT STAB
STK SEAL
STK GRIP




M1 FLUID
M1 PRESS
M1 PUMP
M1 PRESS
M1 FLUID
LEFT ARM
RITE ARM
PELVIS
ABDOMEN


MEAL
LEFT LEG
RITE LEG
MLD LINE
MT EXCHG
OXYGEN
CARTR 2
CARTR 1
MMT CHRG

LFT CHKT

RHT CHKT

SEAT HKT

GUN CANT

RHT CHKT

TIME STEPS:
BETWEEN COMPUTATIONS = .5000 SECOND
BETWEEN PRINTOUT LINES = 1.0000 SECOND

TIME	AIRCRAFT LOCATION X	Y	Z	SLANT RANGE	STATUS	KILL CATEGORY	TOTAL AIRCRAFT PER FIRE A LASER FIRED AT EACH AIR POINT 1	2	3	4	5	6	7
.00	-12000.	-924.	4064.	13204.	NOT ENGAGE								
1.00	-11746.	-926.	4097.	13001.	NOT ENGAGE								
2.00	-11494.	-918.	4125.	12804.	NOT ENGAGE								
3.00	-11244.	-916.	4158.	12614.	NOT ENGAGE								
4.00	-10993.	-919.	4200.	12425.	NOT ENGAGE								
5.00	-10740.	-919.	4237.	12237.	NOT ENGAGE								
6.00	-10487.	-919.	4257.	12049.	NOT ENGAGE								
7.00	-10233.	-919.	4267.	11862.	NOT ENGAGE								
8.00	-9980.	-919.	4268.	11677.	NOT ENGAGE								
9.00	-9726.	-914.	4264.	11490.	NOT ENGAGE								
10.00	-9472.	-901.	4256.	11300.	NOT ENGAGE								
11.00	-9219.	-879.	4243.	11110.	NOT ENGAGE								
12.00	-8966.	-849.	4224.	10919.	NOT ENGAGE								
13.00	-8716.	-811.	4201.	10726.	NOT ENGAGE								
14.00	-8470.	-764.	4173.	10505.	NOT ENGAGE								
15.00	-8224.	-709.	4141.	10296.	NOT ENGAGE								
16.00	-7981.	-646.	4103.	10089.	NOT ENGAGE								
17.00	-7741.	-575.	4061.	9877.	NOT ENGAGE								
18.00	-7504.	-497.	4014.	9663.	NOT ENGAGE								
19.00	-7271.	-410.	3962.	9446.	NOT ENGAGE								
20.00	-7041.	-316.	3905.	9227.	NOT ENGAGE								
21.00	-6817.	-215.	3844.	9007.	NOT ENGAGE								
22.00	-6597.	-106.	3779.	8784.	NOT ENGAGE								
23.00	-6381.	9.	3709.	8560.	NOT ENGAGE								
24.00	-6172.	133.	3639.	8334.	NOT ENGAGE								
25.00	-5968.	254.	3564.	8112.	NOT ENGAGE								
26.00	-5741.	359.	3544.	7902.	NOT ENGAGE								
27.00	-5517.	447.	3517.	7707.	NOT ENGAGE								
28.00	-5289.	518.	3504.	7529.	NOT ENGAGE								
29.00	-5055.	571.	3504.	7367.	NOT ENGAGE								
30.00	-4818.	607.	3519.	7225.	NOT ENGAGE								
31.00	-4580.	626.	3547.	7105.	NOT ENGAGE								
32.00	-4344.	627.	3586.	7006.	NOT ENGAGE								
33.00	-4111.	623.	3639.	6925.	NOT ENGAGE								
34.00	-3886.	619.	3699.	6855.	NOT ENGAGE								
35.00	-3670.	616.	3766.	6792.	NOT ENGAGE								
36.00	-3460.	613.	3841.	6740.	NOT ENGAGE								
37.00	-3248.	609.	3912.	6695.	NOT ENGAGE								
38.00	-3034.	606.	3975.	6655.	NOT ENGAGE								
39.00	-2817.	602.	4028.	6620.	NOT ENGAGE								
40.00	-2598.	599.	4072.	6590.	NOT ENGAGE								
41.00	-2378.	596.	4107.	6567.	NOT ENGAGE								
42.00	-2156.	592.	4131.	6549.	NOT ENGAGE								
43.00	-1933.	589.	4147.	6536.	NOT ENGAGE								
44.00	-1710.	585.	4152.	6530.	NOT ENGAGE								
45.00	-1488.	585.	4153.	6526.	NOT ENGAGE								
46.00	-1271.	604.	4151.	6507.	TRACKING								
47.00	-1065.	659.	4143.	6466.	SMOKE	1	.00	.00	.00	.00	.00	.00	.00
						2	.00	.00	.00	.00	.00	.00	.00
48.00	-872.	736.	4127.	6404.	SMOKE	1	.00	.00	.00	.00	.00	.00	.00
						2	.00	.00	.00	.00	.00	.00	.00
49.00	-694.	837.	4104.	6321.	NOT ENGAGE								
50.00	-538.	962.	4074.	6218.	NOT ENGAGE								
51.00	-396.	1109.	4038.	6091.	NOT ENGAGE								
52.00	-282.	1272.	3997.	5948.	NOT ENGAGE								
53.00	-191.	1450.	3952.	5789.	NOT ENGAGE								
54.00	-120.	1634.	3903.	5615.	NOT ENGAGE								

TIME	AIRCRAFT LOCATION X	Y	Z	SLANT RANGE	STATUS	KILL CATEGORY	TOTAL AIRCRAFT PER FREQ A LASER FIRED AT EACH AIR POINT 1	2	3	4	5	6	7
55.00	-96.	1834.	3656.	5430.	NOT ENGAGE								
56.00	-93.	2031.	3749.	5256.	NOT ENGAGE								
57.00	-93.	2230.	3745.	5059.	NOT ENGAGE								
58.00	-95.	2431.	3691.	4841.	TRACKING								
59.00	-88.	2634.	3635.	4635.	SHOOT	1	.00	.00	.00	.00	.00	.00	.00
						2	.00	.00	.00	.00	.01	.01	.00
60.00	-87.	2852.	3577.	4426.	SHOOT	1	.01	.01	.01	.01	.01	.01	.01
						2	.01	.01	.01	.01	.01	.01	.01
61.00	-88.	3072.	3519.	4212.	ENGAGE	1	.01	.01	.01	.01	.01	.01	.01
						2	.01	.01	.01	.01	.02	.02	.01
62.00	-89.	3303.	3481.	3992.	ENGAGE	1	.03	.02	.03	.03	.03	.03	.03
						2	.03	.02	.03	.03	.03	.03	.03
63.00	-90.	3542.	3470.	3776.	ENGAGE	1	.04	.03	.04	.04	.04	.04	.04
						2	.04	.03	.04	.04	.04	.04	.04
64.00	-90.	3784.	3490.	3552.	ENGAGE	1	.05	.05	.05	.05	.05	.05	.05
						2	.05	.05	.05	.05	.05	.05	.05
65.00	-90.	4026.	3541.	3344.	ENGAGE	1	.07	.06	.07	.07	.07	.07	.07
						2	.07	.07	.07	.07	.07	.07	.07
66.00	-90.	4266.	3610.	3146.	ENGAGE	1	.08	.07	.08	.08	.09	.09	.08
						2	.09	.08	.09	.09	.09	.09	.09
67.00	-90.	4513.	3672.	2948.	ENGAGE	1	.10	.09	.10	.10	.10	.10	.10
						2	.10	.09	.10	.11	.11	.11	.11
68.00	-90.	4767.	3726.	2752.	ENGAGE	1	.12	.10	.12	.12	.13	.13	.12
						2	.13	.11	.13	.13	.13	.13	.13
69.00	-90.	5029.	3771.	2559.	ENGAGE	1	.14	.13	.14	.16	.16	.16	.15
						2	.15	.13	.15	.17	.17	.17	.16
70.00	-89.	5297.	3806.	2371.	ENGAGE	1	.17	.15	.17	.19	.20	.20	.18
						2	.18	.16	.18	.21	.21	.21	.19
71.00	-89.	5574.	3836.	2192.	ENGAGE	1	.20	.18	.21	.24	.25	.24	.23
						2	.22	.19	.21	.25	.26	.26	.23
2.00	-89.	5857.	3855.	2028.	ENGAGE	1	.24	.21	.24	.29	.30	.30	.27
						2	.25	.22	.25	.31	.32	.31	.28
73.00	-89.	6148.	3864.	1884.	ENGAGE	1	.27	.25	.28	.35	.36	.36	.33
						2	.29	.26	.29	.36	.38	.37	.33
74.00	-89.	6446.	3863.	1769.	ENGAGE	1	.30	.30	.31	.41	.43	.43	.38
						2	.33	.30	.32	.42	.44	.44	.39
75.00	-89.	6752.	3852.	1692.	ENGAGE	1	.33	.35	.35	.46	.49	.49	.44
						2	.36	.35	.36	.48	.50	.50	.45
76.00	-88.	7064.	3832.	1664.	ENGAGE	1	.36	.40	.38	.51	.54	.54	.50
						2	.40	.40	.39	.53	.55	.55	.50
77.00	-92.	7383.	3809.	1692.	ENGAGE	1	.38	.41	.40	.53	.56	.56	.51
						2	.41	.41	.40	.55	.57	.57	.52
78.00	-110.	7708.	3800.	1776.	ENGAGE	1	.39	.42	.41	.55	.58	.58	.53
						2	.43	.43	.42	.57	.59	.59	.54
79.00	-144.	8036.	3807.	1909.	ENGAGE	1	.40	.43	.42	.57	.60	.60	.54
						2	.44	.44	.43	.59	.61	.61	.55
80.00	-193.	8366.	3830.	2084.	ENGAGE	1	.42	.45	.43	.58	.61	.61	.55
						2	.46	.45	.44	.60	.62	.62	.56
81.00	-259.	8694.	3869.	2292.	ENGAGE	1	.43	.46	.44	.60	.63	.62	.56
						2	.47	.47	.45	.62	.64	.63	.57
82.00	-339.	9020.	3923.	2524.	ENGAGE	1	.44	.48	.45	.61	.64	.64	.57
						2	.49	.48	.46	.63	.65	.65	.58
83.00	-435.	9341.	3993.	2774.	ENGAGE	1	.45	.49	.46	.62	.65	.65	.58
						2	.50	.50	.47	.64	.66	.66	.59
84.00	-546.	9656.	4078.	3036.	ENGAGE	1	.46	.51	.47	.63	.66	.66	.59
						2	.51	.51	.48	.65	.67	.67	.60
85.00	-671.	9962.	4176.	3311.	ENGAGE	1	.47	.51	.48	.64	.67	.67	.59

TIME	AIRCRAFT LOCATION X	Y	Z	SLANT RANGE	STATUS	KILL CATEGORY	TOTAL AIRCRAFT PK FOR A LASER FIRE AT EACH AIM POINT 1	2	3	4	5	6	7
						2	.52	.52	.49	.66	.66	.66	.60
86.00	-810.	10250.	4292.	3596.	ENGAGE	1	.48	.52	.49	.64	.67	.67	.60
						2	.53	.53	.50	.67	.69	.68	.61
87.00	-941.	10541.	4421.	3871.	ENGAGE	1	.49	.53	.50	.65	.68	.65	.61
						2	.54	.53	.51	.67	.69	.69	.61
88.00	-1126.	10911.	4583.	4154.	ENGAGE	1	.49	.53	.50	.66	.68	.69	.61
						2	.54	.54	.51	.68	.70	.70	.62
89.00	-1302.	11065.	4719.	4437.	NOT ENGAGE								
90.00	-1484.	11302.	4886.	4717.	NOT ENGAGE								
91.00	-1685.	11520.	5065.	4993.	NOT ENGAGE								
92.00	-1890.	11718.	5254.	5264.	NOT ENGAGE								
93.00	-2103.	11894.	5452.	5529.	NOT ENGAGE								
94.00	-2322.	12047.	5659.	5766.	NOT ENGAGE								
95.00	-2546.	12178.	5872.	6034.	NOT ENGAGE								
96.00	-2773.	12279.	6091.	6272.	NOT ENGAGE								
97.00	-3002.	12358.	6314.	6500.	NOT ENGAGE								
98.00	-3232.	12408.	6539.	6715.	NOT ENGAGE								
99.00	-3459.	12427.	6765.	6918.	NOT ENGAGE								
100.00	-3683.	12424.	6991.	7106.	NOT ENGAGE								
101.00	-3900.	12414.	7220.	7300.	NOT ENGAGE								
102.00	-4119.	12404.	7443.	7499.	NOT ENGAGE								
103.00	-4341.	12394.	7659.	7702.	NOT ENGAGE								
104.00	-4567.	12384.	7868.	7910.	NOT ENGAGE								
105.00	-4795.	12374.	8071.	8121.	NOT ENGAGE								
106.00	-5027.	12364.	8266.	8334.	NOT ENGAGE								
107.00	-5263.	12354.	8455.	8550.	NOT ENGAGE								
108.00	-5501.	12343.	8636.	8767.	NOT ENGAGE								
109.00	-5744.	12332.	8810.	8986.	NOT ENGAGE								
110.00	-5989.	12321.	8976.	9207.	NOT ENGAGE								

*** END OF FLIGHT PATH ***
TOTAL LASER SHOTS = 2

DAMAGE SUMMARY AT EACH AIR POINT:

	AIR POINTS						
	1	2	3	4	5	6	7
TOTAL AIRCRAFT PK'S							
KILL CATEGORY 1 K=KILL GROUP	.50	.53	.51	.66	.69	.69	.61
KILL CATEGORY 2 M ABORT GROUP	.54	.54	.52	.68	.70	.70	.62
SUBSYSTEM PK'S							
KILL CATEGORY 1 PYROTECH	.00	.00	.00	.00	.00	.00	.00
MISC	.00	.00	.00	.00	.00	.00	.00
LINES	.00	.00	.00	.00	.00	.00	.00
TANK4	.09	.38	.35	.19	.24	.37	.41
TANK3	.03	.05	.04	.06	.08	.08	.06
TANK2	.05	.04	.04	.09	.10	.09	.06
TANK1	.37	.16	.17	.46	.46	.40	.24
FUEL	.47	.53	.50	.64	.68	.68	.61
HYD2	.00	.00	.00	.00	.00	.00	.00
HYD1	.00	.00	.00	.00	.00	.00	.00
HYDRALIC	.00	.00	.00	.00	.00	.00	.00
STABILAT	.00	.00	.00	.00	.00	.00	.00
STICK	.00	.00	.00	.00	.00	.00	.00
CONTROLS	.00	.00	.00	.00	.00	.00	.00
LEGS	.00	.00	.00	.00	.00	.00	.00
ARMS	.00	.00	.00	.00	.00	.00	.00
PILOT	.05	.01	.01	.04	.03	.02	.01
KILL CATEGORY 2 PYROTECH	.00	.00	.00	.00	.00	.00	.00
MISC	.00	.00	.00	.00	.00	.00	.00
LINES	.00	.00	.00	.00	.00	.00	.00
TANK4	.09	.38	.35	.19	.24	.37	.41
TANK3	.03	.05	.04	.06	.08	.08	.06
TANK2	.05	.04	.04	.09	.10	.09	.06
TANK1	.37	.16	.17	.46	.46	.40	.24
FUEL	.47	.53	.50	.65	.68	.68	.61
HYD2	.00	.00	.00	.00	.00	.00	.00
HYD1	.00	.00	.00	.00	.00	.00	.00
HYDRALIC	.00	.00	.00	.00	.00	.00	.00
STABILAT	.00	.00	.00	.00	.00	.00	.00
STICK	.00	.00	.00	.00	.00	.00	.00
CONTROLS	.00	.00	.00	.00	.00	.00	.00
LEGS	.04	.01	.01	.03	.02	.01	.01
ARMS	.05	.01	.01	.04	.03	.02	.01
PILOT	.14	.02	.02	.10	.07	.05	.03
COMPONENT PK'S							
1 HEAD	.01	.00	.00	.01	.01	.00	.00
2 THORAX	.02	.00	.00	.01	.01	.01	.01
3 ABDOMEN	.01	.00	.00	.01	.01	.01	.00
4 PELVIS	.01	.00	.00	.00	.00	.00	.00
5 LEFT ARM	.03	.00	.00	.02	.02	.01	.01
6 RITE ARM	.02	.00	.00	.02	.01	.01	.01
7 LEFT LEG	.02	.00	.00	.01	.01	.01	.00
8 RITE LEG	.02	.00	.00	.02	.01	.01	.00
9 STK GRIP	.00	.00	.00	.00	.00	.00	.00
10 STK SENS	.00	.00	.00	.00	.00	.00	.00
11 STK YOKE	.00	.00	.00	.00	.00	.00	.00
12 LFT STAB	.00	.00	.00	.00	.00	.00	.00
13 RHT STAB	.00	.00	.00	.00	.00	.00	.00
14 HI FLUID	.00	.00	.00	.00	.00	.00	.00
15 HI MAGIF	.00	.00	.00	.00	.00	.00	.00
16 HI FILTR	.00	.00	.00	.00	.00	.00	.00

17	H1 COOLR	.00	.00	.00	.00	.00	.00	.00
18	H1 PUMP	.00	.00	.00	.00	.00	.00	.00
19	H1 PRESF	.00	.00	.00	.00	.00	.00	.00
20	H1 PRESR	.00	.00	.00	.00	.00	.00	.00
21	H2 FLUID	.00	.00	.00	.00	.00	.00	.00
22	H2 MANIF	.00	.00	.00	.00	.00	.00	.00
23	H2 FILTR	.00	.00	.00	.00	.00	.00	.00
24	H2 COOLR	.00	.00	.00	.00	.00	.00	.00
25	H2 PUMP	.00	.00	.00	.00	.00	.00	.00
26	H2 PRESF	.00	.00	.00	.00	.00	.00	.00
27	H2 PRESR	.00	.00	.00	.00	.00	.00	.00
28	HY FLUID	.00	.00	.00	.00	.00	.00	.00
29	FUEL 1-A	.11	.07	.07	.17	.17	.15	.10
30	FUEL 1-B	.03	.01	.01	.04	.04	.03	.02
31	FUEL 1-C	.01	.00	.00	.02	.02	.01	.01
32	FUEL 1-D	.12	.04	.04	.16	.15	.12	.06
33	FUEL 1-E	.16	.05	.05	.21	.19	.15	.08
34	FUEL 2-A	.00	.00	.00	.00	.00	.00	.00
35	FUEL 2-B	.00	.00	.00	.00	.00	.00	.00
36	FUEL 2-C	.00	.00	.00	.00	.00	.00	.00
37	FUEL 2-D	.02	.01	.01	.03	.04	.03	.02
38	FUEL 2-E	.04	.03	.02	.06	.07	.06	.04
39	FUEL 3-A	.00	.00	.00	.00	.00	.00	.00
40	FUEL 3-B	.00	.00	.00	.00	.00	.00	.00
41	FUEL 3-C	.00	.00	.00	.00	.00	.00	.00
42	FUEL 3-D	.00	.01	.01	.01	.01	.01	.01
43	FUEL 3-E	.03	.04	.04	.06	.07	.07	.06
44	FUEL 4-A	.00	.01	.00	.00	.00	.00	.01
45	FUEL 4-B	.00	.01	.01	.00	.01	.01	.01
46	FUEL 4-C	.00	.02	.01	.00	.00	.01	.03
47	FUEL 4-D	.01	.06	.05	.02	.04	.05	.08
48	FUEL 4-E	.07	.32	.30	.17	.25	.32	.32
49	LFT FLIN	.00	.00	.00	.00	.00	.00	.00
50	RHT FLIN	.00	.00	.00	.00	.00	.00	.00
51	LFT FUEL	.00	.00	.00	.00	.00	.00	.00
52	RHT FUEL	.00	.00	.00	.00	.00	.00	.00
53	VENT TNK	.00	.00	.00	.00	.00	.00	.00
54	OXYGEN	.00	.00	.00	.00	.00	.00	.00
55	HT EXCHG	.00	.00	.00	.00	.00	.00	.00
56	BLD LINE	.00	.00	.00	.00	.00	.00	.00
57	PRI CHRG	.00	.00	.00	.00	.00	.00	.00
58	LFT CHRG	.00	.00	.00	.00	.00	.00	.00
59	RHT CHRG	.00	.00	.00	.00	.00	.00	.00
60	CARTR 1	.00	.00	.00	.00	.00	.00	.00
61	CARTR 2	.00	.00	.00	.00	.00	.00	.00
62	GUN CART	.00	.00	.00	.00	.00	.00	.00
63	REK RKT	.00	.00	.00	.00	.00	.00	.00
64	SEAT RKT	.00	.00	.00	.00	.00	.00	.00
65	LFT CRKT	.00	.00	.00	.00	.00	.00	.00
66	RHT CRKT	.00	.00	.00	.00	.00	.00	.00

Figure A-7. VAMERGE Source Code

These 11 pages (A-149 through A-159) contain a copy of the source code for program VAMERGE which is the only undocumented program used in the ASALT benchmark sequence.

```
                                                                        00001000
      PROGRAM VAMERGE                                                   00002000
C***                                                                    00003000
C     PROGRAM VAMERGE IS USED TO READ THE VULNERABLE AREA FILES         00004000
C     CREATED BY GKLOOK PROGRAM PEAKAY, AVERAGE THE COMPONENT PK'S,     00005000
C     AND PRINT THEM IN THE ASALT INPUT FORMAT (LOGICAL UNIT 4) AS      00006000
C     WELL AS IN READABLE FORM ON THE LINE PRINTER (LOGICAL UNIT, 6)    00007000
C                                                                       00008000
C        I/O LOGICAL UNIT TABLE FOR PROGRAM VAMERGE                     00009000
C     FORTRAN LOGICAL UNIT NUMBER           USE                       00010000
C         1, 2, 3                       TARGET SHOT LINE DESCRIPTIONS   00011000
C                                       FOR THE FRONT, LEFT, AND        00012000
C                                       BOTTOM VIEWS                    00013000
C                                                                       00014000
C         4                             FILE TO BE USED FOR ASALT INPUT 00015000
C                                                                       00016000
C         5                             INPUT FOR VAMERGE, NUMBER OF    00017000
C                                       CRITICAL COMPONENTS IN GKLOOK   00018000
C                                       FILES                           00019000
C                                                                       00020000
C         6                             READABLE LINE PRINTER FILE      00021000
C                                       PRINTED BY EXECUTING VAMERGE    00022000
C                                                                       00023000
C         7                             COMPONENT NAME FILE (OPTIONAL)  00024000
C                                                                       00025000
C         8, 9, 10                      NOT USED                        00026000
C                                                                       00027000
C         11 THROUGH 36                 26 VULNERABLE AREA FILES FROM   00028000
C                                       GKLOOK PROGRAM PEAKAY           00029000
C***                                                                    00030000
      DIMENSION FTIM(25), FXCM(25), TIMES(10), ENERGY(10)               00031000
      DIMENSION FTIM2(25), FXCM2(25), TIMES2(10)                        00032000
      DIMENSION ICOMP(100), PAREA(100), COMPAV(100,10)                  00033000
      DIMENSION COMP(3,100), AP(100,26), WIDTH(100,26), PK(10,100)      00034000
      CHARACTER*8 NAME(100), BLANK                                      00035000
      CHARACTER*4 YORN(2)                                               00036000
      DATA YORN/"NO  ", "YES "/                                         00037000
      DATA AP/2600**1.0/, PK/1000*0.0/                                  00038000
      DATA ENERGY/10*0.0/                                               00039000
      DATA COMP/300*0.0/                                                00040000
      DATA BLANK/'        '/                                            00041000
C***                                                                    00042000
C     ASALT CARD 1 == TDELT, IPRINT, LIMLIM                             00043000
C***                                                                    00044000
      WRITE (4,103) 0.5, 2, 60                                          00045000
C***                                                                    00046000
C     ASALT CARD 2 == WEAPON LOCATION, AND C.S. REFERENCE               00047000
C***                                                                    00048000
      WRITE (4,102) (0.0, I=1,9)                                        00049000
      IIN = 11                                                          00050000
      READ (5,101) NCRIT                                                00051000
C***                                                                    00052000
C     READ THE FIRST VULNERABLE AREA FILE FROM LOGICAL UNIT IIN         00053000
C***                                                                    00054000
      READ (IIN,END=900) AZ,EL,IFMAX,(FTIM(I),FXCM(I),I=1,IFMAX),RVRS,  00055000
```

```
     1                    NCCOMP,NTIME,(TIMES(I),I=1,NTIME)                  00056000
      IRVRS = RVRS + 1.                                                      00057000
      WRITE (6,111) (IN=10), AZ, EL, YORN(IRVRS), NCCOMP, NCRIT,             00058000
     *              (FTIM(I), FXCM(I),  I=1,IFMAX)                          00059000
      WRITE (6,112) (TIMES(I), I=1,NTIME)                                    00060000
C***                                                                         00061000
C     WRITE LASER FLUX EMISSION RATES, ASALT CARDS 3, 4, AND 5               00062000
C***                                                                         00063000
      WRITE (4,101) IFMAX, 1                                                 00064000
      WRITE (4,102) (FXCM(I), I = 1,IFMAX)                                   00065000
      FTIM(IFMAX) = 1.E+30                                                   00066000
      WRITE (4,102) (FTIM(I), I = 1,IFMAX)                                   00067000
C***                                                                         00068000
C     ASALT CARDS 6 AND 7 -- JITTER AND TRACKING                             00069000
C***                                                                         00070000
      WRITE (4,102) 1.0, 1.0                                                 00071000
      WRITE (4,102) 90., 45., 0.                                             00072000
C***                                                                         00073000
C     ASALT CARDS 8 AND 9 -- ATMOSPHERIC ATTENUATION                         00074000
C***                                                                         00075000
      WRITE (4,102) 1.0                                                      00076000
      WRITE (4,102) 1.E+30                                                   00077000
C***                                                                         00078000
C     ASALT CARD 10 -- NO SMOKE CORRIDOR                                     00079000
C***                                                                         00080000
      WRITE (4,102)                                                          00081000
C***                                                                         00082000
C     ASALT CARD 11 -- NUMBER OF COMPONENTS AND AIM POINTS                   00083000
C***                                                                         00084000
      WRITE (4,101) NCRIT, 1                                                 00085000
C***                                                                         00086000
C     ASALT CARD 12 -- ENERGY ARGUMENTS, COMPUTE USING FXCM AND              00087000
C                      FTIM ARRAYS FROM CKLOCK FILE                          00088000
C***                                                                         00089000
      ENERGY(1) = 0.0                                                        00090000
      LIM = NTIME                                                            00091000
      IF (NTIME .EQ. 10) LIM = 9                                             00092000
      DO 20 I = 1,LIM                                                        00093000
      T1 = 0.0                                                               00094000
      FLUX = 0.0                                                             00095000
      DO 15 J = 1,IFMAX                                                      00096000
      IF (FTIM(J) .GE. TIMES(I)) GO TO 16                                    00097000
      DELT = FTIM(J) - T1                                                    00098000
      FLUX = FLUX + (FXCM(J) * DELT)                                         00099000
      T1 = FTIM(J)                                                           00100000
   15 CONTINUE                                                               00101000
      J = IFMAX                                                              00102000
   16 DELT = TIMES(I) - T1                                                   00103000
      FLUX = FLUX + (FXCM(J) * DELT)                                         00104000
C***                                                                         00105000
C     CONVERT FROM JOULES/SQ.CM. TO KILOJOULES/SQ.CM.                        00106000
C***                                                                         00107000
      ENERGY(I+1) = FLUX * 0.001                                             00108000
   20 CONTINUE                                                               00109000
      LIM = LIM + 1                                                          00110000
      WRITE (4,102) (ENERGY(I), I = 1,LIM)                                   00111000
```

```
C***                                                                    00112000
C     READ COMPONENT NAMES IF PROVIDED, AND CONVERT LOOK-ANGLES TO      00113000
C     ASALT INDEX                                                       00114000
C***                                                                    00115000
      CALL NAMES(NAME, NCRIT, BLANK)                                    00116000
  190 CALL ASPTCIND( AZ, EL, ILOOK)                                     00117000
C***                                                                    00118000
C     READ PRESENTED AND VULNERABLE AREAS FOR EACH CRITICAL COMPONENT   00119000
C***                                                                    00120000
      DO 200 J = 1,NCRIT                                                00121000
      READ (IIN,END=900) ICOMP(J),PAREA(J),(COMPAV(J,K),K=1,NTIME)      00122000
      IF (NAME(J) .EQ. BLANK) WRITE (NAME(J), 195) ICOMP(J)             00123000
  195 FORMAT (4HCOMP,I4)                                                00124000
      WRITE (6,113) J,NAME(J),ICOMP(J),PAREA(J),(COMPAV(J,K),K=1,NTIME) 00125000
  200 CONTINUE                                                          00126000
C***                                                                    00127000
C     USE THE PRESENTED AND VULNERABLE AREAS IN SQ. FEET                00128000
C     TO COMPUTE PRESENTED AREA AND WIDTH IN SQ. METERS                 00129000
C     ASSUME SQUARE PRESENTED AREA                                      00130000
C***                                                                    00131000
      DO 240 J = 1,NCRIT                                                00132000
      AP(J,ILOOK) = PAREA(J) * 0.09290304                               00133000
      WIDTH(J,ILOOK) = SQRT( AP(J,ILOOK) )                              00134000
      PK(1,J) = 0.0                                                     00135000
      IF (PAREA(J) .LE. 1.E-06) GO TO 240                               00136000
C***                                                                    00137000
C     SUM PK'S OVER ALL VIEWS                                           00138000
C***                                                                    00139000
      DO 240 I = 2,LIM                                                  00140000
      PK(I,J) = PK(I,J) + COMPAV(J,I-1) / PAREA(J)                      00141000
  240 CONTINUE                                                          00142000
C***                                                                    00143000
C     READ NEXT VULNERABLE AREA FILE FROM LOGICAL UNIT IIN              00144000
C***                                                                    00145000
      IIN = IIN + 1                                                     00146000
      IF (IIN .GT. 36) GO TO 400                                        00147000
      READ(IIN,END=900)AZ,EL,IFMAX2,(FTIM2(I),FXCM2(I),I=1,IFMAX2),RVRS,00148000
     1                 NOCOMP2,NTIME2,(TIMES2(I),I=1,NTIME2)          00149000
      IRVRS = RVRS + 1.                                                 00150000
      WRITE (6,111) (IIN-10), AZ, EL, YORN(IRVRS), NOCOMP2, NCRIT,      00151000
     *              (FTIM2(I), FXCM2(I), I=1,IFMAX2)                    00152000
      WRITE (6,112) (TIMES2(I), I=1,NTIME2)                             00153000
C***                                                                    00154000
C     TEST TO BE SURE NEW VA FILE IS COMPATIBLE                         00155000
C***                                                                    00156000
      FTIM2(IFMAX2) = 1.E+30                                            00157000
      IF (IFMAX2  .NE. IFMAX ) GO TO 950                                00158000
      IF (NOCOMP2 .NE. NOCOMP) GO TO 950                                00159000
      IF (NTIME2  .NE. NTIME ) GO TO 950                                00160000
      DO 300 I = 1,IFMAX                                                00161000
      IF (FTIM2(I) .NE. FTIM(I)  .OR.  FXCM2(I) .NE. FXCM(I)) GO TO 950 00162000
  300 CONTINUE                                                          00163000
      DO 320 I = 1,NTIME                                                00164000
      IF (TIMES2(I) .NE. TIMES(I)) GO TO 950                            00165000
  320 CONTINUE                                                          00166000
C***                                                                    00167000
```

```
C     ALL TESTS OK, READ ITS VULNERABLE AREAS AS DONE FOR PRECEDING FILE00168000
C***                                                                  00169000
      GO TO 190                                                       00170000
C***                                                                  00171000
C     AVERAGE THE PK'S FROM ALL 26 VIEWS                              00172000
C***                                                                  00173000
  400 DO 410 J = 2,LIM                                                00174000
      DO 410 I = 1,NCRIT                                              00175000
      PK(J,I) = PK(J,1) / 26.0                                        00176000
  410 CONTINUE                                                        00177000
C***                                                                  00178000
C     DETERMINE THE COMPONENT CENTROID LOCATIONS                      00179000
C***                                                                  00180000
      CALL GETXYZ(ICOMP, COMP, NCRIT, NAME)                           00181000
      WRITE (6,121)                                                   00182000
C***                                                                  00183000
C     ASALT CARDS 13, 14, AND 15  FOR EACH CRITICAL COMPONENT         00184000
C***                                                                  00185000
      DO 450 I = 1,NCRIT                                              00186000
      WRITE (4,104) NAME(I), (COMP(J,I) , J = 1,3)                    00187000
      WRITE (4,102) (AP(I,J), WIDTH(I,J), J = 1,26)                   00188000
      WRITE (4,102) (PK(J,I), J = 1,10)                               00189000
      WRITE (6,122) I, NAME(I), ICOMP(I), (J,AP(I,J),WIDTH(I,J), J=1,26)00190000
  450 CONTINUE                                                        00191000
C***                                                                  00192000
C     PRINT COMPONENT PK FUNCTIONS ON THE LINE PRINTER TOO            00193000
C***                                                                  00194000
      WRITE (6,123) (ENERGY(I), I=1,10)                               00195000
      DO 500 I = 1,NCRIT                                              00196000
      WRITE (6,124) I, NAME(I), ICOMP(I), (PK(J,I), J=1,10)           00197000
  500 CONTINUE                                                        00198000
C***                                                                  00199000
C     ALL DONE -- FORMAT 125 IS A REMINDER TO FINISH THE ASALT INPUT  00200000
C***                                                                  00201000
      WRITE (4,125)                                                   00202000
      STOP                                                            00203000
C***                                                                  00204000
C     FATAL ERRORS DETECTED                                           00205000
C***                                                                  00206000
  900 WRITE (6,126) IIN, J                                            00207000
      STOP                                                            00208000
  950 WRITE (6,127) IIN                                               00209000
      STOP                                                            00210000
C***                                                                  00211000
C     FORMATS                                                         00212000
C***                                                                  00213000
  101 FORMAT (10I8)                                                   00214000
  102 FORMAT (10E8.2)                                                 00215000
  103 FORMAT (E8.2, 2I8)                                              00216000
  104 FORMAT (A8, 3E8.2)                                              00217000
  111 FORMAT (1H1, 5X, 11HVIEW NUMBER, I3, 9X, 8HREVERSED, 9X,        00218000
     *        20HNUMBER OF COMPONENTS, 19X, 10HFLUX TABLE /           00219000
     *        2X, 4HAZ =, F6.1, 6H  EL =, F6.1, 8X, A4, 11X, 5HTOTAL, 00220000
     *        11H   CRITICAL, 13X, 26HTIME(SEC.)  FLUX(#/SQ.CM.) /    00221000
     *        47X, I5, I9, 16X, F6.2, 6X, F8.1 /                      00222000
     *                    ( 77X, F6.2, 6X, F8.1 ) )                   00223000
```

```
112 FORMAT(1HO,16X, 4HH PRESENTED AREAS AND TRUE COMPONENT VULNERABLE,00224000
     *       39H AREAS (SQUARE FEET) PER TIME INCREMENT /                00225000
     *       35HO * * * COMPONENT * * *   PRESENTED, 39X,               00226000
     *       15HTIME INCREMENTS /                                       00227000
     *       32H  INDEX   NAME   NUMBER     AREA, 7X, 10F9.2)           00228000
113 FORMAT (1X,I4,3X,A8,I6,F13.5,4X,10F9.4)                             00229000
121 FORMAT (1H1)                                                        00230000
122 FORMAT (22HO* * * COMPONENT * * * / 22H INDEX   NAME   NUMBER,      00231000
     *       3(37H   LOOK-ANG PRESENTED AREA   WIDTH   ) /              00232000
     *       1X, I3, 3X, A8, I6, 1X,                                    00233000
     *       3(5X, 32HINDEX    (SQ. METERS)  (METERS) )/                00234000
     *       (19X, 3(I12, 1X, 2F12.2) ) )                               00235000
123 FORMAT (1H1, 14X, 34H* * *  C O M P O N E N T   P K   ,             00236000
     *       45HF U N C T I O N S   F O R   A S A L T   * * * /         00237000
     *       45X, 43HDAMAGING ENERGY LEVELS IN KILOJOULES/SQ.CM. /      00238000
     *       3X, 24H* * * COMPONENT * * *  I, F7.2, 9F8.2 /            00239000
     *       3X, 24HINDEX   NAME   NUMBER  I, 79(1H-) )                 00240000
124 FORMAT (1X, I5, 3X, A8, I6, 4H   I, 10(F7.2,1X))                   00241000
125 FORMAT (45H ALL DONE - ADD THE AIM POINTS AND FAULT TREE)           00242000
126 FORMAT (23H UNEXPECTED EOF -- LINE, I3, 11H COMPONENT=, I3)         00243000
127 FORMAT (31H VA FILE DOES NOT MATCH -- LINE, I3)                     00244000
    END                                                                 00245000
```

```
      SUBROUTINE ASPTOIND( AZ, EL, ILOOK )                              00246000
C***                                                                    00247000
C     CONVERT FASTGEN LOOK AZIMUTH AND LOOK ELEVATION TO THE            00248000
C     ASALT INDEX FOR THE SAME LOOK ANGLES.                             00249000
C                                                                       00250000
C       FASTGEN                ASALT                                    00251000
C       AZ      EL             AZ      EL       INDEX                   00252000
C     180.    -90.             0.      0.         1                    00253000
C     180.    -45.             0.     45.         2                    00254000
C     225.    -45.            45.     45.         3                    00255000
C     270.    -45.            90.     45.         4                    00256000
C     315.    -45.           135.     45.         5                    00257000
C       0.    -45.           180.     45.         6                    00258000
C      45.    -45.           225.     45.         7                    00259000
C      90.    -45.           270.     45.         8                    00260000
C     135.    -45.           315.     45.         9                    00261000
C     180.      0.             0.     90.        10                    00262000
C     225.      0.            45.     90.        11                    00263000
C     270.      0.            90.     90.        12                    00264000
C     315.      0.           135.     90.        13                    00265000
C       0.      0.           180.     90.        14                    00266000
C      45.      0.           225.     90.        15                    00267000
C      90.      0.           270.     90.        16                    00268000
C     135.      0.           315.     90.        17                    00269000
C     180.     45.             0.    135.        18                    00270000
C     225.     45.            45.    135.        19                    00271000
C     270.     45.           135.    135.        20                    00272000
C     315.     45.           135.    135.        21                    00273000
C       0.     45.           180.    135.        22                    00274000
C      45.     45.           225.    135.        23                    00275000
C     135.     45.           270.    135.        24                    00276000
C     135.     45.           315.    135.        25                    00277000
C     180.     90.             0.    180.        26                    00278000
C***                                                                    00279000
      ILOOK = 0                                                         00280000
      IF (ABS(EL-90.) .LE. 1.E-05) ILOOK = 26                           00281000
      IF (ABS(EL+90.) .LE. 1.E-05) ILOOK = 1                            00282000
      IF (ILOOK .GT. 0) RETURN                                          00283000
C***                                                                    00284000
C     WHICH ELEVATION?                                                  00285000
C***                                                                    00286000
      CHK = -45.                                                        00287000
      DO 10 I = 0,2                                                     00288000
      IF (ABS(EL-CHK) .LE. 1.E-05) GO TO 12                             00289000
      CHK = CHK + 45.                                                   00290000
   10 CONTINUE                                                          00291000
      GO TO 900                                                         00292000
C***                                                                    00293000
C     WHICH AZIMUTH?                                                    00294000
C***                                                                    00295000
   12 IAZ = 4                                                           00296000
      IF (AZ .LT. 180.) GO TO 20                                        00297000
      IAZ = 0                                                           00298000
      AZ = AZ - 180.                                                    00299000
   20 CHK = 0.0                                                         00300000
      DO 30 J = 1,4                                                     00301000
```

```
      IF (ABS(AZ-CHK) .LE. 1.E-05) GO TO 32                              00302000
      CHK = CHK + 45.                                                    00303000
   30 CONTINUE                                                           00304000
      GO TO 900                                                          00305000
C***                                                                     00306000
C     THE INDEX IS ...                                                   00307000
C***                                                                     00308000
   32 ILOOK = I-8 + 1 + IAZ + J                                          00309000
      RETURN                                                             00310000
C***                                                                     00311000
C     ERROR                                                              00312000
C***                                                                     00313000
  900 WRITE (6,901) AZ, EL                                               00314000
  901 FORMAT (' *** ERROR *** CANNOT CLASSIFY LOOKANGLES AZ, EL',/       00315000
     *        15X, 2F10.2)                                              00316000
      CALL EXIT                                                          00317000
      STOP                                                               00318000
      END                                                                00319000
```

```
      SUBROUTINE FINDCOMP(IPT, ICOMP, IC, NCRIT)                        00320000
      DIMENSION ICOMP(100)                                              00321000
C***                                                                    00322000
C     SEARCH FOR COMPONENT NUMBER, IC, IN ARRAY ICOMP WHICH CONTAINS    00323000
C     NCRIT COMPONENT NUMBERS.  RETURN THE ARRAY POSITION IN IPT OR     00324000
C     THE VALUE 0 IF THE COMPONENT IS NOT THERE.                        00325000
C***                                                                    00326000
      IPT = 0                                                           00327000
      DO 100 I = 1,NCRIT                                                00328000
      IF (ICOMP(I) .EQ. IC) GO TO 110                                   00329000
  100 CONTINUE                                                          00330000
      RETURN                                                            00331000
  110 IPT = I                                                           00332000
      RETURN                                                            00333000
      END                                                               00334000
```

```
      SUBROUTINE GETXYZ(ICOMP, COMP, NCRIT, NAME)                       00335000
      DIMENSION ICOMP(100), COMP(3,100)                                 00336000
      CHARACTER*8 NAME(100)                                             00337000
      DIMENSION SM(2,170), JM(5,170), AZV(3), ELV(3)                    00338000
      DIMENSION X(100),  Y(100),  Z(100)                                00339000
      DIMENSION NX(100), NY(100), NZ(100)                               00340000
C***                                                                    00341000
      DATA AZV/0.0, 90.0, 90.0/, ELV/0.0, 0.0, -90.0/                   00342000
      DATA X/100*0.0/, Y/100*0.0/, Z/100*0.0/                           00343000
      DATA NX/100*0/,  NY/100*0/,  NZ/100*0/                            00344000
C***                                                                    00345000
C     READ THE FRONT, LEFT SIDE, AND BOTTOM LINE OF SIGHT SHOT LINE     00346000
C     TARGET DESCRIPTIONS AND DETERMINE THE X, Y, AND Z COORDINATES     00347000
C     OF EACH CRITICAL COMPONENT                                        00348000
C***                                                                    00349000
      ILOS = 1                                                          00350000
   10 READ (ILOS) AZ, EL                                                00351000
      IF (AZ .EQ. AZV(ILOS) .AND. EL .EQ. ELV(ILOS)) GO TO 20           00352000
      WRITE (6,11) ILOS, AZ, EL                                         00353000
   11 FORMAT (1H0, '***ERROR*** INCORRECT LOS FILE FOR VIEW', I3,       00354000
     *        '  AZ=', F8.1, '  EL=', F8.1)                            00355000
      CALL EXIT                                                         00356000
C***                                                                    00357000
   20 READ (ILOS, END=150) (DUM, (SM(I,J), I=1,2), (JM(I,J), I=1,5),    00358000
     *                      J = 1,170)                                   00359000
      DO 100 J = 1,170                                                  00360000
C***                                                                    00361000
C     END OF VIEW?                                                      00362000
C***                                                                    00363000
      IF (JM(2,J) .EQ. 0) GO TO 150                                     00364000
      SY = SM(1,J)                                                      00365000
      SZ = SM(2,J)                                                      00366000
      IC = JM(2,J)                                                      00367000
      CALL FINDCOMP(IPT, ICOMP, IC, NCRIT)                              00368000
C***                                                                    00369000
C     IPT=0 FOR NONCRITICAL COMPONENTS (NOT IN ARRAY ICOMP)             00370000
C***                                                                    00371000
      IF (IPT .EQ. 0) GO TO 100                                         00372000
C***                                                                    00373000
C     STORE SHOT LINE COORDINATES -- DEPENDENT ON THE CURRENT VIEW      00374000
C***                                                                    00375000
      GO TO (50, 60, 70), ILOS                                          00376000
C***                                                                    00377000
C     FRONT VIEW -- COORDINATES ARE Y AND Z AIRCRAFT COORDINATES        00378000
C***                                                                    00379000
   50 Y(IPT)  = Y(IPT)  + SY                                            00380000
      NY(IPT) = NY(IPT) + 1                                             00381000
      Z(IPT)  = Z(IPT)  + SZ                                            00382000
      NZ(IPT) = NZ(IPT) + 1                                             00383000
      GO TO 100                                                         00384000
C***                                                                    00385000
C     SIDE VIEW -- COORDINATES ARE -X AND Z AIRCRAFT COORDINATES        00386000
C***                                                                    00387000
   60 X(IPT)  = X(IPT)  - SY                                            00388000
      NX(IPT) = NX(IPT) + 1                                             00389000
      Z(IPT)  = Z(IPT)  + SZ                                            00390000
```

```
      NZ(IPT) = NZ(IPT) + 1                                              00391000
      GO TO 100                                                          00392000
C***                                                                     00393000
C     BOTTOM VIEW -- COORDINATES ARE -X AND Y AIRCRAFT COORDINATES       00394000
C***                                                                     00395000
   70 X(IPT)  = X(IPT)  - SY                                             00396000
      NX(IPT) = NX(IPT) + 1                                              00397000
      Y(IPT)  = Y(IPT)  + SZ                                             00398000
      NY(IPT) = NY(IPT) + 1                                              00399000
  100 CONTINUE                                                           00400000
      GO TO 20                                                           00401000
C***                                                                     00402000
C     END OF VIEW                                                        00403000
C***                                                                     00404000
  150 ILOS = ILOS + 1                                                    00405000
      IF (ILOS .LE. 3) GO TO 10                                          00406000
C***                                                                     00407000
C     COMPUTE COMPONENT LOCATIONS IN THE ASALT AIRCRAFT COORDINATE       00408000
C     SYSTEM, USE THE AVERAGE OF THE SHOT LINE COORDINATES THAT          00409000
C     INTERSECTED THEM IN THESE THREE VIEWS                              00410000
C     -- ALSO CONVERT COORDINATES FROM INCHES TO METERS --              00411000
C***                                                                     00412000
      WRITE (6,301) NCRIT                                                00413000
      DO 300 I = 1,NCRIT                                                 00414000
      IF (NX(I) .NE. 0) COMP(1,I) = X(I) / FLOAT(NX(I)) * 0.0254         00415000
      IF (NY(I) .NE. 0) COMP(2,I) = Y(I) / FLOAT(NY(I)) * 0.0254         00416000
      IF (NZ(I) .NE. 0) COMP(3,I) = Z(I) / FLOAT(NZ(I)) * 0.0254         00417000
  290 WRITE (6,302) I,NAME(I),ICOMP(I),COMP(1,I),NX(I), COMP(2,I),NY(I),00418000
     *              COMP(3,I),NZ(I)                                      00419000
  300 CONTINUE                                                           00420000
  301 FORMAT (1H1, 22X, 2H--, I3, 32H CRITICAL COMPONENT LOCATIONS -- / 00421000
     *        23H0 + + + COMPONENT + + + /                              00422000
     *        23H  INDEX   NAME   NUMBER, 6X, 15HX-COORD, SAMPLE,       00423000
     *        6X, 15HY-COORD, SAMPLE, 6X, 15HZ-COORD, SAMPLE )          00424000
  302 FORMAT (1X, I4, 3X, A6, I6, 1X, 3(F12.2, I7, 2X))                  00425000
      RETURN                                                             00426000
      END                                                                00427000
```

```
      SUBROUTINE NAMES(NAME, NCRIT, BLANK)                              00428000
      CHARACTER*8 NAME(100), BLANK                                      00429000
C***                                                                    00430000
C     READ THE COMPONENT NAMES FROM LOGICAL UNIT 7 IF PROVIDED,         00431000
C     OTHERWISE INITIALIZE TO BLANKS                                    00432000
C***                                                                    00433000
      READ (7,120,END=100) (NAME(I), I=1,NCRIT)                         00434000
      RETURN                                                            00435000
  100 DO 110 I = 1,NCRIT                                                00436000
      NAME(I) = BLANK                                                   00437000
  110 CONTINUE                                                          00438000
      RETURN                                                            00439000
  120 FORMAT (A8)                                                       00440000
      END                                                               00441000
```

REFERENCES

1. Steenrod, Frederick J., and Musch, John E., Assessment of Survivability Against Laser Threats, Armament Systems Inc., August 1981, Unclassified.

2. Steenrod, Frederick J., and Musch, John E., Engagement Model Computer Program (ENGAGE) Analyst/User Manual, Armament Systems Inc., August 1980, Unclassified.

3. Virbila, John P., Aircraft Flight Path Generator Computer Program (FLYGEN), Joint Technical Coordinating Group for Munitions Effectiveness, April 1976, Unclassified.

4. Steenrod, Frederick J., and Musch, John E., QKLOOK Computer Programs Analyst and User Manual, JTCG/AS-79-V-008, Joint Technical Coordinating Group on Aircraft Survivability, May 1980, Unclassified.

5. Belote, George E., and Severance, James D., FASTGEN II Target Description Computer Program, JTCG/AS-78-V-002, Joint Technical Coordinating Group on Aircraft Survivability, January 1980, Unclassified.

6. Musch, John E., and Burris, Robert A., MAGIC Computer Simulation, 61 JTCG/ME-71-7, Joint Technical Coordinating Group for Munitions Effectiveness, May 1971, Unclassified.

JTCG/AS DISTRIBUTION LIST

Aeronautical Systems Division (AFSC)
Wright-Patterson AFB, OH 45433
Attn: ASD/XRM (G. B. Bennett)
Attn: ASD/XRM (F. Campanile)
Attn: ASD/XRS (L. R. Roesner)
Attn: ASD/ENETV (D. J. Wallick) (2 copies)

Air Force Logistics Command
Wright-Patterson AFB, OH 45433
Attn: AFLC/LOE (Capt. R. Caputo)

Air Force Wright Aeronautical Laboratories
Wright-Patterson AFB, OH 45433
Attn: AFWAL/FIESD
Attn: AFWAL/FIESD (CDIC) (2 copies)
Attn: AFWAL/FIBEB (D. B. Paul)
Attn: AFWAL/FIBC (S. Thompson)
Attn: AFWAL/FIER (R. H. Walker)
Attn: AFWAL/POSH (T. A. Hogan)
Attn: AFWAL/XRXI (J. T. Van Kuren)

Applied Technology Laboratory
Army Research & Technology Laboratories (AVRADCOM)
Fort Eustis, VA 23604
Attn: DAVDL-ATL-ASW (A. Royal)
Attn: DAVDL-ATL-ASV (E. V. Merritt)
Attn: DAVDL-ATL-ASV (C. M. Pedriani)

Armament Division
Eglin AFB, FL 32542
Attn: AD/XRSP (Dr. S. W. Turner)
Attn: AD/ENS (C. Varnado)

Army Aviation Research & Development Command
4300 Goodfellow Blvd.
St. Louis, MO 63120
Attn: DRDAV-EGL (H. Lee)

Army Electronics Research & Development Command
(ERADCOM)
Electronic Warfare Laboratory
Fort Monmouth, NJ 07703
Attn: DELEW-P (J. Schwartz, E. W. Protection Division)

AD-A128 473 BENCHMARK FOR THE ASALT PROGRAM; ASSESSMENT OF SURVIVABILITY AGAINST LASER THREATS(U) ARMAMENT SYSTEMS INC ANAHEIM CA F J STEENROD ET AL. SEP 81 3/3

UNCLASSIFIED JTCG/AS-81-S-005 N00123-80-D-0033 F/G 20/5 NL



Army Foreign Science and Technology Center
220 Seventh St., NE
Charlottesville, VA 22901
Attn: DRXST-CA2 (Crosby)

Army Materials and Mechanics Research Center
Watertown, MA 02172
Attn: DRXMR-SE (J. Adachi)

Army Materiel Systems Analysis Activity
Aberdeen Proving Ground, MD 21005
Attn: DRXSY-AAS (W. B. Paris)
Attn: DRXSY-CR (J. Brand)

David W. Taylor Naval Ship R&D Center
Carderock Laboratory
Bethesda, MD 20084
Attn: Code 522.1, Library

Defense Technical Information Center
Cameron Station, Bldg. 5
Alexandria, VA 22314
Attn: DTIC-TCA (2 copies)

Federal Aviation Administration Technical Center
Atlantic City, NJ 08405
Attn: ACT-330 (L. J. Garodz)

Foreign Technology Division (AFSC)
Wright-Patterson AFB, OH 45433
Attn: FTD/NIIS (5 copies)

Joint Cruise Missiles Project Office
Washington, DC 20360
Attn: JCM-OOY (V. Roske)

Joint Strategic Target Planning Staff
Offutt AFB, NE 68113
Attn: SAC/NRI (STINFO Library)

Naval Air Development Center
Warminster, PA 18974
Attn: Code 60B (E. J. Boscola)
Attn: Code 60B1 (Dr. G. T. Chisum)
Attn: Code 2012 (M. C. Mitchell)

Naval Air Systems Command
Washington, DC 20361
Attn: AIR-312B (E. A. Lichtman)

Naval Research Laboratory
4555 Overlook Ave., SW
Washington, DC 20375
Attn: CM & RS Div. (S. Babjak)

Naval Surface Weapons Center
Dahlgren Laboratory
Dahlgren, VA 22448
Attn: Library E431

Naval Weapons Center
China Lake, CA 93555
Attn: Code 3383 (C. Driussi)
Attn: Code 3381 (C. Padgett) (2 copies)

Naval Weapons Evaluation Facility
Kirtland AFB, NM 87117
Attn: Code 70, Nuclear Survivability

Office of the Chief of Naval Operations
Washington, DC 20350
Attn: OP-508D2 (Capt. F. G. Staudenmayer)

Pacific Missile Test Center
Point Mugu, CA 93042
Attn: Code 6862 (Naval Air Station, Technical Library) (5 copies)

Acurex Aerotherm
Aerospace Systems Division
485 Clyde Ave.
Mountain View, CA 94042
Attn: J. Dodson, M/S 8-8800

Armament Systems, Inc.
838 N. Eglin Parkway, Suite 421
Ft. Walton Beach, FL 32549
Attn: G. A. Brown

Douglas Aircraft Co.
Lakewood Blvd.
Long Beach, CA 90846
Attn: Myron Potter (Cl-E00-595)

The BDM Corp.
1801 Randolph Rd. SE
Albuquerque International
Albuquerque, NM 87106
Attn: A. J. Holten
Attn: Technical Resource Center

The BDM Corp.
2650 Yale SE
Albuquerque, NM 87106
Attn: R. Mollo M/S 2A2, Bldg. 2

The BDM Corp.
First National Plaza
Suite 1820
Dayton, OH 45402
Attn: G. J. Valentino

Bell Helicopter - Textron
P. O. Box 482
Fort Worth, TX 76101
Attn: D. Lairdon, MD 11

Boeing Vertol Company
A Division of The Boeing Company
Boeing Center
P. O. Box 16858
Philadelphia, PA 19142
Attn: N. Caravasos, M/S P32-18

The Boeing Company
P. O. Box 3707
Seattle, WA 98124
Attn: K. F. Brettmann, M/S 4E-64 (2 copies)
Attn: J. H. Howard, M/S 4E-64

Boeing Military Airplane Company
A Division of The Boeing Company
3801 S. Oliver
Wichita, KS 67210
Attn: G. Heinrich, M/S K16-14
Attn: Classified Control Station 47 for A. L. Weller, M/S K62-55
Attn: R. Gerhardt, M/S K75-25
Attn: J. Wolf, M/S K75-25

Booz, Allen & Hamilton, Inc.
4330 East-West Highway
Bethesda, MD 20814
Attn: W. Herman

Calspan Corp.
P. O. Box 400
Buffalo, NY 14221
Attn: Library (V. M. Young)

COMARCO, inc.
1417 N. Norma St.
Ridgecrest, CA 93555
Attn: G. Russell

Denver Research Institute
University of Denver, University Park
Denver, CO 80208
Attn: J. Thompson

Emerson Electric Co.
8100 Florissant
St. Louis, MO 63136
Attn: Library, M/S 4372

E-Systems Inc.
P. O. Box 1056
Greenville, TX 75401
Attn: L. Phelps, CBN 38

Fairchild Republic Company
Conklin Street
Farmingdale, NY 11735
Attn: Technical Information Center (G. A. Mauter)

Falcon Research and Development Co.
One American Drive
Buffalo, NY 14225
Attn: Security Officer

Ford Aerospace and Communications Corp.
Ford Road, P. O. Box A
Newport Beach, CA 92663
Attn: Technical Information Center

General Electric Co.
Aircraft Engine Group
Mail Drop H-6
Cincinnati, OH 45215
Attn: G. E. Varney

Goodyear Aerospace Corp.
Arizona Division - Library D/154
P. O. Box 85
Litchfield Park, AZ 85340
Attn: G. Potter, D/948

Grumman Aerospace Corp.
South Oyster Bay Rd.
Bethpage, NY 11714
Attn: J. P. Archey, Jr., Dept. 662, M/S C42-05
Attn: J. Hartung, Dept. 661, M/S C27-05
Attn: Technical Information Center, Plant 35 L01-35 (T. Wilkin)

Hughes Helicopters, Inc.
Division of Summa Corp.
Centinela & Teal Sts.
Culver City, CA 90230
Attn: Library, 6/A69 (D. K. Goss)

IIT Research Institute
10 West 35th Street
Chicago, IL 60616
Attn: N. P. Murarka

Kenton, Inc.
696 Fairmount Ave.
Towson, MD 21204
Attn: G. J. Mitchell

Lockheed-California Co.
A Division of Lockheed Aircraft Corp.
2555 Hollywood Way
P. O. Box 551
Burbank, CA 91520
Attn: D. Tuttle, D/77-76, Bldg. 90-1, Plant B-1

McDonnell Douglas Astronautics Co.
5301 Bolsa Ave.
Huntington Beach, CA 92647
Attn: B. L. Cooper, A3-218, M/S 13-3

McDonnell Douglas Co.
McDonnell Aircraft Company
P. O. Box 516
St. Louis, MO 63166
Attn: R. D. Detrich, Dept. 022
Attn: Dr. T. Ender 313/33/6/605
Attn: J. Robinson, Dept E457, Bldg. 101/MEZ/Post S53

D. W. Mowrer
221 W. Stanton Road
Quarryville, PA 17566

Northrop Corp.
Aircraft Division
One Northrop Avenue
Hawthorne, CA 90250
Attn: K. Christensen, N3895/94
Attn: J. E. Reynolds, 3360/82

Northrop Corp.
Ventura Division
1515 Rancho Conejo Blvd.
P. O. Box 2500
Newbury Park, CA 91320
Attn: Technical Information Center (M. Raine)

The Perkin-Elmer Corporation
100 Wooster Hts. Rd.
Danbury, CT 06810
Attn: J. H. Beardsley, M/S 967

Rockwell International Corporation
6633 Canoga Avenue
Canoga Park, CA 91304
Attn: M. D. Black, Jr.

Rockwell International
North American Aircraft Operations
4300 E. Fifth Avenue
P. O. Box 1259
Columbus, OH 43216
Attn: R. A. Jones (D362/628 NC-21)
Attn: Technical Information Center (N. Brake)
Attn: R. H. Marshall 871 021 B/6

Rockwell International Corporation
P. O. Box 92098
Los Angeles, CA 90009
Attn: W. J. Darling, D116, 011-GB02
Attn: S. C. Mellin, Dept. 115, GD-12
Attn: R. L. Moonan, GC-02
Attn: Technical Information Center, GA06
Attn: A. S. Musicman, GD10

Science Applications, Inc.
505 Marquette NW
Albuquerque, NM 87102
Attn: Library

Survice Engineering Co.
P. O. Box 693
Bel Air, MD 21014
Attn: Security Officer

Sikorsky Aircraft Division
United Technologies Corporation
North Main Street
Stratford, CT 06002
Attn: D. P. Bartz, Chief Survivability

Southwest Research Institute
6220 Culebra Road
P. O. Drawer 28510
San Antonio, TX 78284
Attn: P. H. Zabel, Div. 02

Sverdrup Technology, Inc.
AEDC Group
Arnold AFS, TN 37389
Attn: Library, M/S 100
Attn: J. A. Reed, M/S 900 (ETF-ED2)

Teledyne Ryan Aeronautical
P. O. Box 80311
San Diego, CA 92138
Attn: Technical Information Services (W. E. Ebner)

Texas Instruments, In
P. O. Box 226015, M/S 3177
Dallas, TX 75266
Attn: Dr. G. L. Smith, M/S 3177

Uniroyal, Inc.
312 N. Hill Street
Mishawaka, IN 46544
Attn: R. L. Anderson
Attn: J. Kulesia

United Technologies Corporation
United Technologies Research Center
Slilver Lane, Post 10
East Hartford, CT 06108
Attn: UTC Library (M. E. Donnelly)

Vought Corporation
P. O. Box 225907
Dallas, TX 75265
Attn: H. C. Wispell, M/S 220-48